

Jemena Electricity Networks (Vic) Ltd

2026-31 Electricity Distribution Price Review Regulatory Proposal

Attachment 04-01

Classification of services



Table of contents

Gloss	ary	iii
Abbre	viations	iν
Overv	iew	. v
	Classification of distribution services	

List of appendices

Appendix A Proposed classification of distribution services for the next regulatory period

Glossary

current regulatory period The regulatory control period covering the 1 Jul 2021 to 30 Jun 2026 period.

next regulatory period The regulatory control period covering the 1 Jul 2026 to 30 Jun 2031 period.

Abbreviations

JEN Jemena Electricity Networks (Vic) Ltd

NER, Rules National Electricity Rules

AER Australian Energy Regulator's

DNSP Distribution Network Service Provider

F&A Framework and Approach

NMI National Metering Identifiers

SAPS Stand Alone Power System

Overview

Jemena Electricity Networks (Vic) Ltd (**JEN**) is regulated in accordance with the National Electricity Rules (**NER**, **Rules**). Under these Rules, our services are classified into groups largely informed by the degree of competition for providing these services. The classification is also shaped by the process outlined in the Australian Energy Regulator's (**AER**) Electricity Distribution Service Classification Guideline.¹

The AER process for classifying services is undertaken in several steps as outlined in the NER. The first step considers:

- whether a service is a distribution service
- · the form of regulation (if any) previously applicable to the relevant service or services and
- the desirability of consistency in the form of regulation.

If the AER determines that a service should be regulated under the first step, it will then undertake a further review by considering the following factors ²:

- the potential for the development of competition in the relevant market and how the classification might influence that potential
- the possible effects of the classification on administrative costs of the AER, the distribution network service provider (DNSP) and users or potential users
- the regulatory approach (if any) applicable to the relevant service immediately before the commencement of the distribution determination for which the classification is made
- the desirability of a consistent regulatory approach to similar services (both within and beyond the relevant jurisdiction)
- the extent to which the costs of providing the relevant service are directly attributable to the person to whom the service is provided.

The NER requires us to propose how our distribution services should be classified.³ To support our regulatory proposal, we considered the AER's preferences for classifying services outlined in its final Framework and Approach (**F&A**) for the 2026-31 regulatory control period.⁴

The AER determined that the F&A developed for Victorian DNSPs for the 2021-26 regulatory control period (**current regulatory period**) published in January 2019, which guided the final decisions on distribution determinations for that period made in April 21, required review.⁵ The significant transition in the energy market and the rules, schemes and guidelines under which the AER regulate electricity networks, confirmed the need for the review to amend or replace F&As for the Victorian DNSPs.

This attachment outlines our proposed service classifications for the next regulatory period. Our proposed services groupings and classifications are consistent with the distribution services classification outlined in the AER's final F&A decision for the 2026-31 regulatory control period (**next regulatory period**).

We consider that consistency with the AER's proposed classifications provides customers and stakeholders with confidence that prices and charges for our common distribution services and alternative control services will continue to be directly regulated by the AER.

¹ AER, Electricity Distribution Service Classification Guideline, August 2022.

² NER cl 6.2.2(c).

³ NER cl 6.8.2(c)(1).

⁴ AER, Framework and approach AusNet Services, CitiPower, Jemena, Powercor and United Energy 2026-31, July 2024.

AER, Replacement of framework and approach papers AusNet Services, CitiPower, Jemena, Powercor, United Energy 1 July 2026 – 30 June 2031, December 2023.

1. Classification of distribution services

When making a price reset determination in accordance with Chapter 6 of the NER, the AER classifies the services provided by DNSPs. The broad categories of services outlined in the NER are depicted in Figure 1–1 below. These services are categorised between those provided in competitive markets and those that are regulated where competition does not exist.

For regulated services, the AER further categories services into Standard Control Services and Alternative Control Services.




Figure 1-1: Classification of services and the services provided by JEN

The AER publishes a Framework and Approach paper ahead of making it's ex-ante price reset determination for a DNSP, in this paper, the AER classifies the services after consulting with customers and other stakeholders. Our proposed services classification is consistent with the distribution services classification outlined in the AER's Final F&A. We outline our approach to classifying services in Appendix A–1 below.



Appendix A
Proposed classification of distribution services for the next regulatory period



A1. Proposed classification of distribution services for the next regulatory period

Table A1-1: JEN's proposed service classification of distribution services for the next regulatory period

Service group	Service description	Final F&A	JEN position
	ibution service - use of the distribution network for the conveya elating to network integrity)	nce/flow of electric	city (including
Common distribution service	Common distribution service includes a suite of activities related to the provision of safe and reliable electricity to customers. These activities are related to the distribution network infrastructure and systems that support the shared use of the network by customers. They include, but are not limited to, the following:	Standard control	Standard control
	 the planning, design, repair, maintenance, construction and operation of the distribution network 		
	 works to fix damage to the network⁶ and recoverable works to fix damage caused by a customer or third party 		
	support for another network during an emergency event		
	 procurement and provision of network demand management activities for distribution purposes 		
	 activities related to 'shared asset facilitation' of distribution network service provider (DNSP) assets⁷ 		
	emergency disconnect for safety reasons and work conducted to restore a failed component of the distribution system to an operational state upon investigating a customer outage		
	 establishment and maintenance of National Metering Identifiers (NMI's) in market and/or network billing systems, and other market and regulatory obligations 		
	 ongoing inspection of private electrical networks (not part of the shared network) required under legislation for safety reasons⁸ 		
	supply abolishment of basic connection		
	 customer safety information, e.g. 'dial before you dig' services 		
	 bulk supply point metering - activities relating to monitoring the flow of electricity through the distribution network 		
	 third party initiated network asset relocations/re- arrangements, including under the Victorian Electricity Distribution Code of Practice⁹ 		
	transmission network support		

⁶ May include the provision of temporary stand-alone power systems to restore supply.

Revenue for these services is charged to the relevant third party and is treated in accordance with the shared asset guideline. 'Shared asset facilitation' refers to administrative costs. It does not refer to the costs associated with providing the unregulated service itself.

⁸ The *Electricity Safety Act 1998*, s 113F, requires Vic DNSPs to inspect overhead private electric lines.

This classification applies where a customer contribution is calculated and applied in accordance with the Victorian Essential Services Commission (**ESCV**) Guideline 14 or where a customer contribution is calculated and applied in accordance with any other relevant Victorian legislation or regulation, including regulations made under the National Electricity (Victoria) Act, 2005. The party requesting such works under this classification must pay the net cost of the works, subject to any rebates specified in Guideline 14 or by any other relevant Victorian legislation or regulation.

Service group	Service description	Final F&A	JEN position
	the relocation of assets that form part of the distribution network, but not relocations requested by a third party (including a customer)		
	use of dynamic network capacity management capabilities (including communication of import and export limits) for distribution purposes		
	 training internal staff and contractors undertaking direct control services 		
	investigation of customer-reported network faults		
	rectification of simple customer faults where:		
	 the need for rectification work is discovered in the course of the provision of distribution services 		
	 the work performed is the minimum required to restore safe supply 		
	 the work can be performed in less than thirty minutes and does not normally require a second visit 		
	 work related to a regulated stand-alone power system (SAPS) deployment, operation and maintenance (including fault and emergency repairs),¹⁰ and customer conversion activities. 		
	Provision of basic electricity distribution network data, including data that is provided in accordance with legislative obligations, standardised or automated data sets.		
Mandatory provision of essential system services	Activities include: interruption or curtailment of generation of embedded generating units connected to the distribution system at AEMO's direction to manage minimum system load risks, as part of Victoria's Emergency Backstop Mechanism interruption or disconnection of supply to premises at	Standard control	Standard control
	 AEMO's direction to manage under-frequency load risks other activities required to provide mandatory essential system services. 		
Network ancill	ary services – customer and third party-initiated services relate	d to common distr	ibution services
Access permits, oversight and facilitation	Activities include: a DNSP issuing access permits or clearances to work to a person authorised to work on or near distribution systems including high and low voltage	Alternative control	Alternative control (quoted)
	 a DNSP issuing confined space entry permits and associated safe entry equipment to a person authorised to enter a confined space 		
	 a DNSP providing access to switch rooms, substations and other network equipment to a non-DNSP party who is accompanied and supervised by a DNSP's staff member. May also include a DNSP providing safe entry equipment (fall-arrest) to enter difficult access areas 		
	 specialist services (which may involve design related activities and oversight/inspections of works) where the design or construction is non- standard, technically complex 		

¹⁰ Includes simple customer fault rectification on generation service of regulated SAPS.

Service group	Service description	Final F&A	JEN position
	or environmentally sensitive and any enquiries related to DNSP assets • facilitation of generator connection and operation of the network • facilitation of activities within clearances of a DNSP's assets, including physical and electrical isolation of assets.		
Sale of approved materials or equipment	Includes the sale of approved materials/equipment to third parties for connection assets that are gifted back to the DNSP to become part of the shared distribution network.	Alternative control	Alternative control (quoted)
Notices of arrangement and completion notices	 Work of an administrative nature where a local council requires evidence in writing from the distributor that all necessary arrangements have been made to supply electricity to a development. This includes but is not limited to receiving and checking subdivision plans, copying subdivision plans, checking and recording easement details, site visits, assessing supply availability, liaising with developers if errors or changes are required and preparing notifications of arrangement. Provision of a completion notice (other than a notice of arrangement). This applies where the DNSP is requested to provide documentation confirming progress of work. Usually associated with discharging contractual arrangements (e.g. progress payments) to meet contractual undertakings. 	Alternative control	Alternative control (quoted)
Network related property services	 Activities include: network related property services such as property tenure services relating to providing advice on, or obtaining: deeds of agreement, deeds of indemnity, leases, easements or other property tenure in relation to property rights associated with a connection or relocation conveyancing inquiry services relating to the provision of property conveyancing information at the request of a customer. 	Alternative control	Alternative control (quoted)
Network safety services	 Examples include: provision of traffic control services by the DNSP or third party where required fitting of tiger tails, possum guards and aerial markers high load escorts site visit relating to location of underground cables/assets third party request for de-energising wires for safe approach. 	Alternative control	Alternative control (quoted)
Customer requested network outage or rescheduling	Examples include: customer initiated network outage (e.g., to allow customer and/or contractor to perform maintenance on the customers assets, work close or for safe approach)	Alternative control	Alternative control (quoted)

Service group	Service description	Final F&A	JEN position
of a planned interruption	 where the customer requests to move a distributor planned interruption and agrees to fund the additional cost of performing this distribution service outside of normal business hours. 		
Inspection and auditing services	 Services include: inspection and reinspection by a DNSP, of gifted assets or assets that have been installed or relocated by a third party investigation, review and implementation of remedial actions that may lead to corrective and disciplinary action of a third-party service provider due to unsafe practices or substandard workmanship auditing and inspection of a third-party service provider's work practices in the field re-test at a customer's installation, where the installation fails the initial test and cannot be connected or has been disconnected for more than 12 months or for safety reasons customer or third party-requested inspection of privately owned low voltage or high voltage network, infrastructure (i.e., privately owned distribution infrastructure before the meter.) 	Alternative control	Alternative control (quoted)
Provision of training to third parties for network related access	Training services provided to third parties that result in a set of learning outcomes that are required to obtain a distribution network access authorisation specific to a DNSP's network. Such learning outcomes may include those necessary to demonstrate competency in the DNSP's electrical safety rules, to hold an access authority on the DNSP's network and to carry out switching on the DNSP's network. Examples of training might include high voltage training, protection training or working near power lines training.	Alternative control	Alternative control (quoted)
Authorisation and approval of third party service providers design, work and materials	Activities include: authorisation or re-authorisation of individual employees and subcontractors of third party service providers and additional authorisations at the request of the third party service providers (excludes training services) acceptance of third party designs and works assessing an application from a third party to consider approval of alternative material and equipment items that are not specified in the DNSP's approved materials list.	Alternative control	Alternative control (quoted)
Security lights	Operation and maintenance of security lights mounted on a distribution equipment used for security services, e.g. watchman lights. Note: excludes connection services	Alternative control	Alternative control (fee based)
Provision of non-basic electricity network data	Data requests by customers or third parties for network data beyond the scope of Standard Control Service provision, including:	Alternative control	Alternative control (quoted)

Service group	Service description	Final F&A	JEN position
	Data requests by customers or third parties including requests for the provision of electricity distribution network data or consumption data outside of legislative obligations		
	 Customer or third-party requests for assistance to understand or interpret data, or to identify the data they require to meet their needs. 		
Third party funded network alterations or other improvements	Alterations or other improvements to the shared distribution network to enable third party infrastructure (e.g. telecommunications assets) to be installed on the shared distribution network. This does not relate to undergrounding or upstream distribution network augmentation.	Alternative control	Alternative control (quoted
Community network upgrades	Collective customer requested network enhancement. Activities related to community requests to augment the network to enable higher PV exports.	Alternative control	Alternative control (quoted
_	ces - activities relating to the measurement of electricity supplic a system (excluding network meters)	ed to and from cu	stomers through
Type 1 to 4 metering services	Type 1 to 4 metering installations ¹¹ and supporting services are competitively available.	Unregulated	Unregulated
Types 5 and 6 meter (including smart metering) services where the DNSP remains responsible	 Metering services include: recovery of the capital cost of type 5 and 6 metering equipment¹² including communications network (including meters with internally integrated load control devices) testing, inspecting, investigating, maintaining or altering existing type 5 or 6 metering installations or instrument transformers quarterly or other regular reading of a metering installation metering data services that involve the collection, processing, storage and delivery of metering data, the provision of metering data, remote or self-reading at difficult to access sites, and the management of relevant NMI Standing Data in accordance with the NER. 	Alternative control	Alternative control
Auxiliary metering services (Type 5 to 7 (including smart meter) where the DNSP remains responsible	 Services include: requests to test, inspect and investigate, or alter an existing type 5 or 6 metering installation testing and maintenance of instrument transformers for type 5 and 6 metering purposes non-standard metering services for Type 5 to 7 meters and any other meter types introduced works to re-seal a type 5 or 6 meter due to customer or third party action (e.g., by having electrical work done on site) change DNSP load control relay channel on request that is not a part of the initial load control installation, nor part of standard asset maintenance or replacement remote de-energisation and re-energisation remote meter configuration 	Alternative control	Alternative control (fee-based)

¹¹ Includes the instrument transformer, as per the definition of a 'metering installation' in Chapter 10 of the NER.

¹² Includes the instrument transformer, as per the definition of a 'metering installation' in Chapter 10 of the NER.

Service group	Service description	Final F&A	JEN position
	 remote special meter read field based special meter read metering exit services 		
Type 7 metering services	Administration and management of type 7 metering installations in accordance with the NER and jurisdictional requirements. Includes the processing and delivery of calculated metering data for unmetered loads, and the population and maintenance of load tables, inventory tables and on/off tables.	Alternative control	Alternative control (fee- based)
Connection Se	ervices - services relating to the electrical or physical connection	n of a customer to	the network
Basic connection services	Provision of a connection service ¹³ related to a connection (or a proposed connection) between a distribution system and a retail customer's premises (excluding a non-registered embedded generator's premises) in the following circumstances: a) either: the retail customer is typical of a significant class of retail customers who have sought, or are likely to	Alternative control	Alternative control (fee- based)
	seek, the service or		
	 the retail customer is, or proposes to become, a micro embedded generator, and 		
	 the provision of the service involves minimal or no augmentation of the distribution network and 		
	 a model standing offer has been approved by the AER for providing that service as a basic connection service. 		
Standard connection service	Provision of a connection service (other than a basic connection service) for a particular class (or sub-class) of connection applicant and for which a model standing offer has been approved by the AER.	Standard control	Standard cont
Negotiated connection service	Connection services (other than a basic connection service) for which a DNSP provides a connection offer for a negotiated connection contract.	Standard control	Standard conti
	This includes connections under Chapter 5 of the NER.		
Connection application and management services	 Connection application related services Works initiated by a customer or retailer that are specific to the connection point. This includes, but is not limited to: field based de-energisation and re-energisation non basic supply abolishment or reposition non-basic connection temporary connections (e.g., for builder's supply, fetes etc.) overhead service line replacement – customer requests the existing overhead service to be replaced (e.g., because of a point of attachment relocation). No material change to load protection and power quality assessment supply enhancement (e.g., upgrade from single phase 	Alternative control	Alternative control (fee- based)

 $^{^{\}rm 13}$ Italics denote definitions in Chapter 5A of the NER.

Service group	Service description	Final F&A	JEN position
	 customer requested change requiring primary and secondary plant studies for safe operation of the network (e.g., change protection settings) 		
	 upgrade from overhead to underground service 		
	 rectification of illegal connections or damage to overhead or underground service cables 		
	 calculation of a site specific distribution loss factor on request in respect of a generating unit up to 10 MW or a connection point for an end-user with actual or forecast load up to 40 GWh per annum capacity, as per clause 3.6.3(b1) of the NER 		
	 calculation of site specific loss factors when required under the NER 		
	 power factor correction 		
	 embedded network management 		
	 assessing connection applications or a request to undertake relocation of network assets as contestable works and preparing offers 		
	 processing preliminary enquiries requiring site specific or written responses 		
	 undertaking planning studies and associated technical analysis (e.g., power quality investigations) to determine suitable/feasible connection options for further consideration by applicants 		
	 liaising with groups representing multiple connecting parties (e.g., community group upgrades) 		
Enhanced connection	Other or enhanced connection services provided at the request of a customer or third party that include those that are:	Alternative control	Alternative control (quoted
services	 provided with different levels of reliability of service or quality of service (where permissible) than required by the NER or any other applicable regulatory instruments. This includes reserve feeder installation and maintenance 		
	 in excess of levels of service or plant ratings required to be provided by the DNSP 		
	 management of export and load at a customer site that provides the customer greater network capacity than they would otherwise be eligible for. 		
Public Lighting	- lighting services provided in connection with a distribution n	etwork	
Public lighting	operation, maintenance, repair and replacement public lighting services	Alternative control	Alternative control (fee-based)
	alteration and relocation of public lighting assets	Alternative	Alternative
	 new public lighting services including greenfield sites and new light types (DNSP provided) 	control	control (quoted
	provision, construction and maintenance of emerging public lighting technology.		