

GPO Box 520 Melbourne VIC 3001

Telephone: (03) 9290 1444 Facsimile: (03) 9290 1457

www.aer.gov.au

3 December 2018

Mr Anders Sangkuhl Wholesale Regulation Manager Alinta Energy Level 13 Grosvenor Place, 225 George Street Sydney NSW 2000 Australia

Dear Mr Sangkuhl

## Re: Part 24 and Part 25 Conditional exemption—Condamine to Braemar Pipeline (Braemar 1)

On 22 November 2018, the Part 24 and Part 25 of the National Gas Rules (NGR) relating to capacity trading and the day-ahead auction came into effect.

We are writing to inform you of an exemption that applies to the Condamine to Braemar Pipeline (Braemar 1) in relation to the new obligations under Parts 24 and 25. This has been granted for facilities that are subject to certain exemptions under Part 23 of the NGR.

Under Rule 611(2), the AER has determined to initiate and grant conditional exemptions from Part 24 and 25 requirements on the basis that the Condamine to Braemar Pipeline (Braemar 1) holds an existing Part 23 Category 2 exemption and is a single user facility. This takes account that the same criteria supporting a Category 2 Part 23 exemption equally apply for a conditional exemption under Part 24 of the NGR

The Part 24 exemption will expire on 28 February 2023, unless the Part 23 Category 2 exemption continues to apply to the Condamine to Braemar Pipeline (Braemar 1), including any period during which the AER is considering whether to extend or reapply such an exemption, in which case the exemption will continue in force until the Part 23 exemption ceases.

This exemption is subject to the conditions set out in rule 611(6) and is conditional on it.

As required by Rule 611(10), please notify the AER if circumstances change such that the Condamine to Braemar Pipeline (Braemar 1) no longer qualifies for this conditional exemption.

Rule 611(9) requires the AER to maintain a public register for Part 24 exemptions. The details will be the same as those published on the Part 23 Register.

If you wish to discuss the content of this letter or have any questions, please contact Jeremy Llewellyn on (07) 3835 4610.

Yours sincerely

Peter Adams General Manager Market Performance