

Tariff Class Code	Tariff Name	Units	Rate

#### **Residential**

Only available to residential customers

A100 / F100 <sup>a</sup> / T100 <sup>b</sup>	General Purpose		
	Single rate all times		
	- Standing charge	\$/customer pa	\$44.655
	- Unit rate	¢/kWh	8.216

#### A10X / F10X<sup>a</sup> / T10X<sup>b</sup> Flexible

Available to customers with a remotely read AMI meter

Summer period: is the daylight savings period; Non-summer period: All other times

Peak Summer/Non-summer: 3 PM to 9 PM local time weekdays

Shoulder Summer/Non-summer: 7 AM to 3 PM and 9 PM to 10 PM local time weekdays

and 7 AM to 10 PM local time weekends

Off peak Summer/Non-summer: 10 PM to 7 AM local time all days

- Standing charge	\$/customer pa	\$44.655
Summer rates		
- Peak Unit rate	¢/kWh	13.160
- Shoulder Unit rate	¢/kWh	8.216
- Off Peak Unit rate	¢/kWh	3.884
Non-summer rates		
- Peak Unit rate	¢/kWh	13.160
- Shoulder Unit rate	¢/kWh	8.216
- Off Peak Unit rate	¢/kWh	3.884

#### A10D / F10Da / T10Db General Purpose - Demand

Available to customers with a remotely read AMI meter

Energy consumption - single rate all times

Demand charging window 3pm - 9pm work days; reset monthly

- Standing charge	\$/customer pa	\$44.655
- Unit rate	¢/kWh	3.983
- Demand rate	\$/kW pa	\$59.091

### A10I / F10I<sup>a</sup> / T10I<sup>b</sup> Time of Use Interval Meter (closed to new entrants)<sup>c</sup>

Available to customers with an interval meter

- Standing charge	\$/customer pa	\$44.655
- Peak Unit rate	¢/kWh	13.160
- Off Peak Unit rate	¢/kWh	2.427



Tariff Class Code	Tariff Name	Units	Rate	

#### A140 Time of Use (closed to new entrants)

This tariff is not available to existing customers that install an interval meter

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge \$/customer pa \$78.657 - Peak Unit rate ¢/kWh 10.712 - Off Peak Unit rate ¢/kWh 2.770

### A180 Off Peak Heating Only (dedicated ciruit)

Available as a complementary tariff to the "Residential - General Purpose" A100 tariff only.

This tariff is not available to new or existing customers that install embedded generation<sup>d</sup>

11 PM to 7 AM AEST all days

- Standing charge \$/customer pa \$0.000 - Off Peak Unit rate \$\( \frac{\( \)}{kWh} \) 2.655

#### **Small Business**

Only available to non-embedded network customers

with annual consumption < 0.4 GWh AND maximum demand < 120 kVA

#### A200 / F200<sup>a</sup> / T200<sup>b</sup> General Purpose

Only available to customer consuming < 40 MWh pa

Single rate all times

- Standing charge \$/customer pa \$87.172 - Unit rate \$/kWh 10.083

#### A20D / F20Da / T20Db General Purpose - Demand

Only available to customers with meter capable of measuring demand AND consuming < 40 MWh pa

Single rate all times

Demand charging window 10am - 8pm work days

 - Standing charge
 \$/customer pa
 \$87.172

 - Unit rate
 ¢/kWh
 8.189

 - Demand rate
 \$/kW pa
 \$57.272

#### A210 / F210<sup>a</sup> / T210<sup>b</sup> Time of Use Weekdays

Only available to customers with two rate accumulation meter (or Interval meter) AND consuming < 40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge \$/customer pa \$142.304 - Peak Unit rate \$/kWh 12.198 - Off Peak Unit rate \$\$c/kWh 2.779\$



Tariff Class Code	Tariff Name	Units	Rate	
-------------------	-------------	-------	------	--

#### A230 / F230<sup>a</sup> / T230<sup>b</sup> Time of Use Weekdays - Demand

Only available to customers with a meter capable of measuring demand AND consuming > 40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$298.431
- Peak Unit rate	¢/kWh	7.430
- Off Peak Unit rate	¢/kWh	2.817
- Demand rate	\$/kW pa	\$63.507

#### A23N / F23N<sup>a</sup> / T23N<sup>b</sup> Time of Use - Opt-out

Only available to customers with a meter capable of measuring demand AND consuming > 40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$298.431
- Peak Unit rate	¢/kWh	12.198
- Off Peak Unit rate	¢/kWh	2.779
- Demand rate	\$/kW pa	\$0.000

#### A250 / F250<sup>a</sup> / T250<sup>b</sup> Time of Use Extended (closed to new entrants)

Only available to customers with a two rate accumulation meter (or interval meter) AND consuming < 40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Sun" ; Off peak all other times

- Standing charge	\$/customer pa	\$142.304
- Peak Unit rate	¢/kWh	10.819
- Off Peak Unit rate	e/kWh	2.966

#### A270 / F270<sup>a</sup> / T270<sup>b</sup> Time of Use Extended - Demand (closed to new entrants)

Only available to customers with a meter capable of measuring demand AND consuming >40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Sun"; Off peak all other times

	, , , , , , , , , , , , , , , , , , ,	-
- Standing charge	\$/customer pa	\$298.431
- Peak Unit rate	¢/kWh	6.299
- Off Peak Unit rate	¢/kWh	2.939
- Demand rate	\$/kW pa	\$63.507
Minimum Chargeable Demand	60 kW	

#### A290 Unmetered Supply

- Peak Unit rate	¢/kWh	11.067
- Off Peak Unit rate	¢/kWh	2.921



Tariff Class Code Tariff Name	Units	Rate
-------------------------------	-------	------

#### **Large Business - LV**

#### **Low Voltage Tariffs (nominal voltage < 1000 Volts)**

Only available to embedded network customers OR non-embedded network customers with annual consumption  $\geq$  0.4 GWh OR maximum demand  $\geq$  120 kVA

#### A300 / F300<sup>a</sup> / T300<sup>b</sup> LV 0.4 - 0.8 GWh

Only available to non-embedded network customers consuming ≤ 0.8 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$2,301.985
- Peak Unit rate	¢/kWh	4.477
- Off Peak Unit rate	¢/kWh	1.896
- Demand rate	\$/kVA pa	\$95.788
Minimum Chargeable Demand	120 kVA	

### A30E LV<sub>EN</sub> Annual Consumption ≤ 0.8 GWh

Only available to embedded network customers consuming ≤ 0.8 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$2,301.985
- Peak Unit rate	¢/kWh	4.425
- Off Peak Unit rate	¢/kWh	1.896
- Demand rate	\$/kVA pa	\$108.281
Minimum Chargeable Demand	120 kVA	

#### A320 LV 0.8<sup>+</sup> - 2.2 GWh

Only available to non-embedded network customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$4,079.222
- Peak Unit rate	¢/kWh	4.007
- Off Peak Unit rate	¢/kWh	1.892
- Demand rate	\$/kVA pa	\$89.462
Minimum Chargeable Demand	250 kVA	

#### A32E LV<sub>EN</sub> 0.8<sup>+</sup> - 2.2 GWh

Only available to embedded network customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa

- Standing charge	\$/customer pa	\$4,079.222
- Peak Unit rate	¢/kWh	3.785
- Off Peak Unit rate	¢/kWh	1.892
- Demand rate	\$/kVA pa	\$98.743
Minimum Chargeable Demand	250 kVA	



Tariff Class Code	Tariff Name	Units	Rate
A340	LV 2.2 <sup>+</sup> - 6.0 GWh		

Only available to non-embedded network customers consuming > 2.2 GWh pa BUT ≤ 6.0 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$7,038.243
- Peak Unit rate	¢/kWh	3.973
- Off Peak Unit rate	¢/kWh	1.776
- Demand rate	\$/kVA pa	\$88.578
Minimum Chargeable Demand	250 kVA	

#### A34E LV<sub>EN</sub> 2.2<sup>+</sup> GWh

Only available to embedded network customers consuming > 2.2 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$7,038.243
- Peak Unit rate	¢/kWh	3.525
- Off Peak Unit rate	¢/kWh	1.772
- Demand rate	\$/kVA pa	\$94.913
Minimum Chargeable Demand	250 kVA	

#### A34M LV<sub>MS</sub> 2.2<sup>+</sup> - 6.0 GWh (closed to new entrants)<sup>e</sup>

Only available to non-embedded network customer taking supply from multiple NMIs on a single site AND the aggregated annual consumption from those NMIs is > 2.2 GWh pa BUT  $\leq 6.0$  GWh pa

- Standing charge	\$/customer pa	\$4,819.523
- Peak Unit rate	¢/kWh	4.172
- Off Peak Unit rate	¢/kWh	1.769
- Demand rate	\$/kVA pa	\$61.414
Minimum Chargeable Demand	250 kVA	

#### A370 LV 6.0<sup>+</sup> GWh

Only available to non-embedded network customers consuming > 6.0 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$10,747.040
- Peak Unit rate	¢/kWh	3.635
- Off Peak Unit rate	¢/kWh	1.713
- Demand rate	\$/kVA pa	\$85.338
Minimum Chargeable Demand	450 kVA	

### A37M LV<sub>MS</sub> 6.0<sup>+</sup> GWh (closed to new entrants)<sup>e</sup>

Only available to non-embedded network customer taking supply from multiple NMIs on a single site AND the aggregated annual consumption from those NMIs is > 6.0 Gwh

- Standing charge	\$/customer pa	\$7,896.769
- Peak Unit rate	¢/kWh	3.749
- Off Peak Unit rate	¢/kWh	1.713
- Demand rate	\$/kVA pa	\$61.612
Minimum Chargeable Demand	450 kVA	

**Tariff Name** 

**Tariff Class Code** 

A480



Rate

Units

A400	HV		
Only available to	non-embedded network customers consuming <	55 GWh pa	
-	Peak: 7 AM to 11 PM AEST "Mon - Fri" ;	Off peak all other times	
	- Standing charge	\$/customer pa	\$13,665.141
	- Peak Unit rate	¢/kWh	3.546
	- Off Peak Unit rate	¢/kWh	1.213
	- Demand rate	\$/kVA pa	\$72.175
	Minimum Chargeable Demand	1,000 kVA	
A40E	HV <sub>EN</sub>		
Only available to	embedded network customers		
	Peak: 7 AM to 11 PM AEST "Mon - Fri" ;	Off peak all other times	
	- Standing charge	\$/customer pa	\$13,665.141
	- Peak Unit rate	¢/kWh	3.286
	- Off Peak Unit rate	¢/kWh	1.213
	- Demand rate	\$/kVA pa	\$74.208
	Minimum Chargeable Demand	1,000 kVA	
A40R	<b>HV</b> <sub>RF</sub> (closed to new entrants) <sup>e</sup>		
	Peak: 7 AM to 11 PM AEST "Mon - Fri" ;	Off peak all other times	
	- Standing charge	\$/customer pa	\$13,665.141
	- Peak Unit rate	¢/kWh	3.536
	- Off Peak Unit rate	¢/kWh	1.213
	- Demand rate	\$/kVA pa	\$70.076
	Minimum Chargeable Demand	1,000 kVA	,

HV - Annual Consumption ≥ 55 GWh

**Minimum Chargeable Demand** 

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

\$/customer pa

¢/kWh

¢/kWh

\$/kVA pa

10,000 kVA

\$14,024.652

3.301

1.127

\$67.598

Only available to non-embedded customers consuming ≥ 55 GWh pa

- Standing charge

- Off Peak Unit rate

- Peak Unit rate

- Demand rate



Tariff Class Code	Tariff Name	Units	Rate	
-------------------	-------------	-------	------	--

### Large Business - Subtransmission

Subtransmission Tariffs (nominal voltage > 22,000 Volts)

	, ,		
A500	Subtransmission		
	Peak: 7 AM to 11 PM AEST "Mon - Fri" ;	Off peak all other times	
	- Standing charge	\$/customer pa	\$51,969.860
	- Peak Unit rate	¢/kWh	2.318
	- Off Peak Unit rate	¢/kWh	0.696
	- Demand rate	\$/kVA pa	\$23.127
	Minimum Chargeable Demand	15,000 kVA	
A50A	Subtransmission MA		
	Peak: 7 AM to 11 PM AEST "Mon - Fri" ;	Off peak all other times	
	- Standing charge	\$/customer pa	\$51,969.860
	- Peak Unit rate	¢/kWh	2.318
	- Off Peak Unit rate	¢/kWh	0.696
	- Demand rate	\$/kVA pa	\$23.226
	Minimum Chargeable Demand	15,000 kVA	
A50E	Subtransmission EG		
Available to Em	bedded Generators connected to TTS-SSS-ST-EF	G-TTS Loop.	
	Peak: 7 AM to 11 PM AEST "Mon - Fri" ;	Off peak all other times	
	- Standing charge	\$/customer pa	\$34,670.781
	- Peak Unit rate	ı¢/kWh	2 343

- Standing charge \$/customer pa \$34,670.781

- Peak Unit rate ¢/kWh 2.343

- Off Peak Unit rate ¢/kWh 0.684

- Demand rate \$/kVA pa \$8.031

Minimum Chargeable Demand 15,000 kVA

The *Deemed Distribution Contract* and Jemena Electricity Networks' *Policy for Resetting Contract Demand* form part of the terms and conditions related to these prices. These documents can be viewed or downloaded from the following Website:

http://jemena.com.au/getattachment/6602de3e-9780-4bf6-b5fb-7114f89e4956/Deemed-Standard-Distribution-Contract.aspx http://jemena.com.au/getattachment/3ecb77af-f5a0-4830-a7e5-6be44861e0c6/Contract-demand-reset-policy.aspx

<sup>&</sup>lt;sup>a</sup> A tariff code starting with the letter "F" indicates that the tariff attracts the Premium Feed-In--Tariff rebate Tariff reassignment requests to a tariff starting with the letter "F" can only be made by the customer's retailer.

<sup>&</sup>lt;sup>b</sup> A tariff code starting with the letter "T" indicates that the tariff attracts the Transitional Feed-In-Tariff rebate. Transitional Feed-In-Tariff rebate is no longer applicable from 2017 Existing customers will remain on "T" tariffs untill they / retailers choose to move to another tariff; however, no Transitional Feed-In-Tariff rebate will be paid

<sup>&</sup>lt;sup>c</sup> This tariff is closed to new entrants except for solar customers with a dedicated off peak heating circuit controlled by Jemena.

<sup>&</sup>lt;sup>d</sup> The installation of an embedded generation by an existing customer is considered a change in load characteristic and as such the A180 tariff is not supported. The metering and data recording for a co-generation site has additional regulated requirements to that of a standard site. It is not technically feasible to meet these requirements and at the same time be able to separately measure, control and bill a load controlled heating.

<sup>&</sup>lt;sup>e</sup> Other terms and conditions apply



Tariff Class Code	Tariff Name	Units	Rate	
				=

#### **Residential**

Only available to residential customers

A100 / F100 <sup>a</sup> / T100 <sup>b</sup>	General Purpose		
	Single rate all times		
	- Standing charge	\$/customer pa	\$44.355
	- Unit rate	¢/kWh	7.562

#### A10X / F10X<sup>a</sup> / T10X<sup>b</sup> Flexible

Available to customers with a remotely read AMI meter

Summer period: is the daylight savings period; Non-summer period: All other times

Peak Summer/Non-summer: 3 PM to 9 PM local time weekdays

Shoulder Summer/Non-summer: 7 AM to 3 PM and 9 PM to 10 PM local time weekdays

and 7 AM to 10 PM local time weekends

Off peak Summer/Non-summer: 10 PM to 7 AM local time all days

- Standing charge	\$/customer pa	\$44.355
Summer rates		
- Peak Unit rate	¢/kWh	12.269
- Shoulder Unit rate	¢/kWh	7.562
- Off Peak Unit rate	¢/kWh	3.713
Non-summer rates		
- Peak Unit rate	¢/kWh	12.269
- Shoulder Unit rate	¢/kWh	7.562
- Off Peak Unit rate	¢/kWh	3.713

#### A10D / F10Da / T10Db General Purpose - Demand

Available to customers with a remotely read AMI meter

Energy consumption - single rate all times

Demand charging window 3pm - 9pm work days; reset monthly

- Standing charge	\$/customer pa	\$44.355
- Unit rate	¢/kWh	3.329
- Demand rate	\$/kW pa	\$59.091

#### A10I / F10I<sup>a</sup> / T10I<sup>b</sup> Time of Use Interval Meter (closed to new entrants)<sup>c</sup>

Available to customers with an interval meter

- Standing charge	\$/customer pa	\$44.355
- Peak Unit rate	¢/kWh	12.269
- Off Peak Unit rate	¢/kWh	1.863



Tariff Class Code	Tariff Name	Units	Rate	
-------------------	-------------	-------	------	--

#### A140 Time of Use (closed to new entrants)

This tariff is not available to existing customers that install an interval meter

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge \$/customer pa \$78.357 - Peak Unit rate ¢/kWh 8.690 - Off Peak Unit rate ¢/kWh 1.519

#### A180 Off Peak Heating Only (dedicated ciruit)

Available as a complementary tariff to the "Residential - General Purpose" A100 tariff only.

This tariff is not available to new or existing customers that install embedded generation<sup>d</sup>

11 PM to 7 AM AEST all days

- Standing charge \$/customer pa \$0.000 - Off Peak Unit rate \$\( \psi/kWh \) 1.675

#### **Small Business**

Only available to non-embedded network customers

with annual consumption < 0.4 GWh AND maximum demand < 120 kVA

#### A200 / F200<sup>a</sup> / T200<sup>b</sup> General Purpose

Only available to customer consuming < 40 MWh pa

Single rate all times

- Standing charge \$/customer pa \$86.157 - Unit rate \$\(\psi/\text{kWh}\) 8.896

#### A20D / F20Da / T20Db General Purpose - Demand

Only available to customers with meter capable of measuring demand AND consuming < 40 MWh pa

Single rate all times

Demand charging window 10am - 8pm work days

Standing charge \$/customer pa \$86.157
 Unit rate ¢/kWh 7.002
 Demand rate \$/kW pa \$57.272

#### A210 / F210<sup>a</sup> / T210<sup>b</sup> Time of Use Weekdays

Only available to customers with two rate accumulation meter (or Interval meter) AND consuming < 40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

Standing charge \$/customer pa
Peak Unit rate ¢/kWh
Off Peak Unit rate ¢/kWh
1.791



Tariff Class Code Tariff Name Units Rate

#### A230 / F230<sup>a</sup> / T230<sup>b</sup> Time of Use Weekdays - Demand

Only available to customers with a meter capable of measuring demand AND consuming > 40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$171.432
- Peak Unit rate	¢/kWh	6.481
- Off Peak Unit rate	¢/kWh	2.090
- Demand rate	\$/kW pa	\$63.036

#### A23N / F23Na / T23Nb Time of Use - Opt-out

Only available to customers with a meter capable of measuring demand AND consuming > 40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$171.432
- Peak Unit rate	¢/kWh	10.502
- Off Peak Unit rate	¢/kWh	1.791
- Demand rate	\$/kW pa	\$0.000

#### A250 / F250<sup>a</sup> / T250<sup>b</sup> Time of Use Extended (closed to new entrants)

Only available to customers with a two rate accumulation meter (or interval meter) AND consuming < 40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Sun" ; Off peak all other times

- Standing charge	\$/customer pa	\$128.948
- Peak Unit rate	¢/kWh	9.250
- Off Peak Unit rate	¢/kWh	1.941

### A270 / F270<sup>a</sup> / T270<sup>b</sup> Time of Use Extended - Demand (closed to new entrants)

Only available to customers with a meter capable of measuring demand AND consuming >40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Sun"; Off peak all other times

- Standing charge	\$/customer pa	\$171.432
- Peak Unit rate	¢/kWh	4.877
- Off Peak Unit rate	¢/kWh	2.228
- Demand rate	\$/kW pa	\$63.036
Minimum Chargeable Demand	60 kW	

#### A290 Unmetered Supply

- Peak Unit rate	¢/kWh	9.981
- Off Peak Unit rate	¢/kWh	1.860



Tariff Class Code Tariff Name Units Rate

#### Large Business - LV

#### Low Voltage Tariffs (nominal voltage < 1000 Volts)

Only available to embedded network customers OR non-embedded network customers with annual consumption  $\geq$  0.4 GWh OR maximum demand  $\geq$  120 kVA

#### A300 / F300<sup>a</sup> / T300<sup>b</sup> LV 0.4 - 0.8 GWh

Only available to non-embedded network customers consuming ≤ 0.8 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$2,166.180
- Peak Unit rate	¢/kWh	1.914
- Off Peak Unit rate	¢/kWh	0.626
- Demand rate	\$/kVA pa	\$94.651
Minimum Chargeable Demand	120 kVA	

#### A30E LV<sub>EN</sub> Annual Consumption ≤ 0.8 GWh

Only available to embedded network customers consuming ≤ 0.8 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$2,166.180
- Peak Unit rate	¢/kWh	1.931
- Off Peak Unit rate	¢/kWh	0.626
- Demand rate	\$/kVA pa	\$106.790
Minimum Chargeable Demand	120 kVA	

#### A320 LV 0.8<sup>+</sup> - 2.2 GWh

Only available to non-embedded network customers consuming > 0.8 GWh pa BUT  $\leq$  2.2 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$3,791.705
- Peak Unit rate	¢/kWh	1.306
- Off Peak Unit rate	¢/kWh	0.616
- Demand rate	\$/kVA pa	\$87.490
Minimum Chargeable Demand	250 kVA	

#### A32E LV<sub>EN</sub> 0.8<sup>+</sup> - 2.2 GWh

Only available to embedded network customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa

- Standing charge	\$/customer pa	\$3,791.705
- Peak Unit rate	¢/kWh	1.305
- Off Peak Unit rate	¢/kWh	0.616
- Demand rate	\$/kVA pa	\$96.247
Minimum Chargeable Demand	250 kVA	



Tariff Class Code Tariff Name Units Rate	Units Rate	Tariff Name	Tariff Class Code
--	------------	-------------	-------------------

#### A340 LV 2.2+ - 6.0 GWh

Only available to non-embedded network customers consuming > 2.2 GWh pa BUT ≤ 6.0 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$5,445.668
- Peak Unit rate	¢/kWh	1.196
- Off Peak Unit rate	¢/kWh	0.501
- Demand rate	\$/kVA pa	\$86.545
Minimum Chargeable Demand	250 kVA	

#### A34E LV<sub>EN</sub> 2.2<sup>+</sup> GWh

Only available to embedded network customers consuming > 2.2 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$5,445.668
- Peak Unit rate	¢/kWh	1.196
- Off Peak Unit rate	¢/kWh	0.501
- Demand rate	\$/kVA pa	\$91.398
Minimum Chargeable Demand	250 kVA	

#### A34M LV<sub>MS</sub> 2.2<sup>+</sup> - 6.0 GWh (closed to new entrants)<sup>e</sup>

Only available to non-embedded network customer taking supply from multiple NMIs on a single site AND the aggregated annual consumption from those NMIs is > 2.2 GWh pa BUT  $\le 6.0$  GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$2,942.145
- Peak Unit rate	¢/kWh	1.183
- Off Peak Unit rate	¢/kWh	0.501
- Demand rate	\$/kVA pa	\$58.754
Minimum Chargeable Demand	250 kVA	

#### A370 LV 6.0<sup>+</sup> GWh

Only available to non-embedded network customers consuming > 6.0 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$7,464.015
- Peak Unit rate	¢/kWh	1.161
- Off Peak Unit rate	¢/kWh	0.446
- Demand rate	\$/kVA pa	\$83.118
Minimum Chargeable Demand	450 kVA	

#### A37M LV<sub>MS</sub> 6.0<sup>+</sup> GWh (closed to new entrants)<sup>e</sup>

Only available to non-embedded network customer taking supply from multiple NMIs on a single site AND the aggregated annual consumption from those NMIs is > 6.0 Gwh

- Standing charge	\$/customer pa	\$3,973.583
- Peak Unit rate	¢/kWh	1.161
- Off Peak Unit rate	¢/kWh	0.446
- Demand rate	\$/kVA pa	\$58.854
Minimum Chargeable Demand	450 kVA	



Tariff Class Code Tariff Name Units Rate	
--	--

#### **Large Business - HV**

High Voltage Tariffs (nominal voltage ≥ 1000 Volts AND ≤ 22,000 Volts)

A400	HV		
Only available t	o non-embedded network customers consuming <	< 55 GWh pa	
	Peak: 7 AM to 11 PM AEST "Mon - Fri"	; Off peak all other times	
	- Standing charge	\$/customer pa	\$4,046.240
	- Peak Unit rate	¢/kWh	0.797
	- Off Peak Unit rate	¢/kWh	0.237
	- Demand rate	\$/kVA pa	\$69.679
	Minimum Chargeable Demand	1,000 kVA	,
A40E	HV <sub>EN</sub>		
Only available t	o embedded network customers		
	Peak: 7 AM to 11 PM AEST "Mon - Fri"	; Off peak all other times	
	- Standing charge	\$/customer pa	\$4,046.240
	- Peak Unit rate	¢/kWh	0.800
	- Off Peak Unit rate	¢/kWh	0.237
	- Demand rate	\$/kVA pa	\$71.790
	Minimum Chargeable Demand	1,000 kVA	
A40R	HV <sub>RF</sub> (closed to new entrants) <sup>e</sup>		
	Peak: 7 AM to 11 PM AEST "Mon - Fri"		
	- Standing charge	\$/customer pa	\$4,046.240
	- Peak Unit rate	¢/kWh	0.789
	- Off Peak Unit rate - Demand rate	¢/kWh \$/kVA pa	0.237 \$64.025
	Minimum Chargeable Demand	1,000 kVA	φ04.023
A480	HV - Annual Consumption ≥ 55 GW	'h	
Only available t	o non-embedded customers consuming ≥ 55 GW		
	Peak: 7 AM to 11 PM AEST "Mon - Fri"	•	
	- Standing charge	\$/customer pa	\$3,779.602
	- Peak Unit rate	¢/kWh	0.761

¢/kWh

\$/kVA pa

10,000 kVA

0.184

\$61.821

- Off Peak Unit rate

**Minimum Chargeable Demand** 

- Demand rate



Tariff Class Code Tariff Name Units Rate

#### **Large Business - Subtransmission**

Subtransmission Tariffs (nominal voltage > 22,000 Volts)

A500	Subtransmission		
	Peak: 7 AM to 11 PM AEST "Mon - Fri"	; Off peak all other times	3
	- Standing charge	\$/customer pa	\$28,918.889
	- Peak Unit rate	¢/kWh	0.146
	- Off Peak Unit rate	¢/kWh	0.044
	- Demand rate	\$/kVA pa	\$19.226
	Minimum Chargeable Demand	15,000 kVA	
A50A	Subtransmission MA		
	Peak: 7 AM to 11 PM AEST "Mon - Fri"	; Off peak all other times	3
	- Standing charge	\$/customer pa	\$28,918.889
	- Peak Unit rate	¢/kWh	0.146
	- Off Peak Unit rate	¢/kWh	0.044
	- Demand rate	\$/kVA pa	\$19.305
	Minimum Chargeable Demand	15,000 kVA	
A50E	Subtransmission EG		
Available to Em	bedded Generators connected to TTS-SSS-ST-E		
	Peak: 7 AM to 11 PM AEST "Mon - Fri"	•	
	- Standing charge	\$/customer pa	\$28,889.393
	- Peak Unit rate	¢/kWh	0.139
	- Off Peak Unit rate	¢/kWh	0.023
	- Demand rate	\$/kVA pa	\$3.310
	Minimum Chargeable Demand	15,000 kVA	

<sup>&</sup>lt;sup>a</sup> A tariff code starting with the letter "F" indicates that the tariff attracts the Premium Feed-In--Tariff rebate Tariff reassignment requests to a tariff starting with the letter "F" can only be made by the customer's retailer.

The *Deemed Distribution Contract* and Jemena Electricity Networks' *Policy for Resetting Contract Demand* form part of the terms and conditions related to these prices. These documents can be viewed or downloaded from the following Website:

 $\frac{\text{http://jemena.com.au/getattachment/6602de3e-9780-4bf6-b5fb-7114f89e4956/Deemed-Standard-Distribution-Contract.aspx }{\text{http://jemena.com.au/getattachment/3ecb77af-f5a0-4830-a7e5-6be44861e0c6/Contract-demand-reset-policy.aspx}}$ 

<sup>&</sup>lt;sup>b</sup> A tariff code starting with the letter "T" indicates that the tariff attracts the Transitional Feed-In-Tariff rebate. Transitional Feed-In-Tariff rebate is no longer applicable from 2017 Existing customers will remain on "T" tariffs untill they / retailers choose to move to another tariff; however, no Transitional Feed-In-Tariff rebate will be paid

<sup>&</sup>lt;sup>c</sup> This tariff is closed to new entrants except for solar customers with a dedicated off peak heating circuit controlled by Jemena.

<sup>&</sup>lt;sup>d</sup> The installation of an embedded generation by an existing customer is considered a change in load characteristic and as such the A180 tariff is not supported. The metering and data recording for a co-generation site has additional regulated requirements to that of a standard site. It is not technically feasible to meet these requirements and at the same time be able to separately measure, control and bill a load controlled heating.

e Other terms and conditions apply



Tariff Class Code	Tariff Name	Units	Rate
Residential			

Only available to residential customers

A100 / F100 <sup>a</sup> / T100 <sup>b</sup>	General Purpose		
	Single rate all times		
	- Standing charge	\$/customer pa	\$0.300
	- Unit rate	¢/kWh	0.654

#### A10X / F10X<sup>a</sup> / T10X<sup>b</sup> Flexible

Available to customers with a remotely read AMI meter

Summer period: is the daylight savings period; Non-summer period: All other times

Peak Summer/Non-summer: 3 PM to 9 PM local time weekdays

Shoulder Summer/Non-summer: 7 AM to 3 PM and 9 PM to 10 PM local time weekdays

and 7 AM to 10 PM local time weekends

Off peak Summer/Non-summer: 10 PM to 7 AM local time all days

- Standing charge	\$/customer pa	\$0.300
Summer rates		
- Peak Unit rate	¢/kWh	0.891
- Shoulder Unit rate	¢/kWh	0.654
- Off Peak Unit rate	¢/kWh	0.171
Non-summer rates		
- Peak Unit rate	¢/kWh	0.891
- Shoulder Unit rate	¢/kWh	0.654
- Off Peak Unit rate	¢/kWh	0.171

#### A10D / F10D<sup>a</sup> / T10D<sup>b</sup> General Purpose - Demand

Available to customers with a remotely read AMI meter

Energy consumption - single rate all times

Demand charging window 3pm - 9pm work days; reset monthly

- Standing charge	\$/customer pa	\$0.300
- Unit rate	¢/kWh	0.654
- Demand rate	\$/kW pa	\$0.000

#### A10I / F10I<sup>a</sup> / T10I<sup>b</sup> Time of Use Interval Meter (closed to new entrants)<sup>c</sup>

Available to customers with an interval meter

- Standing charge	\$/customer pa	\$0.300
- Peak Unit rate	¢/kWh	0.891
- Off Peak Unit rate	¢/kWh	0.564



Tariff Class Code	Tariff Name	Units	Rate	
-------------------	-------------	-------	------	--

#### A140 Time of Use (closed to new entrants)

This tariff is not available to existing customers that install an interval meter

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge \$/customer pa \$0.300 - Peak Unit rate \$/kWh 2.022 - Off Peak Unit rate \$\$/kWh 1.251

#### A180 Off Peak Heating Only (dedicated ciruit)

Available as a complementary tariff to the "Residential - General Purpose" A100 tariff only.

This tariff is not available to new or existing customers that install embedded generation<sup>d</sup>

11 PM to 7 AM AEST all days

- Standing charge \$/customer pa \$0.000 - Off Peak Unit rate \$/kWh 0.980

#### **Small Business**

Only available to non-embedded network customers with annual consumption < 0.4 GWh AND maximum demand < 120 kVA

#### A200 / F200<sup>a</sup> / T200<sup>b</sup> General Purpose

Only available to customer consuming < 40 MWh pa

Single rate all times

- Standing charge \$/customer pa \$1.015 - Unit rate \$/kWh 1.187

### A20D / F20Da / T20Db General Purpose - Demand

Only available to customers with meter capable of measuring demand AND consuming < 40 MWh pa

Single rate all times

Demand charging window 10am - 8pm work days

Standing charge \$/customer pa \$1.015
Unit rate \$/kWh 1.187
Demand rate \$/kW pa \$0.000

#### A210 / F210<sup>a</sup> / T210<sup>b</sup> Time of Use Weekdays

Only available to customers with two rate accumulation meter (or Interval meter) AND consuming < 40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge \$/customer pa \$13.356 - Peak Unit rate \$c/kWh 1.696 - Off Peak Unit rate \$c/kWh 0.988



Tariff Class Code Tariff Name Units Rate

#### A230 / F230<sup>a</sup> / T230<sup>b</sup> Time of Use Weekdays - Demand

Only available to customers with a meter capable of measuring demand AND consuming > 40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

 - Standing charge
 \$/customer pa
 \$126.999

 - Peak Unit rate
 ¢/kWh
 0.949

 - Off Peak Unit rate
 ¢/kWh
 0.727

 - Demand rate
 \$/kW pa
 \$0.471

#### A23N / F23Na / T23Nb Time of Use - Opt-out

Only available to customers with a meter capable of measuring demand AND consuming > 40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

Standing charge
Peak Unit rate
Off Peak Unit rate
Demand rate
\$/customer pa
\$126.999
\$1.696
\$\chik\text{Wh}\$
\$0.988
\$\text{WW}\$
\$\text{WW}\$
\$\text{WW}\$
\$0.000

#### A250 / F250<sup>a</sup> / T250<sup>b</sup> Time of Use Extended (closed to new entrants)

Only available to customers with a two rate accumulation meter (or interval meter) AND consuming < 40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Sun"; Off peak all other times

Standing charge \$/customer pa \$13.356
Peak Unit rate \$/kWh 1.569
Off Peak Unit rate \$/kWh 1.025

#### A270 / F270<sup>a</sup> / T270<sup>b</sup> Time of Use Extended - Demand (closed to new entrants)

Only available to customers with a meter capable of measuring demand AND consuming >40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Sun"; Off peak all other times

- Standing charge \$/customer pa \$126.999
- Peak Unit rate \$/kWh 1.422
- Off Peak Unit rate \$/kWh 0.711
- Demand rate \$/kW pa \$0.471
Minimum Chargeable Demand 60 kW

#### A290 Unmetered Supply

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Peak Unit rate ¢/kWh 1.086- Off Peak Unit rate ¢/kWh 1.061



Tariff Class Code Tariff Name Units Rate

#### **Large Business - LV**

#### **Low Voltage Tariffs (nominal voltage < 1000 Volts)**

Only available to embedded network customers OR non-embedded network customers with annual consumption  $\geq$  0.4 GWh OR maximum demand  $\geq$  120 kVA

#### A300 / F300<sup>a</sup> / T300<sup>b</sup> LV 0.4 - 0.8 GWh

Only available to non-embedded network customers consuming ≤ 0.8 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$135.805
- Peak Unit rate	¢/kWh	2.563
- Off Peak Unit rate	¢/kWh	1.270
- Demand rate	\$/kVA pa	\$1.137
Minimum Chargeable Demand	120 kVA	

#### A30E LV<sub>EN</sub> Annual Consumption ≤ 0.8 GWh

Only available to embedded network customers consuming ≤ 0.8 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$135.805
- Peak Unit rate	¢/kWh	2.494
- Off Peak Unit rate	¢/kWh	1.270
- Demand rate	\$/kVA pa	\$1.491
Minimum Chargeable Demand	120 kVΔ	

#### A320 LV 0.8\* - 2.2 GWh

Only available to non-embedded network customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$287.517
- Peak Unit rate	¢/kWh	2.701
- Off Peak Unit rate	¢/kWh	1.276
- Demand rate	\$/kVA pa	\$1.972
Minimum Chargeable Demand	250 kVA	

#### A32E LV<sub>EN</sub> 0.8<sup>+</sup> - 2.2 GWh

Only available to embedded network customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa

- Standing charge	\$/customer pa	\$287.517
- Peak Unit rate	¢/kWh	2.480
- Off Peak Unit rate	¢/kWh	1.276
- Demand rate	\$/kVA pa	\$2.496
Minimum Chargeable Demand	250 kVΔ	



**Tariff Class Code Tariff Name** Units Rate

#### LV 2.2+ - 6.0 GWh A340

Only available to non-embedded network customers consuming > 2.2 GWh pa BUT ≤ 6.0 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge \$/customer pa \$1,592.575 - Peak Unit rate ¢/kWh 2.777 - Off Peak Unit rate ¢/kWh 1.275 - Demand rate \$/kVA pa \$2.033 Minimum Chargeable Demand 250 kVA

#### A34E LV<sub>EN</sub> 2.2<sup>+</sup> GWh

Only available to embedded network customers consuming > 2.2 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge \$/customer pa \$1,592.575 - Peak Unit rate ¢/kWh 2.329 - Off Peak Unit rate ¢/kWh 1.271 - Demand rate \$/kVA pa \$3.515 Minimum Chargeable Demand 250 kVA

#### **A34M** LV<sub>MS</sub> 2.2<sup>+</sup> - 6.0 GWh (closed to new entrants)<sup>e</sup>

Only available to non-embedded network customer taking supply from multiple NMIs on a single site AND the aggregated annual consumption from those NMIs is > 2.2 GWh pa BUT ≤ 6.0 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge \$/customer pa \$1,877.378 - Peak Unit rate ¢/kWh 2.989 - Off Peak Unit rate ¢/kWh 1.268 - Demand rate \$/kVA pa \$2.660 250 kVA **Minimum Chargeable Demand** 

#### A370 LV 6.0<sup>+</sup> GWh

Only available to non-embedded network customers consuming > 6.0 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge \$/customer pa \$3,283.025 - Peak Unit rate ¢/kWh 2.474 - Off Peak Unit rate ¢/kWh 1.267 - Demand rate \$/kVA pa \$2.220 450 kVA Minimum Chargeable Demand

#### **A37M** LV<sub>MS</sub> 6.0+ GWh (closed to new entrants)e

Only available to non-embedded network customer taking supply from multiple NMIs on a single site AND the aggregated annual consumption from those NMIs is > 6.0 Gwh

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa	\$3,923.186
- Peak Unit rate	¢/kWh	2.588
- Off Peak Unit rate	¢/kWh	1.267
- Demand rate	\$/kVA pa	\$2.758
Minimum Observatile Demonst	450 1-1/4	

Minimum Chargeable Demand 450 kVA



Tariff Class Code Tariff	Name Units	Rate
--------------------------	------------	------

#### **Large Business - HV**

High Voltage Tariffs (nominal voltage ≥ 1000 Volts AND ≤ 22,000 Volts)

A400	HV				
Only available to non	n-embedded network customers consuming <	55 GWh pa			
	Peak: 7 AM to 11 PM AEST "Mon - Fri" ;	Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times			
	- Standing charge	\$/customer pa	\$9,618.901		
	- Peak Unit rate	¢/kWh	2.749		
	- Off Peak Unit rate	¢/kWh	0.976		
	- Demand rate	\$/kVA pa	\$2.496		
	Minimum Chargeable Demand	1,000 kVA			
A40E	HV <sub>EN</sub>				
Only available to emb	oedded network customers				
	Peak: 7 AM to 11 PM AEST "Mon - Fri" ;	Off peak all other times			
	- Standing charge	\$/customer pa	\$9,618.901		
	- Peak Unit rate	¢/kWh	2.486		
	- Off Peak Unit rate	¢/kWh	0.976		
	- Demand rate	\$/kVA pa	\$2.418		
	Minimum Chargeable Demand	1,000 kVA			
A40R	HV <sub>RF</sub> (closed to new entrants) <sup>e</sup>				
	Peak: 7 AM to 11 PM AEST "Mon - Fri" ;	Off peak all other times			
	- Standing charge	\$/customer pa	\$9,618.901		
	- Peak Unit rate	¢/kWh	2.747		
	- Off Peak Unit rate	¢/kWh	0.976		
	<ul> <li>Demand rate</li> <li>Minimum Chargeable Demand</li> </ul>	\$/kVA pa 1,000 kVA	\$6.051		

- Standing charge	\$/customer pa	\$10,245.050
- Peak Unit rate	¢/kWh	2.540
- Off Peak Unit rate	¢/kWh	0.943
- Demand rate	\$/kVA pa	\$5.777
Minimum Chargeable Demand	10,000 kVA	



Tariff Class Code Tariff Name Units Rate

#### **Large Business - Subtransmission**

**Subtransmission Tariffs (nominal voltage > 22,000 Volts)** 

A500	Subtransmission				
	Peak: 7 AM to 11 PM AEST "Mon - Fri"	Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times			
	- Standing charge	\$/customer pa	\$23,050.971		
	- Peak Unit rate	¢/kWh	2.172		
	- Off Peak Unit rate	¢/kWh	0.652		
	- Demand rate	\$/kVA pa	\$3.901		
	Minimum Chargeable Demand	15,000 kVA			
A50A	Subtransmission MA				
	Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times				
	- Standing charge	\$/customer pa	\$23,050.971		
	- Peak Unit rate	¢/kWh	2.172		
	- Off Peak Unit rate	¢/kWh	0.652		
	- Demand rate	\$/kVA pa	\$3.921		
	Minimum Chargeable Demand	15,000 kVA			
A50E	Subtransmission EG				
	Peak: 7 AM to 11 PM AEST "Mon - Fri" ; Off peak all other times				
	- Standing charge	\$/customer pa	\$5,781.388		
	- Peak Unit rate	¢/kWh	2.204		
	- Off Peak Unit rate	¢/kWh	0.661		
	- Demand rate	\$/kVA pa	\$4.721		
	Minimum Chargeable Demand	15,000 kVA			

<sup>&</sup>lt;sup>a</sup> A tariff code starting with the letter "F" indicates that the tariff attracts the Premium Feed-In--Tariff rebate Tariff reassig Available to Embedded Generators connected to TTS-SSS-ST-EPG-TTS Loop.

The *Deemed Distribution Contract* and Jemena Electricity Networks' *Policy for Resetting Contract Demand* form part of the terms and conditions related to these prices. These documents can be viewed or downloaded from the following Website:

<sup>&</sup>lt;sup>b</sup> A tariff code starting with the letter "T" indicates that the tariff attracts the Transitional Feed-In-Tariff rebate. Transitional Feed-In-Tariff rebate is no longer applicable from 2017

Existing customers will remain on "T" tariffs untill they / retailers choose to move to another tariff; however, no Transitional Feed-In-Tariff rebate will be paid

<sup>&</sup>lt;sup>c</sup> This tariff is closed to new entrants except for solar customers with a dedicated off peak heating circuit controlled by Jemena.

<sup>&</sup>lt;sup>d</sup> The installation of an embedded generation by an existing customer is considered a change in load characteristic and as such the A180 tariff is not supported. The metering and data recording for a co-generation site has additional regulated requirements to that of a standard site. It is not technically feasible to meet these requirements and at the same time be able to separately measure, control and bill a load controlled heating.

<sup>&</sup>lt;sup>e</sup> Other terms and conditions apply