

Tariff Class Code	Tariff Name	Units	Rate
Tarin Class Code	Tallii Haille	Units	Nate

Residential

Only available to residential customers

A100 / F100^a / T100^b General Purpose

Single rate all times

- Standing charge \$/customer pa* \$69.030 - Unit rate \$¢/kWh 7.414

A10X / F10X^a / T10X^b Flexible

Available to customers with a remotely read AMI meter

Summer period: is the daylight savings period; Non-summer period: All other times

Peak Summer/Non-summer: 3 PM to 9 PM local time week days

Shoulder Summer/Non-summer: 7 AM to 3 PM and 9 PM to 10 PM local time weekdays

and 7 AM to 10 PM local time weekends

Off peak Summer/Non-summer: 10 PM to 7 AM local time all days

- Standing charge	\$/customer pa*	\$69.030
Summer rates		
- Peak Unit rate	¢/kWh	12.642
- Shoulder Unit rate	¢/kWh	8.587
- Off Peak Unit rate	¢/kWh	3.836
Non-summer rates		
- Peak Unit rate	¢/kWh	12.642
- Shoulder Unit rate	¢/kWh	8.587
- Off Peak Unit rate	¢/kWh	3.836

A10D / F10Da / T10Db General Purpose - Demand

Available to customers with a remotely read AMI meter

Energy consumption - single rate all times

Demand charging window 3pm - 9pm work days; reset monthly

- Standing charge	\$/customer pa*	\$69.030
- Unit rate	¢/kWh	2.925
- Demand rate	\$/kW pa*	\$60.031

A10I / F10I^a / T10I^b Time of Use Interval Meter (closed to new entrants)^c

Available to customers with an interval meter

- Standing charge	\$/customer pa*	\$69.030
- Peak Unit rate	¢/kWh	12.708
- Off Peak Unit rate	¢/kWh	2.463



Tariff Class Code Tariff Name Units Rate

> Time of Use (closed to new entrants) A140

This tariff is not available to existing customers that install an interval meter

Peak: 7 AM to 11 PM AEST "Mon - Fri": Off peak all other times

- Standing charge \$/customer pa* \$99.643 - Peak Unit rate ¢/kWh 12.012 - Off Peak Unit rate ¢/kWh 2.600

A180 Off Peak Heating Only (dedicated ciruit)

Available as a complementary tariff to the "Residential - General Purpose" A100 tariff only.

This tariff is not available to new or existing customers that install embedded generation d

11 PM to 7 AM AEST all days

- Standing charge \$/customer pa* \$0.000

- Off Peak Unit rate

¢/kWh 2.916

Small Business

Available to customers (embedded or non- embedded) with annual consumption < 0.4 GWh AND maximum demand < 120 kVA

A200 / F200^a / T200^b General Purpose

Only available to customers consuming < 40 MWh pa

Single rate all times

\$/customer pa* - Standing charge \$118.741 - Unit rate ¢/kWh 9.326

A20D / F20Da / T20Db General Purpose - Demand

Only available to customers with meter capable of measuring demand

AND consuming < 40 MWh pa

Single rate all times

Demand charging window 10am - 8pm work days

- Standing charge \$/customer pa* \$118.741 - Unit rate ¢/kWh 7.711 - Demand rate \$/kW pa* \$58.183

A210 / F210^a / T210^b Time of Use Weekdays

Only available to customers with two rate accumulation meter (or Interval meter)

AND consuming < 40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge \$/customer pa* \$208.681 - Peak Unit rate ¢/kWh 11.986 - Off Peak Unit rate ¢/kWh 2.468



Tariff Class Code Tariff Name Units Rate

A230 / F230a / T230b Time of Use Weekdays - Demand

Only available to customers with a meter capable of measuring demand AND consuming > 40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge \$/customer pa* \$516.933
- Peak Unit rate ¢/kWh 7.083
- Off Peak Unit rate ¢/kWh 2.448
- Demand rate \$/kW pa* \$58.934

A23N / F23Na / T23Nb Time of Use - Opt-out

Only available to customers with a meter capable of measuring demand AND consuming > 40 MWh pa & < 160 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge \$/customer pa* \$388.347
- Peak Unit rate ¢/kWh 12.871
- Off Peak Unit rate ¢/kWh 2.613
- Demand rate \$/kW pa* \$0.000

A250 / F250^a / T250^b Time of Use Extended (closed to new entrants)

Only available to customers with a two rate accumulation meter (or interval meter) AND consuming < 40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Sun"; Off peak all other times

- Standing charge \$/customer pa* \$208.681 - Peak Unit rate ¢/kWh 11.447 - Off Peak Unit rate ¢/kWh 2.789

A270 / F270a / T270b Time of Use Extended - Demand (closed to new entrants)

Only available to customers with a meter capable of measuring demand AND consuming >40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Sun"; Off peak all other times

- Standing charge \$/customer pa* \$516.933
- Peak Unit rate ¢/kWh 7.037
- Off Peak Unit rate ¢/kWh 2.727
- Demand rate \$/kW pa* \$58.932
Minimum Chargeable Demand 60 kW

A290 Unmetered Supply

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Peak Unit rate ¢/kWh 10.425 - Off Peak Unit rate ¢/kWh 2.692



Tariff Class Code Tariff Name Units Rate

Large Business - LV

Low Voltage Tariffs (nominal voltage < 1000 Volts)

Only available to embedded network customers OR non-embedded network customers with annual consumption ≥ 0.4 GWh OR maximum demand ≥ 120 kVA

A300 / F300a / T300b LV 0.4 - 0.8 GWh

Only available to non-embedded network customers consuming ≤ 0.8 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge \$/customer pa* \$2,560.501 - Peak Unit rate ¢/kWh 4.276 - Off Peak Unit rate ¢/kWh 1.519 - Demand rate \$/kVA pa* \$94.832

Minimum Chargeable Demand 120 kVA

A30E LV_{EN} Annual Consumption ≤ 0.8 GWh

Only available to embedded network customers consuming ≤ 0.8 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge \$/customer pa* \$2,560.501 - Peak Unit rate ¢/kWh 4.276 1.519 - Off Peak Unit rate ¢/kWh \$/kVA pa* \$107.313 - Demand rate Minimum Chargeable Demand 120 kVA

A320 LV 0.8+ - 2.2 GWh

Only available to non-embedded network customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge \$/customer pa* \$4,516.792 - Peak Unit rate ¢/kWh 3.973 - Off Peak Unit rate 1.519 ¢/kWh \$88.800 - Demand rate \$/kVA pa*

Minimum Chargeable Demand 250 kVA

A32E LV_{EN} 0.8+ - 2.2 GWh

Only available to embedded network customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge \$/customer pa* \$4,516.792 - Peak Unit rate ¢/kWh 3.973 - Off Peak Unit rate ¢/kWh 1.519 - Demand rate \$/kVA pa* \$98.161

250 kVA Minimum Chargeable Demand



Tariff Class Code Tariff Name Units Rate

A340 LV 2.2+ - 6.0 GWh

Only available to non-embedded network customers consuming > 2.2 GWh pa BUT ≤ 6.0 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge \$/customer pa* \$7,956.973
- Peak Unit rate ¢/kWh 3.972
- Off Peak Unit rate ¢/kWh 1.448
- Demand rate \$/kVA pa* \$87.944

Minimum Chargeable Demand 250 kVA

A34E LV_{EN} 2.2⁺ GWh

Only available to embedded network customers consuming > 2.2 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

 - Standing charge
 \$/customer pa*
 \$7,956.973

 - Peak Unit rate
 ¢/kWh
 3.972

 - Off Peak Unit rate
 ¢/kWh
 1.448

 - Demand rate
 \$/kVA pa*
 \$94.575

Minimum Chargeable Demand 250 kVA

A34M LV_{MS} 2.2⁺ - 6.0 GWh (closed to new entrants)^e

Only available to non-embedded network customer taking supply from multiple NMIs on a single site AND the aggregated annual consumption from those NMIs is > 2.2 GWh pa BUT ≤ 6.0 GWh pa

- Standing charge \$/customer pa* \$5,688.548
- Peak Unit rate ¢/kWh 4.193
- Off Peak Unit rate ¢/kWh 1.441
- Demand rate \$/kVA pa* \$61.365
Minimum Chargeable Demand 250 kVA

A370 LV 6.0⁺ GWh

Only available to non-embedded network customers consuming > 6.0 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge \$/customer pa* \$12,519.688
- Peak Unit rate ¢/kWh 3.562
- Off Peak Unit rate ¢/kWh 1.407
- Demand rate \$/kVA pa* \$84.793
Minimum Chargeable Demand 450 kVA

A37M LV_{MS} 6.0⁺ GWh (closed to new entrants)^e

Only available to non-embedded network customer taking supply from multiple NMIs on a single site AND the aggregated annual consumption from those NMIs is > 6.0 Gwh

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa*	\$9,553.091
- Peak Unit rate	¢/kWh	3.697
- Off Peak Unit rate	¢/kWh	1.407
- Demand rate	\$/kVA pa*	\$61.513

Minimum Chargeable Demand 450 kVA



Tariff Class Code	Tariff Name	Units	Rate
Turm Class Cous	· a····· · · · · · · · · · · · · · · ·	00	

Large Business - HV

High Vo

oltage Tariffs (nominal voltage \geq 1000 Volts AND \leq 22	2,000 Volts)	
A400	HV		
Only available to	non-embedded network customers consumin	g < 55 GWh pa	
	Peak: 7 AM to 11 PM AEST "Mon - Fri	" ; Off peak all other times	
	- Standing charge	\$/customer pa*	\$15,656.219
	- Peak Unit rate	¢/kWh	3.597
	- Off Peak Unit rate	¢/kWh	1.022
	- Demand rate	\$/kVA pa*	\$71.747
	Minimum Chargeable Demand	1,000 kVA	
A40E	HV _{EN}		
Only available to	embedded network customers		
	Peak: 7 AM to 11 PM AEST "Mon - Fri	" ; Off peak all other times	
	- Standing charge	\$/customer pa*	\$15,656.219
	- Peak Unit rate	¢/kWh	3.597
	- Off Peak Unit rate	¢/kWh	1.022
	- Demand rate	\$/kVA pa*	\$73.743
	Minimum Chargeable Demand	1,000 kVA	
A40R	HV _{RF} (closed to new entrants) ^e		
	Peak: 7 AM to 11 PM AEST "Mon - Fri	"; Off peak all other times	
	- Standing charge	\$/customer pa*	\$15,656.219
	- Peak Unit rate	¢/kWh	3.584
	- Off Peak Unit rate	¢/kWh	1.022
	- Demand rate	\$/kVA pa*	\$70.294
	Minimum Chargeable Demand	1,000 kVA	
A480	HV - Annual Consumption ≥ 55 GW	h	
Only available to	o non-embedded customers consuming \geq 55 G	•	
	Peak: 7 AM to 11 PM AEST "Mon - Fri		•
	- Standing charge	\$/customer pa*	\$16,215.008
	- Peak Unit rate	¢/kWh	3.339
	- Off Peak Unit rate - Demand rate	¢/kWh \$/kVA pa*	0.961 \$67.798
	- Demand rate	ψικνικ μα	φυ1.130

Minimum Chargeable Demand

10,000 kVA



			_
Tariff Class Code	Tariff Name	Units	Rate

Large Business - Subtransmission

Subtransmission Tariffs (nominal voltage > 22,000 Volts)

A500	Subtransmission		
	Peak: 7 AM to 11 PM AEST "Mon - Fri	i" ; Off peak all other times	
	- Standing charge	\$/customer pa*	\$56,410.623
	- Peak Unit rate	¢/kWh	2.477
	- Off Peak Unit rate	¢/kWh	0.633
	- Demand rate	\$/kVA pa*	\$22.831
	Minimum Chargeable Demand	15,000 kVA	
A50A	Subtransmission MA		
	Peak: 7 AM to 11 PM AEST "Mon - Fri	i" ; Off peak all other times	
	- Standing charge	\$/customer pa*	\$56,410.623
	- Peak Unit rate	¢/kWh	2.477
	- Off Peak Unit rate	¢/kWh	0.633
	- Demand rate	\$/kVA pa*	\$22.930
	Minimum Chargeable Demand	15,000 kVA	
A50E	Subtransmission EG		

A50E Subtransmission EG

Available to Embedded Generators connected to TTS-SSS-ST-EPG-TTS Loop.

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa*	\$36,575.599
- Peak Unit rate	¢/kWh	2.510
- Off Peak Unit rate	¢/kWh	0.631
- Demand rate	\$/kVA pa*	\$8.095
Minimum Chargeable Demand	15 000 kVA	

^{*} All prices that are listed as per annum will be pro-rated for the 6 month period.

The *Deemed Distribution Contract* and Jemena Electricity Networks' *Policy for Resetting Contract Demand* form part of the terms and conditions related to these prices. These documents can be viewed or downloaded from the following Website:

http://jemena.com.au/getattachment/6602de3e-9780-4bf6-b5fb-7114f89e4956/Deemed-Standard-Distribution-Contract.aspx http://jemena.com.au/getattachment/3ecb77af-f5a0-4830-a7e5-6be44861e0c6/Contract-demand-reset-policy.aspx

^a A tariff code starting with the letter "F" indicates that the tariff attracts the Premium Feed-In--Tariff rebate

Tariff reassignment requests to a tariff starting with the letter "F" can only be made by the customer's retailer.

b A tariff code starting with the letter "T" indicates that the tariff attracts the Transitional Feed-In-Tariff rebate. Transitional Feed-In-Tariff rebate is no longer applicable from 2017

Existing customers will remain on "T" tariffs untill they/retailers choose to move to another tariff; however, no Transitional Feed-In-Tariff rebate will be paid

^c This tariff is closed to new entrants except for solar customers with a dedicated off peak heating circuit controlled by Jemena.

^d The installation of an embedded generation by an existing customer is considered a change in load characteristic and as such the A180 tariff is not supported. The metering and data recording for a co-generation site has additional regulated requirements to that of a standard site. It is not technically feasible to meet these requirements and at the same time be able to separately measure, control and bill a load controlled heating.

^eOther terms and conditions apply

Jemena Electricity Networks (VIC) Ltd - Distribution Tariffs Effective 1 January 2021 (Exclusive of GST)



Tariff Class Code	Tariff Name	Units	Rate

Residential

Only available to residential customers

A100 / F100 ^a / T100 ^b	General Purpose		
	Single rate all times		
	- Standing charge	\$/customer pa*	\$67.458
	- Unit rate	¢/kWh	6.314

A10X / F10X^a / T10X^b Flexible

Available to customers with a remotely read AMI meter

Summer period: is the daylight savings period; Non-summer period: All other times

Peak Summer/Non-summer: 3 PM to 9 PM local time weekdays

Shoulder Summer/Non-summer: 7 AM to 3 PM and 9 PM to 10 PM local time weekdays

and 7 AM to 10 PM local time weekends

Off peak Summer/Non-summer: 10 PM to 7 AM local time all days

- Standing charge	\$/customer pa*	\$67.458
Summer rates		
- Peak Unit rate	¢/kWh	12.063
- Shoulder Unit rate	¢/kWh	7.487
- Off Peak Unit rate	¢/kWh	3.640
Non-summer rates		
- Peak Unit rate	¢/kWh	12.063
- Shoulder Unit rate	¢/kWh	7.487
- Off Peak Unit rate	¢/kWh	3.640

A10D / F10Da / T10Db General Purpose - Demand

Available to customers with a remotely read AMI meter

Energy consumption - single rate all times

Demand charging window 3pm - 9pm work days; reset monthly

- Standing charge	\$/customer pa*	\$67.458	
- Unit rate	¢/kWh	1.825	
- Demand rate	\$/kW pa*	\$60.031	

A10I / F10I^a / T10I^b Time of Use Interval Meter (closed to new entrants)^c

Available to customers with an interval meter

- Standing charge	\$/customer pa*	\$67.458
- Peak Unit rate	¢/kWh	12.129
- Off Peak Unit rate	¢/kWh	1.765

Jemena Electricity Networks (VIC) Ltd - Distribution Tariffs Effective 1 January 2021 (Exclusive of GST)



Tariff Class Code Tariff Name Units Rate

A140 Time of Use (closed to new entrants)

This tariff is not available to existing customers that install an interval meter

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

Standing charge \$/customer pa* \$99.122
Peak Unit rate ¢/kWh 8.739
Off Peak Unit rate ¢/kWh 1.475

A180 Off Peak Heating Only (dedicated ciruit)

Available as a complementary tariff to the "Residential - General Purpose" A100 tariff only.

This tariff is not available to new or existing customers that install embedded generation d

11 PM to 7 AM AEST all days

- Standing charge \$/customer pa* \$0.000 - Off Peak Unit rate ¢/kWh 1.627

Small Business

Available to customers (embedded or non- embedded) with annual consumption < 0.4 GWh AND maximum demand < 120 kVA

A200 / F200^a / T200^b General Purpose

Only available to customers consuming < 40 MWh pa

Single rate all times

- Standing charge \$/customer pa* \$116.705 - Unit rate ¢/kWh 7.639

A20D / F20Da / T20Db General Purpose - Demand

Only available to customers with meter capable of measuring demand

AND consuming < 40 MWh pa

Single rate all times

Demand charging window 10am - 8pm work days

- Standing charge \$/customer pa* \$116.705
- Unit rate ¢/kWh 6.024
- Demand rate \$/kW pa* \$58.183

A210 / F210^a / T210^b Time of Use Weekdays

Only available to customers with two rate accumulation meter (or Interval meter)

AND consuming < 40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge \$/customer pa* \$179.431 - Peak Unit rate ¢/kWh 9.036 - Off Peak Unit rate ¢/kWh 1.486

Jemena Electricity Networks (VIC) Ltd - Distribution Tariffs Effective 1 January 2021 (Exclusive of GST)



Tariff Class Code Tariff Name Units Rate

A230 / F230^a / T230^b Time of Use Weekdays - Demand

Only available to customers with a meter capable of measuring demand AND consuming $> 40 \ \text{MWh}$ pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa*	\$259.761
- Peak Unit rate	¢/kWh	5.565
- Off Peak Unit rate	¢/kWh	1.734
- Demand rate	\$/kW pa*	\$58.183

A23N / F23Na / T23Nb Time of Use - Opt-out

Only available to customers with a meter capable of measuring demand AND consuming > 40 MWh pa & < 160 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa*	\$259.761
- Peak Unit rate	¢/kWh	9.921
- Off Peak Unit rate	¢/kWh	1.631
- Demand rate	\$/kW pa*	\$0.000

A250 / F250^a / T250^b Time of Use Extended (closed to new entrants)

Only available to customers with a two rate accumulation meter (or interval meter) AND consuming < 40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Sun"; Off peak all other times

- Standing charge	\$/customer pa*	\$179.431
- Peak Unit rate	¢/kWh	8.787
- Off Peak Unit rate	¢/kWh	1.768

A270 / F270^a / T270^b Time of Use Extended - Demand (closed to new entrants)

Only available to customers with a meter capable of measuring demand AND consuming >40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Sun"; Off peak all other times

- Standing charge	\$/customer pa*	\$259.761
- Peak Unit rate	¢/kWh	4.640
- Off Peak Unit rate	¢/kWh	2.029
- Demand rate	\$/kW pa*	\$58.183
Minimum Chargeable Demand	60 kW	

A290 Unmetered Supply

- Peak Unit rate	¢/kWh	8.570
- Off Peak Unit rate	¢/kWh	1.543

Jemena Electricity Networks (VIC) Ltd - Distribution Tariffs Effective 1 January 2021 (Exclusive of GST)



Tariff Class Code Tariff Name Units Rate

Large Business - LV

Low Voltage Tariffs (nominal voltage < 1000 Volts)

Only available to embedded network customers OR non-embedded network customers with annual consumption \geq 0.4 GWh OR maximum demand \geq 120 kVA

A300 / F300^a / T300^b LV 0.4 - 0.8 GWh

Only available to non-embedded network customers consuming ≤ 0.8 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge \$/customer pa* \$2,465.437

- Peak Unit rate ¢/kWh 1.191

- Off Peak Unit rate ¢/kWh 0.377

- Demand rate \$/kVA pa* \$93.420

Minimum Chargeable Demand 120 kVA

A30E LV_{EN} Annual Consumption ≤ 0.8 GWh

Only available to embedded network customers consuming \leq 0.8 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

 - Standing charge
 \$/customer pa*
 \$2,465.437

 - Peak Unit rate
 ¢/kWh
 1.191

 - Off Peak Unit rate
 ¢/kWh
 0.377

 - Demand rate
 \$/kVA pa*
 \$105.401

Minimum Chargeable Demand 120 kVA

A320 LV 0.8+ - 2.2 GWh

Only available to non-embedded network customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

 - Standing charge
 \$/customer pa*
 \$4,315.529

 - Peak Unit rate
 ¢/kWh
 0.812

 - Off Peak Unit rate
 ¢/kWh
 0.371

 - Demand rate
 \$/kVA pa*
 \$86.351

Minimum Chargeable Demand 250 kVA

A32E LV_{EN} 0.8⁺ - 2.2 GWh

Only available to embedded network customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

 - Standing charge
 \$/customer pa*
 \$4,315.529

 - Peak Unit rate
 ¢/kWh
 0.812

 - Off Peak Unit rate
 ¢/kWh
 0.371

 - Demand rate
 \$/kVA pa*
 \$94.994

Minimum Chargeable Demand 250 kVA

Jemena Electricity Networks (VIC) Ltd - Distribution Tariffs Effective 1 January 2021 (Exclusive of GST)



Tariff Class Code Tariff Name Units Rate

A340 LV 2.2⁺ - 6.0 GWh

Only available to non-embedded network customers consuming > 2.2 GWh pa BUT ≤ 6.0 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa*	\$6,619.210
- Peak Unit rate	¢/kWh	0.743
- Off Peak Unit rate	¢/kWh	0.301
- Demand rate	\$/kVA pa*	\$85.419
Minimum Chargeable Demand	250 kVA	

A34E LV_{EN} 2.2⁺ GWh

Only available to embedded network customers consuming > 2.2 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa*	\$6,619.210
- Peak Unit rate	¢/kWh	0.743
- Off Peak Unit rate	¢/kWh	0.301
- Demand rate	\$/kVA pa*	\$90.209
Minimum Chargeable Demand	250 kVΔ	

A34M LV_{MS} 2.2⁺ - 6.0 GWh (closed to new entrants)^e

Only available to non-embedded network customer taking supply from multiple NMIs on a single site AND the aggregated annual consumption from those NMIs is > 2.2 GWh pa BUT ≤ 6.0 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa*	\$3,901.284
- Peak Unit rate	¢/kWh	0.736
- Off Peak Unit rate	¢/kWh	0.301
- Demand rate	\$/kVA pa*	\$57.990
Minimum Chargeable Demand	250 kVA	

A370 LV 6.0⁺ GWh

Only available to non-embedded network customers consuming > 6.0 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa*	\$9,072.511
- Peak Unit rate	¢/kWh	0.723
- Off Peak Unit rate	¢/kWh	0.268
- Demand rate	\$/kVA pa*	\$82.036
Minimum Chargeable Demand	450 kVA	

Minimum Chargeable Demand 450 kVA

A37M LV_{MS} 6.0⁺ GWh (closed to new entrants)^e

Only available to non-embedded network customer taking supply from multiple NMIs on a single site AND the aggregated annual consumption from those NMIs is > 6.0 Gwh

- Standing charge	\$/customer pa*	\$5,268.972
- Peak Unit rate	¢/kWh	0.723
- Off Peak Unit rate	¢/kWh	0.268
- Demand rate	\$/kVA pa*	\$58.088
Minimum Chargeable Demand	450 kVA	

Jemena Electricity Networks (VIC) Ltd - Distribution Tariffs Effective 1 January 2021 (Exclusive of GST)



Taviff Class Cade	Toriff Nome	l Inite	Data
Tariff Class Code	Tariff Name	Units	Rate

Large Business - HV

High Voltage Tariffs (nominal voltage ≥ 1000 Volts AND ≤ 22,000 Volts)

A400	HV		
Only available	to non-embedded network customers consuming	g < 55 GWh pa	
	Peak: 7 AM to 11 PM AEST "Mon - Fri	" ; Off peak all other times	
	- Standing charge	\$/customer pa*	\$6,494.215
	- Peak Unit rate	¢/kWh	0.459
	- Off Peak Unit rate	¢/kWh	0.133
	- Demand rate	\$/kVA pa*	\$68.846
	Minimum Chargeable Demand	1,000 kVA	
A40E	HV _{EN}		
Only available	to embedded network customers		
	Peak: 7 AM to 11 PM AEST "Mon - Fri	; Off peak all other times	
	- Standing charge	\$/customer pa*	\$6,494.215
	- Peak Unit rate	¢/kWh	0.459
	- Off Peak Unit rate	¢/kWh	0.133
	- Demand rate	\$/kVA pa*	\$70.932
	Minimum Chargeable Demand	1,000 kVA	
A40R	HV _{RF} (closed to new entrants) ^e		
	Peak: 7 AM to 11 PM AEST "Mon - Fri	" ; Off peak all other times	
	- Standing charge	\$/customer pa*	\$6,494.215
	- Peak Unit rate	¢/kWh	0.454
	- Off Peak Unit rate	¢/kWh	0.133
	 Demand rate Minimum Chargeable Demand 	\$/kVA pa* 1,000 kVA	\$63.260
A480	HV - Annual Consumption ≥ 55 GWI	h	
Only available	to non-embedded customers consuming $\geq 55~\text{G}$	Wh pa	
	Peak: 7 AM to 11 PM AEST "Mon - Fri	; Off peak all other times	
	- Standing charge	\$/customer pa*	\$6,066.261
	- Peak Unit rate	¢/kWh	0.438
	- Off Peak Unit rate	¢/kWh	0.103
	- Demand rate	\$/kVA pa*	\$61.082
	Minimum Chargeable Demand	10,000 kVA	

Jemena Electricity Networks (VIC) Ltd - Distribution Tariffs Effective 1 January 2021 (Exclusive of GST)



Tariff Class Code Tariff Name Units Rate

Large Business - Subtransmission

Subtransmission Tariffs (nominal voltage > 22,000 Volts)

A500	Subtransmission		
	Peak: 7 AM to 11 PM AEST "Mon - Fri	" ; Off peak all other times	
	- Standing charge	\$/customer pa*	\$40,563.080
	- Peak Unit rate	¢/kWh	0.076
	- Off Peak Unit rate	¢/kWh	0.022
	- Demand rate	\$/kVA pa*	\$18.593
	Minimum Chargeable Demand	15,000 kVA	
A50A	Subtransmission MA		
	Peak: 7 AM to 11 PM AEST "Mon - Fri	" ; Off peak all other times	
	- Standing charge	\$/customer pa*	\$40,563.080
	- Peak Unit rate	¢/kWh	0.076
	- Off Peak Unit rate	¢/kWh	0.022
	- Demand rate	\$/kVA pa*	\$18.671
	Minimum Chargeable Demand	15,000 kVA	
A50E	Subtransmission EG		
Available to Embe	edded Generators connected to TTS-SSS-ST	-EPG-TTS Loop.	
	Peak: 7 AM to 11 PM AEST "Mon - Fri	•	
	- Standing charge	\$/customer pa*	\$31,516.884
	- Peak Unit rate	¢/kWh	0.073
	- Off Peak Unit rate	¢/kWh	0.011
	- Demand rate	\$/kVA pa*	\$3.202
	Minimum Chargeable Demand	15,000 kVA	

^{*} All prices that are listed as per annum will be pro-rated for the 6 month period.

The *Deemed Distribution Contract* and Jemena Electricity Networks' *Policy for Resetting Contract Demand* form part of the terms and conditions related to these prices. These documents can be viewed or downloaded from the following Website:

 $\frac{\text{http://jemena.com.au/getattachment/6602de3e-9780-4bf6-b5fb-7114f89e4956/Deemed-Standard-Distribution-Contract.aspx}{\text{http://jemena.com.au/getattachment/3ecb77af-f5a0-4830-a7e5-6be44861e0c6/Contract-demand-reset-policy.aspx}}$

^a A tariff code starting with the letter "F" indicates that the tariff attracts the Premium Feed-In--Tariff rebate

Tariff reassignment requests to a tariff starting with the letter "F" can only be made by the customer's retailer.

^b A tariff code starting with the letter "T" indicates that the tariff attracts the Transitional Feed-In-Tariff rebate. Transitional Feed-In-Tariff rebate is no longer applicable from 2017

Existing customers will remain on "T" tariffs untill they/retailers choose to move to another tariff; however, no Transitional Feed-In-Tariff rebate will be paid

^c This tariff is closed to new entrants except for solar customers with a dedicated off peak heating circuit controlled by Jemena.

^d The installation of an embedded generation by an existing customer is considered a change in load characteristic and as such the A180 tariff is not supported. The metering and data recording for a co-generation site has additional regulated requirements to that of a standard site. It is not technically feasible to meet these requirements and at the same time be able to separately measure, control and bill a load controlled heating.

^eOther terms and conditions apply



Tariff Class Code	Tariff Name	Units	Rate

Residential

Only available to residential customers

A100 / F100 ^a / T100 ^b	General Purpose		
	Single rate all times		
	- Standing charge	\$/customer pa*	\$1.572
	- Unit rate	¢/kWh	1.100

A10X / F10Xa / T10Xb Flexible

Available to customers with a remotely read AMI meter

Summer period: is the daylight savings period; Non-summer period: All other times

Peak Summer/Non-summer: 3 PM to 9 PM local time week days

Shoulder Summer/Non-summer: 7 AM to 3 PM and 9 PM to 10 PM local time week days

and 7 AM to 10 PM local time weekends

Off peak Summer/Non-summer: 10 PM to 7 AM local time all days

- Standing charge	\$/customer pa*	\$1.572
Summer rates		
- Peak Unit rate	¢/kWh	0.579
- Shoulder Unit rate	¢/kWh	1.100
- Off Peak Unit rate	¢/kWh	0.196
Non-summer rates		
- Peak Unit rate	¢/kWh	0.579
- Shoulder Unit rate	¢/kWh	1.100
- Off Peak Unit rate	¢/kWh	0.196

A10D / F10Da / T10Db General Purpose - Demand

Available to customers with a remotely read AMI meter

Energy consumption - single rate all times

Demand charging window 3pm - 9pm work days; reset monthly

- Standing charge	\$/customer pa*	\$1.572
- Unit rate	¢/kWh	1.100
- Demand rate	\$/kW pa*	\$0.000

A10I / F10Ia / T10Ib Time of Use Interval Meter (closed to new entrants)c

Available to customers with an interval meter

- Standing charge	\$/customer pa*	\$1.572
- Peak Unit rate	¢/kWh	0.579
- Off Peak Unit rate	¢/kWh	0.698



Tariff Class Code Tariff Name Units Rate

A140 Time of Use (closed to new entrants)

This tariff is not available to existing customers that install an interval meter

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

Standing charge \$/customer pa* \$0.521
Peak Unit rate ¢/kWh 3.273
Off Peak Unit rate ¢/kWh 1.125

A180 Off Peak Heating Only (dedicated ciruit)

Available as a complementary tariff to the "Residential - General Purpose" A100 tariff only.

This tariff is not available to new or existing customers that install embedded generation d

11 PM to 7 AM AEST all days

- Standing charge \$/customer pa* \$0.000 - Off Peak Unit rate \$/kWh 1.289

Small Business

Available to customers (embedded or non- embedded) with annual consumption < 0.4 GWh AND maximum demand < 120 kVA

A200 / F200^a / T200^b General Purpose

Only available to customers consuming < 40 MWh pa

Single rate all times

- Standing charge \$/customer pa* \$2.036 - Unit rate \$¢/kWh 1.687

A20D / F20Da / T20Db General Purpose - Demand

Only available to customers with meter capable of measuring demand

AND consuming < 40 MWh pa

Single rate all times

Demand charging window 10am - 8pm work days

 - Standing charge
 \$/customer pa*
 \$2.036

 - Unit rate
 ¢/kWh
 1.687

 - Demand rate
 \$/kW pa*
 \$0.000

A210 / F210^a / T210^b Time of Use Weekdays

Only available to customers with two rate accumulation meter (or Interval meter)

AND consuming < 40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

Standing charge \$/customer pa* \$29.250
Peak Unit rate ¢/kWh 2.950
Off Peak Unit rate ¢/kWh 0.982



Tariff Class Code Tariff Name Units Rate

A230 / F230a / T230b Time of Use Weekdays - Demand

Only available to customers with a meter capable of measuring demand AND consuming > 40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

\$/customer pa* - Standing charge \$257.172 - Peak Unit rate ¢/kWh 1.518 - Off Peak Unit rate ¢/kWh 0.714 - Demand rate \$/kW pa* \$0.751

A23N / F23Na / T23Nb Time of Use - Opt-out

Only available to customers with a meter capable of measuring demand AND consuming > 40 MWh pa & < 160 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa*	\$128.586
- Peak Unit rate	¢/kWh	2.950
- Off Peak Unit rate	¢/kWh	0.982
- Demand rate	\$/kW pa*	\$0.000

A250 / F250a / T250b Time of Use Extended (closed to new entrants)

Only available to customers with a two rate accumulation meter (or interval meter) AND consuming < 40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Sun"; Off peak all other times

\$29.250 - Standing charge \$/customer pa* - Peak Unit rate ¢/kWh 2.660 - Off Peak Unit rate ¢/kWh 1.021

A270 / F270^a / T270^b Time of Use Extended - Demand (closed to new entrants)

Only available to customers with a meter capable of measuring demand AND consuming >40 MWh pa

Peak: 7 AM to 11 PM AEST "Mon - Sun"; Off peak all other times

- Standing charge	\$/customer pa*	\$257.172
- Peak Unit rate	¢/kWh	2.397
- Off Peak Unit rate	¢/kWh	0.698
- Demand rate	\$/kW pa*	\$0.749
Minimum Chargeable Demand	60 kW	

Minimum Chargeable Demand

A290 **Unmetered Supply**

- Peak Unit rate	¢/kWh	1.855
- Off Peak Unit rate	¢/kWh	1.149



Tariff Class Code Tariff Name Units Rate

Large Business - LV

Low Voltage Tariffs (nominal voltage < 1000 Volts)

Only available to embedded network customers OR non-embedded network customers with annual consumption \geq 0.4 GWh OR maximum demand \geq 120 kVA

A300 / F300a / T300b LV 0.4 - 0.8 GWh

Only available to non-embedded network customers consuming ≤ 0.8 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa*	\$95.064
- Peak Unit rate	¢/kWh	3.085
- Off Peak Unit rate	¢/kWh	1.142
- Demand rate	\$/kVA pa*	\$1.412
Minimum Chargeable Demand	120 kVA	

A30E LV_{EN} Annual Consumption ≤ 0.8 GWh

Only available to embedded network customers consuming ≤ 0.8 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa*	\$95.064
- Peak Unit rate	¢/kWh	3.085
- Off Peak Unit rate	¢/kWh	1.142
- Demand rate	\$/kVA pa*	\$1.912
Minimum Chargeable Demand	120 kVA	

A320 LV 0.8+ - 2.2 GWh

Only available to non-embedded network customers consuming > 0.8 GWh pa BUT ≤ 2.2 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa*	\$201.263
- Peak Unit rate	¢/kWh	3.161
- Off Peak Unit rate	¢/kWh	1.148
- Demand rate	\$/kVA pa*	\$2.449
Minimum Chargeable Demand	250 kVA	

A32E LV_{EN} 0.8⁺ - 2.2 GWh

Only available to embedded network customers consuming > 0.8 GWh pa BUT \leq 2.2 GWh pa

- Standing charge	\$/customer pa*	\$201.263
- Peak Unit rate	¢/kWh	3.161
- Off Peak Unit rate	¢/kWh	1.148
- Demand rate	\$/kVA pa*	\$3.167
Minimum Chargeable Demand	250 kVA	



Tariff Class Code Tariff Name Units Rate

A340 LV 2.2⁺ - 6.0 GWh

Only available to non-embedded network customers consuming > 2.2 GWh pa BUT ≤ 6.0 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa*	\$1,337.763
- Peak Unit rate	¢/kWh	3.229
- Off Peak Unit rate	¢/kWh	1.147
- Demand rate	\$/kVA pa*	\$2.525
Minimum Chargeable Demand	250 kVA	

A34E LV_{EN} 2.2⁺ GWh

Only available to embedded network customers consuming > 2.2 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa*	\$1,337.763
- Peak Unit rate	¢/kWh	3.229
- Off Peak Unit rate	¢/kWh	1.147
- Demand rate	\$/kVA pa*	\$4.366
Minimum Chargeable Demand	250 kVA	

A34M LV_{MS} 2.2⁺ - 6.0 GWh (closed to new entrants)^e

Only available to non-embedded network customer taking supply from multiple NMIs on a single site AND the aggregated annual consumption from those NMIs is > 2.2 GWh pa BUT ≤ 6.0 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa*	\$1,787.264
- Peak Unit rate	¢/kWh	3.457
- Off Peak Unit rate	¢/kWh	1.140
- Demand rate	\$/kVA pa*	\$3.375
Minimum Chargeable Demand	250 kVA	

A370 LV 6.0⁺ GWh

Only available to non-embedded network customers consuming > 6.0 GWh pa

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa*	\$3,447.177
- Peak Unit rate	¢/kWh	2.839
- Off Peak Unit rate	¢/kWh	1.139
- Demand rate	\$/kVA pa*	\$2.757
Minimum Chargeable Demand	450 kV A	

A37M LV_{MS} 6.0⁺ GWh (closed to new entrants)^e

Only available to non-embedded network customer taking supply from multiple NMIs on a single

site AND the aggregated annual consumption from those NMIs is > 6.0 Gwh

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa*	\$4,284.119
- Peak Unit rate	¢/kWh	2.974
- Off Peak Unit rate	¢/kWh	1.139
- Demand rate	\$/kVA pa*	\$3.425
Minimum Chargoahla Domand	450 kV A	

Minimum Chargeable Demand 450 kVA



Tariff Name Tariff Class Code Units Rate

Large Business - HV

High Voltage Tariffs

A400	HV		
Only available	to non-embedded network customers consuming	g < 55 GWh pa	
	Peak: 7 AM to 11 PM AEST "Mon - Fri	; Off peak all other times	
	- Standing charge	\$/customer pa*	\$9,162.004
	- Peak Unit rate	¢/kWh	3.138
	- Off Peak Unit rate	¢/kWh	0.889
	- Demand rate	\$/kVA pa*	\$2.901
	Minimum Chargeable Demand	1,000 kVA	
A40E	HV _{EN}		
Only available	to embedded network customers		
	Peak: 7 AM to 11 PM AEST "Mon - Fri	; Off peak all other times	
	- Standing charge	\$/customer pa*	\$9,162.004
	- Peak Unit rate	¢/kWh	3.138
	- Off Peak Unit rate	¢/kWh	0.889
	- Demand rate	\$/kVA pa*	\$2.811
	Minimum Chargeable Demand	1,000 kVA	
A40R	HV _{RF} (closed to new entrants) ^e		
	Peak: 7 AM to 11 PM AEST "Mon - Fri	; Off peak all other times	
	- Standing charge	\$/customer pa*	\$9,162.004
	- Peak Unit rate	¢/kWh	3.130
	- Off Peak Unit rate	¢/kWh	0.889
	- Demand rate	\$/kVA pa*	\$7.034

A480 HV - Annual Consumption ≥ 55 GWh

Only available to non-embedded customers consuming ≥ 55 GWh pa

Minimum Chargeable Demand

Peak: 7 AM to 11 PM AEST "Mon - Fri"; Off peak all other times

- Standing charge	\$/customer pa*	\$10,148.747
- Peak Unit rate	¢/kWh	2.901
- Off Peak Unit rate	¢/kWh	0.858
- Demand rate	\$/kVA pa*	\$6.716
Minimum Chargeable Demand	10 000 kV A	

1,000 kVA



Tariff Class Code Tariff Name Units Rate

Large Business - Subtransmission

Subtransmission Tariffs (nominal voltage > 22,000 Volts)

A500	Subtransmission		
	Peak: 7 AM to 11 PM AEST "Mon - Fr	i" ; Off peak all other times	
	- Standing charge	\$/customer pa*	\$15,847.543
	- Peak Unit rate	¢/kWh	2.401
	- Off Peak Unit rate	¢/kWh	0.611
	- Demand rate	\$/kVA pa*	\$4.238
	Minimum Chargeable Demand	15,000 kVA	
A50A	Subtransmission MA		
	Peak: 7 AM to 11 PM AEST "Mon - Fr	i" ; Off peak all other times	
	- Standing charge	\$/customer pa*	\$15,847.543
	- Peak Unit rate	¢/kWh	2.401
	- Off Peak Unit rate	¢/kWh	0.611
	- Demand rate	\$/kVA pa*	\$4.259
	Minimum Chargeable Demand	15,000 kVA	
A50E	Subtransmission EG		
	Peak: 7 AM to 11 PM AEST "Mon - Fr	i" ; Off peak all other times	
	- Standing charge	\$/customer pa*	\$5,058.715
	- Peak Unit rate	¢/kWh	2.437
	- Off Peak Unit rate	¢/kWh	0.620
	- Demand rate	\$/kVA pa*	\$4.893
	Minimum Chargeable Demand	15,000 kVA	

^{*} All prices that are listed as per annum will be pro-rated for the 6 month period.

The *Deemed Distribution Contract* and Jemena Electricity Networks' *Policy for Resetting Contract Demand* form part of the terms and conditions related to these prices. These documents can be viewed or downloaded from the following Website:

http://jemena.com.au/getattachment/6602de3e-9780-4bf6-b5fb-7114f89e4956/Deemed-Standard-Distribution-Contract.aspx http://jemena.com.au/getattachment/3ecb77af-f5a0-4830-a7e5-6be44861e0c6/Contract-demand-reset-policy.aspx

^a A tariff code starting with the letter "F" indicates that the tariff attracts the Premium Feed-In--Tariff rebate Tariff reassi, Available to Embedded Generators connected to TTS-SSS-ST-EPG-TTS Loop.

^b A tariff code starting with the letter "T" indicates that the tariff attracts the Transitional Feed-In-Tariff rebate. Transitional Feed-In-Tariff rebate is no longer applicable from 2017 Existing customers will remain on "T" tariffs untill they/retailers choose to move to another tariff; however, no Transitional Feed-In-Tariff rebate will be paid

^c This tariff is closed to new entrants except for solar customers with a dedicated off peak heating circuit controlled by Jemena.

^d The installation of an embedded generation by an existing customer is considered a change in load characteristic and as such the A180 tariff is not supported. The metering and data recording for a co-generation site has additional regulated requirements to that of a standard site. It is not technically feasible to meet these requirements and at the same time be able to separately measure, control and bill a load controlled heating.

^eOther terms and conditions apply