

#### Schedule of Network Use of System Tariffs Effective 1 January 2017 NOTE: ALL PRICES EXCLUSIVE OF GST



Tariff Code & Structures	Description	Standing Charge	BLOCK 1	BLOCK 2	PEAK	SHOULDE R	PEAK	SUMMER SHOULDER	WINTER PEAK	OFF PEAK	DEDICATED CIRCUIT	SUMMER Export	FEEDIN RATES	CAPACITY	CRITICAL PEAK	MONTHLY KW
		\$/Year	c/kWh	c/KWh	c/KWh	ALL YEAR	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh2	\$/kVA/Year	DEMAND \$/kVA/Year	DEMAND \$/kW
Residential																
NEE111	Small Single Rate	107.00	9.9564	12.8190												
NEN11 <sup>1</sup>	Small Single Rate within Embedded Network	107.00	6.9272	7.3845												
NGT11 <sup>6</sup>	Small Flexible Single Rate	107.00	12.6667													
NSP11 <sup>7</sup>	Small Interval meter time of use	107.00					41.0193	36.1457	31.8862	3.2554						
NEE13 <sup>1&amp;9</sup>	Small Single Rate & Dedicated Circuit	107.00	9.9564	12.8190							3.0296					
NEN13 <sup>1&amp;9</sup>	Small Single Rate & Dedicated Circuit within Embedded Network	107.00	6.9272	7.3845							3.0296					
NGT13 <sup>6&amp;9</sup>	Small Flexible Single Rate & Dedicated Circuit	107.00	12.6667								3.0296					
NSP13 <sup>7&amp;9</sup>	Small Interval meter time of use & Dedicated Circuit	107.00					41.0193	36.1457	31.8862	3.2554	3.0296					
NEE14 <sup>1 &amp; 10</sup>	Small Single Rate & Dedicated Circuit with Afternoon Boost	107.00	9.9564	12.8190							2.6121					
NEN14 <sup>1 &amp; 10</sup>	Small Single Rate & Dedicated Circuit with Afternoon Boost within Embedded Network	107.00	6.9272	7.3845							2.6121					
NGT14 <sup>6 &amp; 10</sup>	Small Flexible Single Rate & Dedicated Circuit with Afternoon Boost	107.00	12.6667								2.6121					
NSP14 <sup>7&amp;10</sup>	Small Interval meter time of use & Dedicated Circuit with Afternoon Boost	107.00					41.0193	36.1457	31.8862	3.2554	2.6121					
NEE15 <sup>1 &amp; 11</sup>	Small Single Rate & Dedicated Circuit 8:00 to 8:00	107.00	9.9564	12.8190							3.1096					
NEN15 <sup>1 &amp; 11</sup>	Small Single Rate & Dedicated Circuit 8:00 to 8:00 within Embedded Network	107.00	6.9272	7.3845							3.1096					
NGT15 <sup>6 &amp; 11</sup>	Small Flexible Single Rate & Dedicated Circuit 8:00 to 8:00	107.00	12.6667								3.1096					
NSP15 <sup>7&amp;11</sup>	Small Interval meter time of use & Dedicated Circuit 8:00 to 8:00	107.00					41.0193	36.1457	31.8862	3.2554	3.1096					
NEE20 <sup>3</sup>	Small Two Rate	107.00			18.9280					4.0019						
NEN203	Small Two Rate within Embedded Network	107.00			11.1746					3.2745						
NSP207	Small Interval meter time of use	107.00					41.0193	36.1457	31.8862	3.2554						
NEE233	Small Two Rate Solar Installation Standard Feed In Pre December 2012	118.00			18.9280					4.0020		-3.4768				
NEE26 <sup>3</sup>	Small Two Rate Solar Installation Standard Feed In Post January 2013	118.00			18.9280					4.0020		-3.4768				
SUN23 <sup>3</sup>	Small Two Rate Solar Installation Premium Feed In	118.00			18.9280					4.0020		-3.4768	-60.00			
NSP237	Small Interval Meter time of use Solar Installation Standard Feed In	118.00					41.0193	36.1457	31.8862	3.2554		-3.4768				
SSP23 <sup>7</sup>	Small Interval Meter time of use Solar Installation Premium Feed In	118.00					41.0193	36.1457	31.8862	3.2554		-3.4768	-60.00			
NEE24 <sup>4</sup>	Small Two Rate 8:00 to 8:00	107.00			8.3829					2.1161						
NGT26 <sup>8</sup>	Small Flexible	107.00	14.2189	14.2312		10.9747				3.3940						
NGT23 <sup>8 &amp; 9</sup>	Small Flexible & Dedicated Circuit	107.00	14.2189	14.2312		10.9747				3.3940	3.0296					
NGT24 <sup>8 &amp; 10</sup>	Small Flexible & Dedicated Circuit with Afternoon Boost	107.00	14.2189	14.2312		10.9747				3.3940	2.6121					
NGT25 <sup>8 &amp; 11</sup>	Small Flexible & Dedicated Circuit 8:00 to 8:00	107.00	14.2189	14.2312		10.9747				3.3940	3.1096					
NEE309	Small Dedicated circuit	0.00									3.0296					
NSP30 <sup>9</sup>	Small Interval Dedicated circuit	0.00									3.0296					
NEE31 <sup>10</sup>	Small Dedicated circuit with Afternoon Boost	0.00									2.6121					
NSP31 <sup>10</sup>	Small Interval Meter Dedicated circuit with Afternoon Boost	0.00									2.6121					
NEE32 <sup>11</sup>	Small Dedicated circuit 8:00 to 8:00	0.00									3.1096					
NSP32 <sup>11</sup>	Small Interval Meter Dedicated circuit 8:00 to 8:00	0.00									3.1096					



#### Schedule of Network Use of System Tariffs Effective 1 January 2017 NOTE: ALL PRICES EXCLUSIVE OF GST



anii Code	Description	Standing Charge	BLOCK 1	BLOCK 2	PEAR	SHOULDE R	PEAK	SUMMER SHOULDER	WINTER PEAK	OFF PEAK	DEDICATED	SUMMER EXPORT	FEEDIN RATES	CAPACITY	CRITICAL PEAK	MONTHL'
		Charge	c/kWh	c/KWh		ALL YEAR	LAIX	SHOOLDEN	LAK		Ciricon	LAFOIII	IIAILS		DEMAND	DEMAND
		\$/Year			c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh2	\$/kVA/Year	\$/kVA/Year	\$/kW
Business						C/KVVII										
IEE12 <sup>1</sup>	Small Single Rate	107.00	13.5627	17.4227												
IASN19 <sup>2</sup>	Business >40MWh Single Rate	107.00	17.1285	17.1285												0.00
IEN12 <sup>1</sup>	Small Single Rate within EmbeddedNetwork	107.00	20.4614	23.4876												
ISP12 <sup>7</sup>	Small Interval Meter time of use	107.00					41.0193	36.1457	31.8862	4.6769						
IEE16 <sup>1 &amp; 9</sup>	Small Single Rate & Dedicated Circuit	107.00	13.5627	17.4227							3.0296					
VEN16 <sup>1 &amp; 9</sup>	Small Single Rate & Dedicated Circuit within Embedded Network	107.00	20.4614	23.4876							3.0296					
ISP16 <sup>7 &amp; 9</sup>	Small Interval Meter time of use & Dedicated Circuit	107.00					41.0193	36.1457	31.8862	4.6769	3.0296					
IEE17 <sup>1 &amp; 10</sup>	Small Single Rate & Dedicated Circuit with Afternoon Boost	107.00	13.5627	17.4227							2.6121					
IEN17 <sup>1 &amp; 10</sup>	Small Single Rate & Dedicated Circuit with Afternoon Boost within Embedded Network	107.00	20.4614	23.4876							2.6121					
ISP17 <sup>7 &amp; 10</sup>	Small Interval Meter time of use & dedicated Circuit with Afternoon Boost	107.00					41.0193	36.1457	31.8862	4.6769	2.6121					
IEE18 <sup>1 &amp; 11</sup>	Small Single Rate & Dedicated Circuit 8:00 to 8:00	107.00	13.5627	17.4227							3.1096					
IEN18 <sup>1 &amp; 11</sup>	Small Single Rate & Dedicated Circuit 8:00 to 8:01 within Embedded Network	107.00	20.4614	23.4876							3.1096					
NSP18 <sup>7 &amp; 11</sup>	Small Interval Meter time of use & dedicated Circuit 8:00 to 8:00	107.00					41.0193	36.1457	31.8862	4.6769	3.1096					
NEE213	Small Two Rate	107.00			18.1072					4.2246						
NEN213	Small Two Rate within Embedded Network	107.00			13.2772					6.5586						
ISP21 <sup>7</sup>	Small Interval meter time of use	107.00					41.0193	36.1457	31.8862	4.6769						
NASN21 <sup>2</sup>	Business >40MWh Two Rate	107.00			17.3672					4.2246						0.00
NASN2P2	Business >40MWh Two Rate Premium Feed In	107.00			17.3672					4.2246		-3,4768	-60.00			0.00
NASN2S <sup>2</sup>	Business >40MWh Two Rate Standard Feed In	107.00			17.3672					4.2246		-3.4768				0.00
SUN21 <sup>3</sup>	Small Two Rate Solar Installation Premium Feed In	107.00			18.1072					4.2246		-3,4768	-60.00			
SSP21 <sup>7</sup>	Small Interval meter time of use Solar Installation Premium Feed In	107.00					41.0193	36.1457	31.8862	4.6769		-3,4768	-60.00			
SSP27 <sup>7</sup>	Small Interval meter time of use Solar Installation Standard Feed In	107.00					41.0193	36.1457	31.8862	4.6769		-3,4768				
NEE27 <sup>3</sup>	Small Two Rate Solar Installation Standard Feed In Pre December 2012	107.00			18.1072					4.2246		-3,4768				
VEE283	Small Two Rate Solar Installation Standard Feed In Post January 2013	107.00			18.1072					4.2246		-3 4768				<u> </u>
ISP27 <sup>7</sup>	Small Interval meter Low Peak time of use	107.00					17.6295	15.7031	14.0206	7.6808						
NEE25 <sup>4</sup>	Small Two Rate 8:00 to 8:00	107.00			17.1459			1011001	1	4.0455						
NEE40 <sup>6</sup>	Medium Single Rate	107.00	22.0521		1711100					1.0100						
NEE41 <sup>6 &amp; 9</sup>	Medium Single Rate & Dedicated Circuit	107.00	22.0521								3.0296					
VEE42 <sup>6 &amp; 10</sup>	Medium Single Rate & Dedicated Circuit with Afternoon Boost	107.00	22.0521								2.6121					
VEE43 <sup>6 &amp; 11</sup>	Medium Single Rate & Dedicated Circuit 8:00 to 8:00	107.00	22.0521								3.1096					
NEE513	Medium Two Rate	107.00	22.0021		19.3421					4.5578	0.1000					
NEE523	Medium Unmetered	107.00			21.3193					8.7945						
NEE55 <sup>12</sup>	Medium Snowfields	372.00			15.8722					4.4406						
ISP55 <sup>7</sup>	Medium Interval meter time of use Snowfields	372.00			13.0722		40,4414	35.7612	31.5244	4.1975						
ISP56 <sup>13</sup>	Medium Critical Peak Demand 160MWh to 400MWh	2,765.00			12.5617	9.5386	40.4414	33.7012	31.3244	4.1975				19.34	32.24	
NEN56 <sup>13</sup>	Medium Critical Peak Demand 160MWh to 400MWh within Embedded Network	2,765.00			9.9140	7.3462				4.2025				19.34	32.24	
NEE605	Medium Seven Day Two Rate	372.00			7.2675	7.3402				2.9782				15.54	32.24	
NEE74 <sup>3</sup>	Large Two Rate	395.00			25,2021					7.1518						
NSP75 <sup>13</sup>	Large Critical Peak Demand 400MWh to 750MWh	5.815.00			4.5018	3.5646				1.6118				47.50	80.00	
ISP75 <sup>13</sup>	-	5,815.00			4.3306	3.3336				1.4758				49.00	83.00	
NSP76 13	Large Critical Peak Demand 2000MWh to 2000MWh	5,815.00			4.3306	3.3123				1.4156				53.73	89.18	
NSP77 <sup>13</sup>	Large Critical Peak Demand 2000MWh to 4000MWh				3.9678					1.4156				53.73	97.78	
NSP7815 NSP8114	Large Critical Peak Demand over 4000MWh	5,815.00				3.1076										
	High Voltage Critical Peak Demand	5,815.00			1.9697	4 0070				0.6158				38.68	63.40	
ISP82 <sup>13</sup>	High Voltage Critical Peak Demand traction	5,815.00			1.9079	1.9079				0.8000				35.46	58.02	
NSP83 <sup>13</sup>	High Voltage Critical Peak Demand low energy use	5,815.00			10.9247	4.7592				1.4354				4.13	6.83	
ISP91 <sup>14</sup>	Sub transmission Critical Peak Demand <25MVA & <20KM from TS	20,245.00			1.9506					0.4499				2.58	4.26	
VEE93 <sup>3</sup>	Large Latrobe Valley Open Cut Supplies				1.9300					1.9300						
NSP94 <sup>14</sup>	Sub transmission Critical Peak Demand >25MVA & <20KM from TS Sub transmission Critical Peak Demand <25MVA & >20KM from TS	20,245.00 20,245.00			1.9153 1.9828					0.4323 0.4701				1.93 4.00	3.20 6.64	

AusNet Services Electricity Pty Ltd ABN 91 064 651 118

A subsidiary of AusNet Services Networks (Distribution) Pty Ltd

Level 31, 2 Southbank Blvd, Southbank, Victoria, 3006 Australia Locked Bag 14051 Melbourne City Mail Centre Victoria 8001 Australia

1 January 2017



# Schedule of Distribution Use of System Tariffs Effective 1 January 2017 NOTE: ALL PRICES EXCLUSIVE OF GST



Tariff Code	Description	Standing	BLOCK 1	BLOCK 2	PEAK		SUMMER	SUMMER	WINTER	OFF PEAK	DEDICATED	SUMMER	FEEDIN	CAPACITY	CRITICAL	MONTHLY
		Charge		1011		ALL YEAR	PEAK	SHOULDER	PEAK		CIRCUIT	EXPORT	RATES		PEAK	KW
		S/Year	c/kWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh2	\$/kVA/Year	DEMAND \$/kVA/Year	DEMAND \$/kW
Residential		φ rear			GICHII	C/ICWII	U/KWII	C/IXWII	C/IXWII	C/IXWII	G/KWII	G/KWII	GIXWIIZ	WKYA ICai	yik v Ai i cai	Q/KVV
NEE111	Small Residential Single Rate	107.00	7.9379	10.8005												
NEN11 <sup>1</sup>	Small Residential Single Rate within Embedded Network	107.00	4.9087	5.3660												
NGT11 <sup>6</sup>	Small Residential Flexible Single Rate	107.00	10.6482													
NSP11 <sup>7</sup>	Small Residential Interval meter time of use	107.00					39.0008	34.1272	29.8677	2.3634						
NEE13 <sup>1 &amp; 9</sup>	Small Residential Single Rate & Dedicated Circuit	107.00	7.9379	10.8005							2.1376					
NEN13 <sup>1 &amp; 9</sup>	Small Residential Single Rate & Dedicated Circuit within Embedded Network	107.00	4.9087	5.3660							2.1376					
NGT13 <sup>6 &amp; 9</sup>	Small Residential Flexible Single Rate & Dedicated Circuit	107.00	10.6482								2.1376					
NSP13 <sup>7 &amp; 9</sup>	Small Residential Interval meter time of use & Dedicated Circuit	107.00					39.0008	34.1272	29.8677	2.3634	2.1376					
NEE14 <sup>1 &amp; 10</sup>	Small Residential Single Rate & Dedicated Circuit with Afternoon Boost	107.00	7.9379	10.8005							1.7201					
NEN14 <sup>1 &amp; 10</sup>	Small Residential Single Rate & Dedicated Circuit with Afternoon Boost within Embedded Network	107.00	4.9087	5.3660							1.7201					
NGT14 <sup>6 &amp; 10</sup>	Small Residential Flexible Single Rate & Dedicated Circuit with Afternoon Boost	107.00	10.6482								1.7201					
NSP14 <sup>7 &amp; 10</sup>	Small Residential Interval meter time of use & Dedicated Circuit with Afternoon Boost	107.00					39.0008	34.1272	29.8677	2.3634	1.7201					
NEE15 <sup>1 &amp; 11</sup>	Small Residential Single Rate & Dedicated Circuit 8:00 to 8:00	107.00	7.9379	10.8005							2.2176					
NEN15 <sup>1 &amp; 11</sup>	Small Residential Single Rate & Dedicated Circuit 8:00 to 8:00 within Embedded Network	107.00	4.9087	5.3660							2.2176					
NGT15 <sup>6 &amp; 11</sup>	Small Residential Flexible Single Rate & Dedicated Circuit 8:00 to 8:00	107.00	10.6482								2.2176					
NSP15 <sup>7 &amp; 11</sup>	Small Residential Interval meter time of use & Dedicated Circuit 8:00 to 8:00	107.00					39.0008	34.1272	29.8677	2.3634	2.2176					
NEE20 <sup>3</sup>	Small Residential Two Rate	107.00			16.9095					3.1100						
NEN20 <sup>3</sup>	Small Residential Two Rate within Embedded Network	107.00			9.1561					2.3825						
NSP20 <sup>7</sup>	Small Residential Interval meter time of use	107.00					39.0008	34.1272	29.8677	2.3634						
NEE23 <sup>3</sup>	Small Residential Two Rate Solar Installation Standard Feed In Pre December 2012	118.00			16.9095					3.1100		-3.4768				
NEE26 <sup>3</sup>	Small Residential Two Rate Solar Installation Standard Feed In Post January 2013	118.00			16.9095					3.1100		-3.4768				
SUN23 <sup>3</sup>	Small Residential Two Rate Solar Installation Premium Feed In	118.00			16.9095					3.1100		-3.4768	-60.00			
NSP23 <sup>7</sup>	Small Residential Interval Meter time of use Solar Installation Standard Feed In	118.00					39.0008	34.1272	29.8677	2.3634		-3.4768				
SSP23 <sup>7</sup>	Small Residential Interval Meter time of use Solar Installation Premium Feed In	118.00					39.0008	34.1272	29.8677	2.3634		-3.4768	-60.00			
NEE24 <sup>4</sup>	Small Residential Two Rate 8:00 to 8:00	107.00			6.3644					1.2241						
NGT26 <sup>8</sup>	Small Residential Flexible	107.00	12.2004	12.2127		8.9562				2.5020						
NGT23 <sup>8 &amp; 9</sup>	Small Residential Flexible & Dedicated Circuit	107.00	12.2004	12.2127		8.9562				2.5020	2.1376					
NGT24 <sup>8 &amp; 10</sup>	Small Residential Flexible & Dedicated Circuit with Afternoon Boost	107.00	12.2004	12.2127		8.9562				2.5020	1.7201					
NGT25 <sup>8 &amp; 11</sup>	Small Residential Flexible & Dedicated Circuit 8:00 to 8:00	107.00	12.2004	12.2127		8.9562				2.5020	2.2176					
NEE30 <sup>9</sup>	Small Residential Dedicated circuit	0.00									2.1376					
NSP30 <sup>9</sup>	Small Residential Interval Dedicated circuit	0.00									2.1376					
NEE31 <sup>10</sup>	Small Residential Dedicated circuit with Afternoon Boost	0.00									1.7201					
NSP31 <sup>10</sup>	Small Residential Interval Meter Dedicated circuit with Afternoon Boost	0.00									1.7201					
NEE32 <sup>11</sup>	Small Residential Dedicated circuit 8:00 to 8:00	0.00									2.2176					
NSP32 <sup>11</sup>	Small Residential Interval Meter Dedicated circuit 8:00 to 8:00	0.00									2.2176					

AusNet Services Electricity Pty Ltd ABN 91 064 651 118

A subsidiary of AusNet Services Networks (Distribution) Pty Ltd

Level 31, 2 Southbank Blvd, Southbank, Victoria, 3006 Australia Locked Bag 14051 Melbourne City Mail Centre Victoria 8001 Australia



# Schedule of Distribution Use of System Tariffs Effective 1 January 2017 NOTE: ALL PRICES EXCLUSIVE OF GST



Tariff Code	Description	Standing	BLOCK 1	BLOCK 2	PEAK	SHOULDER ALL YEAR	SUMMER PEAK	SUMMER SHOULDER	WINTER PEAK	OFF PEAK	DEDICATED	SUMMER EXPORT	FEEDIN RATES	CAPACITY	CRITICAL PEAK	MONTHLY
		Charge	c/kWh	c/KWh		ALL YEAR	PEAR	SHOULDER	PEAR		CIRCUIT	EXPORT	HATES		DEMAND	KW DEMAND
		\$/Year			c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh2	\$/kVA/Year	\$/kVA/Year	\$/kW
Business																
NEE12 <sup>1</sup>	Small Single Rate	107.00	11.5442	15.4042												
NASN19 <sup>2</sup>	Business >40MWh Single Rate	107.00	15.1100	15.1100												0.00
NEN12 <sup>1</sup>	Small Single Rate within EmbeddedNetwork	107.00	18.4429	21.4691												
NSP12 <sup>7</sup>	Small Interval Meter time of use	107.00					39.0008	34.1272	29.8677	3.7849						
NEE16 <sup>1 &amp; 9</sup>	Small Single Rate & Dedicated Circuit	107.00	11.5442	15.4042							2.1376					
NEN16 <sup>1 &amp; 9</sup>	Small Single Rate & Dedicated Circuit within Embedded Network	107.00	18.4429	21.4691							2.1376					
NSP16 <sup>7 &amp; 9</sup>	Small Interval Meter time of use & Dedicated Circuit	107.00					39.0008	34.1272	29.8677	3.7849	2.1376					
NEE17 <sup>1 &amp; 10</sup>	Small Single Rate & Dedicated Circuit with Afternoon Boost	107.00	11.5442	15.4042							1.7201					
NEN17 <sup>1 &amp; 10</sup>	Small Single Rate & Dedicated Circuit with Afternoon Boost within Embedded Network	107.00	18.4429	21.4691							1.7201					
NSP17 <sup>7 &amp; 10</sup>	Small Interval Meter time of use & dedicated Circuit with Afternoon Boost	107.00					39.0008	34.1272	29.8677	3.7849	1.7201					
NEE18 <sup>1 &amp; 11</sup>	Small Single Rate & Dedicated Circuit 8:00 to 8:00	107.00	11.5442	15.4042							2.2176					
NEN18 <sup>1 &amp; 11</sup>	Small Single Rate & Dedicated Circuit 8:00 to 8:01 within Embedded Network	107.00	18.4429	21.4691							2.2176					
NSP18 <sup>7 &amp; 11</sup>	Small Interval Meter time of use & dedicated Circuit 8:00 to 8:00	107.00					39.0008	34.1272	29.8677	3.7849	2.2176					
NEE21 <sup>3</sup>	Small Two Rate	107.00			16.0887					3.3326						
NEN21 <sup>3</sup>	Small Two Rate within Embedded Network	107.00			11.2587					5.6666						
NSP21 <sup>7</sup>	Small Interval meter time of use	107.00					39.0008	34.1272	29.8677	3.7849						
NASN21 <sup>2</sup>	Business >40MWh Two Rate	107.00			15.3487					3.3326						0.0000
NASN2P <sup>2</sup>	Business >40MWh Two Rate Premium Feed In	107.00			15.3487					3.3326		-3.4768	-60.00			0.0000
NASN2S <sup>2</sup>	Business >40MWh Two Rate Standard Feed In	107.00			15.3487					3.3326		-3.4768				0.0000
SUN21 <sup>3</sup>	Small Two Rate Solar Installation Premium Feed In	107.00			16.0887					3.3326		-3.4768	-60.00			
SSP21 <sup>7</sup>	Small Interval meter time of use Solar Installation Premium Feed In	107.00					39.0008	34.1272	29.8677	3.7849		-3.4768	-60.00			
SSP27 <sup>7</sup>	Small Interval meter time of use Solar Installation Standard Feed In	107.00					39.0008	34.1272	29.8677	3.7849		-3.4768				
NEE27 <sup>3</sup>	Small Two Rate Solar Installation Standard Feed In Pre December 2012	107.00			16.0887					3.3326		-3.4768				
NEE28 <sup>3</sup>	Small Two Rate Solar Installation Standard Feed In Post January 2013	107.00			16.0887					3.3326		-3.4768				
NSP27 <sup>7</sup>	Small Interval meter Low Peak time of use	107.00					15.6110	13.6846	12.0021	6.7888						
NEE25 <sup>4</sup>	Small Two Rate 8:00 to 8:00	107.00			15.1274					3.1535						
NEE40 <sup>6</sup>	Medium Single Rate	107.00	20.0336													
NEE41 <sup>6 &amp; 9</sup>	Medium Single Rate & Dedicated Circuit	107.00	20.0336								2.1376					
NEE42 <sup>6 &amp; 10</sup>	Medium Single Rate & Dedicated Circuit with Afternoon Boost	107.00	20.0336								1.7201					
NEE43 <sup>6 &amp; 11</sup>	Medium Single Rate & Dedicated Circuit 8:00 to 8:00	107.00	20.0336								2.2176					
NEE51 <sup>3</sup>	Medium Two Rate	107.00			17.3236					3.6658						
NEE52 <sup>3</sup>	Medium Unmetered				19.3008					7.9025						
NEE55 <sup>12</sup>	Medium Snowfields	107.00			14.4316					4.0388						
NSP55 <sup>7</sup>	Medium Interval meter time of use Snowfields	107.00					39.0008	34.3206	30.0838	3.7957						
NSP56 <sup>13</sup>	Medium Critical Peak Demand 160MWh to 400MWh	2,500.00			11.1211	8.0980				3.8007				19.34	32.24	
NEN56 <sup>13</sup>	Medium Critical Peak Demand 160MWh to 400MWh within Embedded Network	2,500.00			8.4734	5.9056				3.8007				19.34	32.24	
NEE60 <sup>5</sup>	Medium Seven Day Two Rate	107.00			5.8269					2.5764						
NEE74 <sup>3</sup>	Large Two Rate	130.00			23.7615					6.7500						
NSP75 <sup>13</sup>	Large Critical Peak Demand 400MWh to 750MWh	5,550.00			3.0612	2.1240				1.2100				47.50	80.00	
NSP76 <sup>13</sup>	Large Critical Peak Demand 750MWh to 2000MWh	5,550.00			2.8900	1.8930				1.0740				49.00	83.00	
NSP77 <sup>13</sup>	Large Critical Peak Demand 2000MWh to 4000MWh	5,550.00			2.8390	1.8717				1.0138				53.73	89.18	
NSP78 <sup>13</sup>	Large Critical Peak Demand over 4000MWh	5,550.00			2.5272	1.6670				0.8724				59.10	97.78	
NSP81 <sup>14</sup>	High Voltage Critical Peak Demand	5,550.00			0.5291					0.2140				38.68	63.40	
NSP82 <sup>13</sup>	High Voltage Critical Peak Demand traction	5,550.00			0.4673	0.4673				0.3982				35.46	58.02	
NSP83 <sup>13</sup>	High Voltage Critical Peak Demand low energy use	5,550.00			9.4841	3.3186				1.0336				4.13	6.83	
NSP91 <sup>14</sup>	Sub transmission Critical Peak Demand <25MVA & <20KM from TS	19,980.00			0.5100					0.0481				2.58	4.26	
NEE93 <sup>3</sup>	Large Latrobe Valley Open Cut Supplies	0.00			1.0062					1.0062						
NSP94 <sup>14</sup>	Sub transmission Critical Peak Demand >25MVA & <20KM from TS	19,980.00			0.4747					0.0305				1.93	3.20	
NSP95 <sup>14</sup>	Sub transmission Critical Peak Demand <25MVA & >20KM from TS	19,980.00			0.5422					0.0683				4.00	6.64	

AusNet Services Electricity Pty Ltd ABN 91 064 651 118

A subsidiary of AusNet Services Networks (Distribution) Pty Ltd

Level 31, 2 Southbank Blvd, Southbank, Victoria, 3006 Australia Locked Bag 14051 Melbourne City Mail Centre Victoria 8001 Australia



# Schedule of Transmission Use of System Tariffs Effective 1 January 2017 NOTE: ALL PRICES EXCLUSIVE OF GST



Tariff Code	Description	Standing Charge	BLOCK 1	BLOCK 2	PEAK	SHOULDER ALL YEAR		SUMMER SHOULDER	WINTER	OFF PEAK	DEDICATED CIRCUIT	SUMMER EXPORT	FEEDIN RATES	CAPACITY	CRITICAL PEAK	MONTHLY KW
		\$/Year	c/kWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh2	\$/kV A/Year	DEMAND \$/kVA/Year	DEMAND
Residential		7.00.					0,11111	U.T.C.	0/11/11	<b>O</b> / 1 C C C C C C C C C C C C C C C C C C			<b>V</b>	4,11,11,11		, , , , , ,
NEE11 <sup>1</sup>	Small Residential Single Rate		1.4406	1.4406												
NEN11 <sup>1</sup>	Small Residential Single Rate within Embedded Network		1.4406	1.4406												
NGT11 <sup>6</sup>	Small Residential Flexible Single Rate		1.4406													
NSP11 <sup>7</sup>	Small Residential Interval meter time of use						1.4406	1.4406	1.4406	0.4018						
NEE13 <sup>1 &amp; 9</sup>	Small Residential Single Rate & Dedicated Circuit		1.4406	1.4406							0.4018					
NEN13 <sup>1 &amp; 9</sup>	Small Residential Single Rate & Dedicated Circuit within Embedded Network		1.4406	1.4406							0.4018					
NGT13 <sup>6 &amp; 9</sup>	Small Residential Flexible Single Rate & Dedicated Circuit		1.4406								0.4018					
NSP13 <sup>7 &amp; 9</sup>	Small Residential Interval meter time of use & Dedicated Circuit						1.4406	1.4406	1.4406	0.4018	0.4018					
NEE14 <sup>1 &amp; 10</sup>	Small Residential Single Rate & Dedicated Circuit with Afternoon Boost		1.4406	1.4406							0.4018					
NEN14 <sup>1 &amp; 10</sup>	Small Residential Single Rate & Dedicated Circuit with Afternoon Boost within Embedded Network		1.4406	1.4406							0.4018					
NGT14 <sup>6 &amp; 10</sup>	Small Residential Flexible Single Rate & Dedicated Circuit with Afternoon Boost		1.4406								0.4018					
NSP14 <sup>7 &amp; 10</sup>	Small Residential Interval meter time of use & Dedicated Circuit with Afternoon Boost						1.4406	1.4406	1.4406	0.4018	0.4018					
NEE15 <sup>1 &amp; 11</sup>	Small Residential Single Rate & Dedicated Circuit 8:00 to 8:00		1.4406	1.4406							0.4018					
NEN15 <sup>1 &amp; 11</sup>	Small Residential Single Rate & Dedicated Circuit 8:00 to 8:00 within Embedded Network		1.4406	1.4406							0.4018					
NGT15 <sup>6 &amp; 11</sup>	Small Residential Flexible Single Rate & Dedicated Circuit 8:00 to 8:00		1.4406								0.4018					
NSP15 <sup>7 &amp; 11</sup>	Small Residential Interval meter time of use & Dedicated Circuit 8:00 to 8:00						1.4406	1.4406	1.4406	0.4018	0.4018					
NEE20 <sup>3</sup>	Small Residential Two Rate				1.4406					0.4017						
NEN20 <sup>3</sup>	Small Residential Two Rate within Embedded Network				1.4406					0.4018						
NSP20 <sup>7</sup>	Small Residential Interval meter time of use						1.4406	1.4406	1.4406	0.4018						
NEE23 <sup>3</sup>	Small Residential Two Rate Solar Installation Standard Feed In Pre December 2012				1.4406					0.4018						
NEE26 <sup>3</sup>	Small Residential Two Rate Solar Installation Standard Feed In Post January 2013				1.4406					0.4018						
SUN23 <sup>3</sup>	Small Residential Two Rate Solar Installation Premium Feed In				1.4406					0.4018						
NSP23 <sup>7</sup>	Small Residential Interval Meter time of use Solar Installation Standard Feed In						1.4406	1.4406	1.4406	0.4018						
SSP23 <sup>7</sup>	Small Residential Interval Meter time of use Solar Installation Premium Feed In						1.4406	1.4406	1.4406	0.4018						
NEE24 <sup>4</sup>	Small Residential Two Rate 8:00 to 8:00				1.4406					0.4018						
NGT26 <sup>8</sup>	Small Residential Flexible		1,4406	1.4406		1,4406				0.4018						
NGT23 <sup>8 &amp; 9</sup>	Small Residential Flexible & Dedicated Circuit		1.4406	1.4406		1,4406				0.4018	0.4018					
NGT24 <sup>8 &amp; 10</sup>	Small Residential Flexible & Dedicated Circuit with Afternoon Boost		1.4406	1.4406		1,4406				0.4018	0.4018					
NGT25 <sup>8 &amp; 11</sup>	Small Residential Flexible & Dedicated Circuit 8:00 to 8:00		1.4406	1.4406		1.4406				0.4018	0.4018					
NEE30 <sup>9</sup>	Small Residential Dedicated circuit										0.4018					
NSP30 <sup>9</sup>	Small Residential Interval Dedicated circuit										0.4018					
NEE31 <sup>10</sup>	Small Residential Dedicated circuit with Afternoon Boost										0.4018					
NSP31 <sup>10</sup>	Small Residential Interval Meter Dedicated circuit with Afternoon Boost										0.4018					
NEE32 <sup>11</sup>	Small Residential Dedicated circuit 8:00 to 8:00										0.4018					
NSP32 <sup>11</sup>	Small Residential Interval Meter Dedicated circuit 8:00 to 8:00										0.4018					



# Schedule of Transmission Use of System Tariffs Effective 1 January 2017 NOTE: ALL PRICES EXCLUSIVE OF GST



Tariff Code	Description	Standing	BLOCK 1	BLOCK 2	PEAK	SHOULDER		SUMMER	WINTER	OFF PEAK	DEDICATED		FEEDIN	CAPACITY	CRITICAL	MONTHLY
		Charge	- 0.000-	- //////-		ALL YEAR	PEAK	SHOULDEF	PEAK		CIRCUIT	EXPORT	RATES		PEAK DEMAND	KW DEMAND
		\$/Year	c/kWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh2	\$/kVA/Year	\$/kVA/Year	S/kW
Business																
NEE12 <sup>1</sup>	Small Single Rate		1.4406	1.4406												
NASN19 <sup>2</sup>	Business >40MWh Single Rate		1.4406	1.4406												
NEN121	Small Single Rate within EmbeddedNetwork		1.4406	1.4406												
NSP12 <sup>7</sup>	Small Interval Meter time of use						1.4406	1.4406	1.4406	0.4018						
NEE16 <sup>1 &amp; 9</sup>	Small Single Rate & Dedicated Circuit		1.4406	1.4406							0.4018					
NEN16 <sup>1 &amp; 9</sup>	Small Single Rate & Dedicated Circuit within Embedded Network		1.4406	1.4406							0.4018					
NSP16 <sup>7 &amp; 9</sup>	Small Interval Meter time of use & Dedicated Circuit						1.4406	1.4406	1.4406	0.4018	0.4018					
NEE171 & 10	Small Single Rate & Dedicated Circuit with Afternoon Boost		1.4406	1.4406							0.4018					
NEN17 <sup>1 &amp; 10</sup>	Small Single Rate & Dedicated Circuit with Afternoon Boost within Embedded Network		1.4406	1.4406							0.4018					
NSP17 <sup>7 &amp; 10</sup>	Small Interval Meter time of use & dedicated Circuit with Afternoon Boost						1.4406	1.4406	1.4406	0.4018	0.4018					
NEE18 <sup>1 &amp; 11</sup>	Small Single Rate & Dedicated Circuit 8:00 to 8:00		1.4406	1.4406							0.4018					
NEN18 <sup>1 &amp; 11</sup>	Small Single Rate & Dedicated Circuit 8:00 to 8:01 within Embedded Network		1.4406	1.4406							0.4018					
NSP18 <sup>7 &amp; 11</sup>	Small Interval Meter time of use & dedicated Circuit 8:00 to 8:00						1.4406	1.4406	1.4406	0.4018	0.4018					
NEE213	Small Two Rate				1.4406					0.4018						
NEN213	Small Two Rate within Embedded Network				1.4406					0.4018						
NSP21 <sup>7</sup>	Small Interval meter time of use						1.4406	1.4406	1.4406	0.4018						
NASN21 <sup>2</sup>	Business >40MWh Two Rate				1.4406					0.4018						
NASN2P2	Business >40MWh Two Rate Premium Feed In				1.4406					0.4018						
NASN2S <sup>2</sup>	Business >40MWh Two Rate Standard Feed In				1.4406					0.4018						
SUN213	Small Two Rate Solar Installation Premium Feed In				1.4406					0.4018						
SSP21 <sup>7</sup>	Small Interval meter time of use Solar Installation Premium Feed In						1.4406	1.4406	1.4406	0.4018						
SSP27 <sup>7</sup>	Small Interval meter time of use Solar Installation Standard Feed In	0.00					1.4406	1.4406	1.4406	0.4018		0.0000				
NEE27 <sup>3</sup>	Small Two Rate Solar Installation Standard Feed In Pre December 2012				1.4406					0.4018						
NEE28 <sup>3</sup>	Small Two Rate Solar Installation Standard Feed In Post January 2013				1.4406					0.4018						
NSP27 <sup>7</sup>	Small Interval meter Low Peak time of use						1.4406	1.4406	1.4406	0.4018						
NEE25 <sup>4</sup>	Small Two Rate 8:00 to 8:00				1.4406					0.4018						
NEE40 <sup>6</sup>	Medium Single Rate		1.4406													
NEE41 <sup>6 &amp; 9</sup>	Medium Single Rate & Dedicated Circuit		1.4406								0.4018					
NEE42 <sup>6 &amp; 10</sup>	Medium Single Rate & Dedicated Circuit with Afternoon Boost		1.4406								0.4018					
NEE43 <sup>6 &amp; 11</sup>	Medium Single Rate & Dedicated Circuit 8:00 to 8:00		1.4406								0.4018					
NEE513	Medium Two Rate				1.4406					0.4018						
NEE523	Medium Unmetered				1.4406					0.4018						
NEE55 <sup>12</sup>	Medium Snowfields				1.4406					0.4018						
NSP55 <sup>7</sup>	Medium Interval meter time of use Snowfields						1.4406	1.4406	1.4406	0.4018						
NSP56 <sup>13</sup>	Medium Critical Peak Demand 160MWh to 400MWh				1.4406	1.4406				0.4018						
NEN56 <sup>13</sup>	Medium Critical Peak Demand 160MWh to 400MWh within Embedded Network				1.4406	1.4406				0.4018						
NEE60 <sup>5</sup>	Medium Seven Day Two Rate				1.4406					0.4018						
NEE74 <sup>3</sup>	Large Two Rate				1.4406					0.4018						
NSP75 <sup>13</sup>	Large Critical Peak Demand 400MWh to 750MWh				1.4406	1.4406				0.4018						
NSP76 <sup>13</sup>	Large Critical Peak Demand 750MWh to 2000MWh				1.4406	1.4406				0.4018						
NSP77 <sup>13</sup>	Large Critical Peak Demand 2000MWh to 4000MWh				1.4406	1.4406				0.4018						
NSP78 <sup>13</sup>	Large Critical Peak Demand over 4000MWh				1.4406	1.4406				0.4018						
NSP81 <sup>14</sup>	High Voltage Critical Peak Demand				1.4406					0.4018						
NSP82 <sup>13</sup>	High Voltage Critical Peak Demand traction				1.4406	1.4406				0.4018						
NSP83 <sup>13</sup>	High Voltage Critical Peak Demand low energy use				1.4406	1.4406				0.4018						
NSP91 <sup>14</sup>	Sub transmission Critical Peak Demand <25MVA & <20KM from TS				1.4406					0.4018						
NEE93 <sup>3</sup>	Large Latrobe Valley Open Cut Supplies				0.9238					0.9238						
NSP94 <sup>14</sup>	Sub transmission Critical Peak Demand >25MVA & <20KM from TS				1.4406					0.4018						
NSP95 <sup>14</sup>	Sub transmission Critical Peak Demand <25MVA & >20KM from TS				1.4406					0.4018						
	The state of the s									2. 10.0						4

AusNet Services Electricity Pty Ltd ABN 91 064 651 118

A subsidiary of AusNet Services Networks (Distribution) Pty Ltd

Level 31, 2 Southbank Blvd, Southbank, Victoria, 3006 Australia Locked Bag 14051 Melbourne City Mail Centre Victoria 8001 Australia



# Schedule of Jurisdictional Use of System Tariffs Effective 1 January 2017 NOTE: ALL PRICES EXCLUSIVE OF GST



Tariff Code	Description	Standing Charge	BLOCK 1	BLOCK 2	PEAK	SHOULDEF ALL YEAR	SUMMER	SUMMER SHOULDER	WINTER	OFF PEAK	DEDICATED	SUMMER	FEEDIN RATES	CAPACITY	CRITICAL PEAK	MONTHLY
		Onarge	c/kWh	c/KWh		ALL ILAII	LAIX	SHOOLDEN			OIIIOOII	LAI OIII	IIAILS		DEMAND	DEMAND
		\$/Year			c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh2	\$/kVA/Year	\$/kVA/Year	\$/kW
Residential																
NEE11 <sup>1</sup>	Small Residential Single Rate		0.5779	0.5779												
NEN11 <sup>1</sup>	Small Residential Single Rate within Embedded Network		0.5779	0.5779												
NGT11 <sup>6</sup>	Small Residential Flexible Single Rate		0.5779													
NSP11 <sup>7</sup>	Small Residential Interval meter time of use						0.5779	0.5779	0.5779	0.4902						
NEE13 <sup>1 &amp; 9</sup>	Small Residential Single Rate & Dedicated Circuit		0.5779	0.5779							0.4902					
NEN13 <sup>1 &amp; 9</sup>	Small Residential Single Rate & Dedicated Circuit within Embedded Network		0.5779	0.5779							0.4902					
NGT13 <sup>6 &amp; 9</sup>	Small Residential Flexible Single Rate & Dedicated Circuit		0.5779								0.4902					
NSP13 <sup>7 &amp; 9</sup>	Small Residential Interval meter time of use & Dedicated Circuit						0.5779	0.5779	0.5779	0.4902	0.4902					
NEE14 <sup>1 &amp; 10</sup>	Small Residential Single Rate & Dedicated Circuit with Afternoon Boost		0.5779	0.5779							0.4902					
NEN14 <sup>1 &amp; 10</sup>	Small Residential Single Rate & Dedicated Circuit with Afternoon Boost within Embedded Network		0.5779	0.5779							0.4902					
NGT14 <sup>6 &amp; 10</sup>	Small Residential Flexible Single Rate & Dedicated Circuit with Afternoon Boost		0.5779								0.4902					
NSP14 <sup>7 &amp; 10</sup>	Small Residential Interval meter time of use & Dedicated Circuit with Afternoon Boost						0.5779	0.5779	0.5779	0.4902	0.4902					
NEE15 <sup>1 &amp; 11</sup>	Small Residential Single Rate & Dedicated Circuit 8:00 to 8:00		0.5779	0.5779							0.4902					
NEN15 <sup>1 &amp; 11</sup>	Small Residential Single Rate & Dedicated Circuit 8:00 to 8:00 within Embedded Network		0.5779	0.5779							0.4902					
NGT15 <sup>6 &amp; 11</sup>	Small Residential Flexible Single Rate & Dedicated Circuit 8:00 to 8:00		0.5779								0.4902					
NSP15 <sup>7 &amp; 11</sup>	Small Residential Interval meter time of use & Dedicated Circuit 8:00 to 8:00						0.5779	0.5779	0.5779	0.4902	0.4902					
NEE20 <sup>3</sup>	Small Residential Two Rate				0.5779					0.4902						
NEN20 <sup>3</sup>	Small Residential Two Rate within Embedded Network				0.5779					0.4902						
NSP20 <sup>7</sup>	Small Residential Interval meter time of use						0.5779	0.5779	0.5779	0.4902						
NEE23 <sup>3</sup>	Small Residential Two Rate Solar Installation Standard Feed In Pre December 2012				0.5779					0.4902						
NEE26 <sup>3</sup>	Small Residential Two Rate Solar Installation Standard Feed In Post January 2013				0.5779					0.4902						
SUN23 <sup>3</sup>	Small Residential Two Rate Solar Installation Premium Feed In				0.5779					0.4902						
NSP23 <sup>7</sup>	Small Residential Interval Meter time of use Solar Installation Standard Feed In						0.5779	0.5779	0.5779	0.4902						
SSP23 <sup>7</sup>	Small Residential Interval Meter time of use Solar Installation Premium Feed In						0.5779	0.5779	0.5779	0.4902						
NEE24 <sup>4</sup>	Small Residential Two Rate 8:00 to 8:00				0.5779					0.4902						
NGT26 <sup>8</sup>	Small Residential Flexible		0.5779	0.5779		0.5779				0.4902						
NGT23 <sup>8 &amp; 9</sup>	Small Residential Flexible & Dedicated Circuit		0.5779	0.5779		0.5779				0.4902	0.4902					
NGT24 <sup>8 &amp; 10</sup>	Small Residential Flexible & Dedicated Circuit with Afternoon Boost		0.5779	0.5779		0.5779				0.4902	0.4902					
NGT25 <sup>8 &amp; 11</sup>	Small Residential Flexible & Dedicated Circuit 8:00 to 8:00		0.5779	0.5779		0.5779				0.4902	0.4902					
NEE30 <sup>9</sup>	Small Residential Dedicated circuit										0.4902					
NSP30 <sup>9</sup>	Small Residential Interval Dedicated circuit										0.4902					
NEE31 <sup>10</sup>	Small Residential Dedicated circuit with Afternoon Boost										0.4902					
NSP31 <sup>10</sup>	Small Residential Interval Meter Dedicated circuit with Afternoon Boost										0.4902					
NEE32 <sup>11</sup>	Small Residential Dedicated circuit 8:00 to 8:00										0.4902					سين ا
NSP32 <sup>11</sup>	Small Residential Interval Meter Dedicated circuit 8:00 to 8:00										0.4902					

AusNet Services Electricity Pty Ltd ABN 91 064 651 118

A subsidiary of AusNet Services Networks (Distribution) Pty Ltd

Level 31, 2 Southbank Blvd, Southbank, Victoria, 3006 Australia Locked Bag 14051 Melbourne City Mail Centre Victoria 8001 Australia



# Schedule of Jurisdictional Use of System Tariffs Effective 1 January 2017 NOTE: ALL PRICES EXCLUSIVE OF GST



Tariff Code	Description	Standing Charge	BLOCK 1	BLOCK 2	PEAK	SHOULDER ALL YEAR	SUMMER PEAK	SUMMER SHOULDER	WINTER	OFF PEAK	DEDICATE	SUMMER	FEEDIN RATES	CAPACITY	CRITICAL PEAK	MONTHLY KW
		Cnarge	c/kWh	c/KWh		ALL YEAR	PEAK	SHOULDER	PEAR		CIRCUIT	EXPORT	HATES		DEMAND	DEMAND
		\$/Year	-		c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh	c/KWh2	\$/kVA/Year	\$/kVA/Year	\$/kW
Business																
NEE121	Small Single Rate		0.5779	0.5779												
NASN19 <sup>2</sup>	Business >40MWh Single Rate		0.5779	0.5779												
NEN12 <sup>1</sup>	Small Single Rate within EmbeddedNetwork		0.5779	0.5779												
NSP12 <sup>7</sup>	Small Interval Meter time of use						0.5779	0.5779	0.5779	0.4902						
NEE16 <sup>1 &amp; 9</sup>	Small Single Rate & Dedicated Circuit		0.5779	0.5779							0.4902					
NEN16 <sup>1 &amp; 9</sup>	Small Single Rate & Dedicated Circuit within Embedded Network		0.5779	0.5779							0.4902					
NSP16 <sup>7 &amp; 9</sup>	Small Interval Meter time of use & Dedicated Circuit						0.5779	0.5779	0.5779	0.4902	0.4902					
NEE17 <sup>1 &amp; 10</sup>	Small Single Rate & Dedicated Circuit with Afternoon Boost		0.5779	0.5779							0.4902					
NEN17 <sup>1 &amp; 10</sup>	Small Single Rate & Dedicated Circuit with Afternoon Boost within Embedded Network		0.5779	0.5779							0.4902					
NSP17 <sup>7 &amp; 10</sup>	Small Interval Meter time of use & dedicated Circuit with Afternoon Boost		0.5770	0.5770			0.5779	0.5779	0.5779	0.4902	0.4902					
NEE18 <sup>1 &amp; 11</sup>	Small Single Rate & Dedicated Circuit 8:00 to 8:00		0.5779	0.5779							0.4902					
NEN18 <sup>1 &amp; 11</sup>	Small Single Rate & Dedicated Circuit 8:00 to 8:01 within Embedded Network		0.5779	0.5779			0.5770	0.5770	0.5770	0.4000	0.4902					
NSP18 <sup>7 &amp; 11</sup>	Small Interval Meter time of use & dedicated Circuit 8:00 to 8:00				0.5770		0.5779	0.5779	0.5779	0.4902	0.4902					
NEE213	Small Two Rate				0.5779					0.4902						
NEN21 <sup>3</sup>	Small Two Rate within Embedded Network				0.5779		0.5779	0.5779	0.5770	0.4902						
NSP21 <sup>7</sup> NASN21 <sup>2</sup>	Small Interval meter time of use Business >40MWh Two Rate				0.5779		0.5779	0.5779	0.5779	0.4902 0.4902						
NASN2P <sup>2</sup>	Business >40MWh Two Rate Premium Feed In				0.5779					0.4902						
NASN2P NASN2S <sup>2</sup>	Business >40MWh Two Rate Premium Feed in  Business >40MWh Two Rate Standard Feed In				0.5779					0.4902						
SUN21 <sup>3</sup>	Small Two Rate Solar Installation Premium Feed In				0.5779					0.4902						
SSP21 <sup>7</sup>	Small Interval meter time of use Solar Installation Premium Feed In				0.5779		0.5779	0.5779	0.5779	0.4902						
SSP27	Small Interval meter time of use Solar Installation Premium Feed in	0.00					0.5779	0.5779	0.5779	0.4902		0.0000				
NEE27 <sup>3</sup>	Small Two Rate Solar Installation Standard Feed In Pre December 2012	0.00			0.5779		0.5779	0.5779	0.5779	0.4902		0.0000				
NEE28 <sup>3</sup>	Small Two Rate Solar Installation Standard Feed in Post January 2013				0.5779					0.4902						
NSP27 <sup>7</sup>	Small Interval meter Low Peak time of use				0.5775		0.5779	0.5779	0.5779	0.4902						
NEE25 <sup>4</sup>	Small Two Rate 8:00 to 8:00				0.5779		0.5779	0.3779	0.3779	0.4902						
NEE40 <sup>6</sup>	Medium Single Rate		0.5779		0.0770					0.4002						
NEE41 <sup>6 &amp; 9</sup>	Medium Single Rate & Dedicated Circuit		0.5779								0.4902					
NEE42 <sup>6 &amp; 10</sup>	Medium Single Rate & Dedicated Circuit with Afternoon Boost		0.5779								0.4902					
NEE43 <sup>6 &amp; 11</sup>	Medium Single Rate & Dedicated Circuit 8:00 to 8:00		0.5779								0.4902					
NEE513	Medium Two Rate		0.0770		0.5779					0.4902	0.4002					
NEE52 <sup>3</sup>	Medium Unmetered				0.5779					0.4902						
NEE55 <sup>12</sup>	Medium Snowfields	265.00			0.0000					0.1002						
NSP55 <sup>7</sup>	Medium Interval meter time of use Snowfields	265.00														
NSP56 <sup>13</sup>	Medium Critical Peak Demand 160MWh to 400MWh	265.00														
NEN56 <sup>13</sup>	Medium Critical Peak Demand 160MWh to 400MWh within Embedded Network	265.00														
NEE60 <sup>5</sup>	Medium Seven Day Two Rate	265.00														
NEE74 <sup>3</sup>	Large Two Rate	265.00														
NSP75 <sup>13</sup>	Large Critical Peak Demand 400MWh to 750MWh	265.00														
NSP76 <sup>13</sup>	Large Critical Peak Demand 750MWh to 2000MWh	265.00														
NSP77 <sup>13</sup>	Large Critical Peak Demand 2000MWh to 4000MWh	265.00														
NSP78 <sup>13</sup>	Large Critical Peak Demand over 4000MWh	265.00														
NSP81 <sup>14</sup>	High Voltage Critical Peak Demand	265.00														
NSP82 <sup>13</sup>	High Voltage Critical Peak Demand traction	265.00														
NSP83 <sup>13</sup>	High Voltage Critical Peak Demand low energy use	265.00														
NSP9114	Sub transmission Critical Peak Demand <25MVA & <20KM from TS	265.00														
NEE93 <sup>3</sup>	Large Latrobe Valley Open Cut Supplies															
NSP94 <sup>14</sup>	Sub transmission Critical Peak Demand >25MVA & <20KM from TS	265.00														
NSP95 <sup>14</sup>	Sub transmission Critical Peak Demand <25MVA & >20KM from TS	265.00														

AusNet Services Electricity Pty Ltd ABN 91 064 651 118

A subsidiary of AusNet Services Networks (Distribution) Pty Ltd

Level 31, 2 Southbank Blvd, Southbank, Victoria, 3006 Australia Locked Bag 14051 Melbourne City Mail Centre Victoria 8001 Australia

#### **Tariff Structure**

#### Effective 1 January 2017 NOTE: ALL PRICES EXCLUSIVE OF GST



		Services
Tariff Structure 1		
Standing Charge	\$/Year	
Inclining Block 1	c/kWh	1020kWh/qtr
Inclining Block 2	c/kWh	kWh Balance
Tariff Structure 2		
Standing Charge	\$/Year	
Peak Energy	c/kWh	7:00AM to 11:00PM Monday to Friday
Off Peak Energy	c/kWh	All other times
Demand	\$/kW/Month	3:00PM to 9:00PM ADST, Monday to Friday, Peak Season Dec to Mar Off Peak all other months
Tariff Structure 3		
	\$/Year	
,	c/kWh	7:00AM to 11:00PM Monday to Friday
Off Peak Energy	c/kWh	All other times
Tariff Structure 4		
	\$/Year	
	c/kWh	8:00AM to 8:00PM Monday to Friday
Off Peak Energy	c/kWh	All other times
Touist Charactering 5		
	Φ.Moor	
	· ·	7:00 AM to 11:00 PM Manday to Sunday
5,		
Oli Feak Ellergy	C/KVVII	All other times
Tariff Structure 6		
	\$/Year	
	c/kWh	All energy
Tariff Structure 7		
Standing Charge	\$/Year	
	c/kWh	Dec - Mar, Mon - Fri, 2:00PM - 6:00PM
Summer Shoulder	c/k <b>W</b> h	Dec - Mar, Mon - Fri, 12:00Noon to 2:00PM and 6:00PM to 8:00PM
	c/kWh	Jun - Aug, Mon - Fri, 4:00PM to 8:00PM
	c/k <b>W</b> h	All other times
Tariff Structure 5 Standing Charge Peak Energy Off Peak Energy  Tariff Structure 6 Standing Charge Energy  Tariff Structure 7 Standing Charge Summer Peak Summer Shoulder Winter Peak	\$/Year c/kWh c/kWh \$/Year c/kWh \$/Year c/kWh c/kWh	7:00AM to 11:00PM Monday to Sunday All other times  All energy  Dec - Mar, Mon - Fri, 2:00PM - 6:00PM Dec - Mar, Mon - Fri, 12:00Noon to 2:00PM and 6:00PM to 8:00PM Jun - Aug, Mon - Fri, 4:00PM to 8:00PM

AusNet Services Electricity Pty Ltd ABN 91 064 651 118

A subsidiary of AusNet Services Networks (Distribution) Pty Ltd

Level 31, 2 Southbank Blvd, Southbank, Victoria, 3006 Australia Locked Bag 14051 Melbourne City Mail Centre Victoria 8001 Australia

Tel 61 3 9695 6000 Fax 6 13 9695 6666 www.ausnetservices.com.au

Issue 15 1 January 2017



#### **Tariff Structure**

#### Effective 1 January 2017 NOTE: ALL PRICES EXCLUSIVE OF GST



Tariff Structure 8

Standing Charge \$/Year

Summer 2:00AM AEST First Sunday in October to 2:00AM AEST First Sunday in April

Peak c/kWh Mon – Fri 3:00PM to 9:00PM

Shoulder c/kWh Mon – Fri 7:00AM to 3:00PM & 9:00PM to 10:00PM; and

Sat - Sun 7:00AM to 10:00PM

Off Peak c/kWh All other times

AEDT in Summer AEST all other times.

Tariff Structure 9

Standing Charge \$/Year

Off Peak Energy c/kWh 11:00PM to 7:00AM Monday to Sunday

Tariff Structure 10

Standing Charge \$/Year

Off Peak Energy c/kWh 11:00PM to 7:00AM & 1:00PM to 4:00PM Monday to Sunday

Tariff Structure 11

Standing Charge \$/Year

Off Peak Energy c/kWh 6 or 8 Hrs between 8:00PM to 8:00AM Monday to Sunday

Tariff Structure 12

Standing Charge \$/Year

Peak Energy c/kWh 1 May to 30 September

Off Peak Energy c/kWh All other times

Tariff Structure 13

Standing Charge \$/Year

Peak Energy c/kWh 7:00AM to 10:00AM & 4:00PM to 11:00PM Monday to Friday

Shoulder Energy c/kWh 10:00AM to 4:00PM Monday to Friday

Off Peak Energy c/kWh All other times
Demand Capacity \$/kVA/yr Fixed Value

Demand Critical Peak \$/kVA/yr Average of five rcorded between 3:00PM & 7:00PM ADST on five days nominated in advance

Tariff Structure 14

Standing Charge \$/Year
Peak Energy c/kWh 7:00AM to 11:00PM Monday to Friday

Off Peak Energy c/kWh All other times
Demand Capacity \$/kVA/yr Fixed Value

Demand Critical Peak \$/kVA/yr Average of five rcorded between 3:00PM & 7:00PM ADST on five days nominated in advance

AusNet Services Electricity Pty Ltd ABN 91 064 651 118

A subsidiary of AusNet Services Networks (Distribution) Pty Ltd

Level 31, 2 Southbank Blvd, Southbank, Victoria, 3006 Australia Locked Bag 14051 Melbourne City Mail Centre Victoria 8001 Australia