

United Energy 2015 Pricing Proposal



Stephen Harrison
Manager Revenue
United Energy

October 2014

United Energy 2015 Pricing Proposal



Table of contents

Executive Summary.....	5
1. Introduction and structure.....	6
1.2. UE's average charge for small residential customers without hot water.....	8
2. Pricing issues arising from the AER's final determination and subsequent re-determination.....	9
2.1. UE's expected revenues for standard control services and X factors.....	9
2.2. Weighted average price cap formula (WAPC).....	9
2.3. Side constraint formula.....	10
2.4. Tariff class assignment and reassignment procedures.....	11
2.5. Recovering the cost of Transmission/Grid Fees.....	12
3. Tariff classes and charging parameters.....	13
3.1. Regulatory requirements.....	13
3.2. Service classification.....	13
3.2.1. Standard control services - Network services.....	13
3.2.2. Standard control services - Connection services.....	14
3.2.3. Alternative control services - Fee based services.....	14
3.2.4. Alternative control services - Quoted services.....	14
3.2.5. Alternative control services - Public lighting services – fee based.....	15
3.2.6. Alternative control services - Metering services – fee based.....	15
3.2.7. Negotiated services.....	15
3.2.8. Unregulated services.....	15
3.3. Standard control service tariff classes.....	16
3.4. Charging parameters.....	18
3.4.1. Charging Parameters for DUoS Tariffs.....	18
3.4.2. Charging Parameters for TUoS Tariffs.....	19
3.5. Tariff Availability per tariff class.....	19
3.5.1. Low Voltage Small.....	19
3.5.2. Low Voltage Medium.....	20
3.5.3. Low Voltage Large.....	20
3.5.4. High Voltage Large.....	20
3.5.5. Subtransmission Large.....	20



3.6. Operating periods, time of day and season definitions	21
4. Pricing principles and UE's tariff strategy	27
4.1. Regulatory requirements	27
4.2. UE's Network Tariff Objectives	27
4.3. Stakeholder consultation and tariff initiatives	28
4.3.1. Seasonal Demand Time of use Residential Tariff	29
4.4. Future tariff developments	30
4.5. Publication of information regarding tariffs and tariff classes	31
4.6. Expected DUoS price trends 2016	31
5. Standard control services - Tariffs and average charges	32
5.1. Regulatory Requirements	32
5.2. Proposed average increases and weighted average revenue	32
5.3. Average tariff charges per customer for 2014 and 2015	35
5.3.1. Low Voltage Small Class	35
5.3.2. Low Voltage Medium Class	37
5.3.3. Low Voltage Large Class	37
5.3.4. High Voltage Large Class	38
5.3.5. Sub-transmission Large Class	38
6. Demonstrating compliance with the Rules	39
6.1. Regulatory Requirements	39
6.2. Compliance with the weighted average price cap	39
6.3. Compliance with the side constraints	40
6.4. Standalone and Avoidable Costs	40
6.4.1. Definition	40
6.4.2. Compliance	40
6.5. Long Run Marginal Costs	42
6.6. Description of price changes	43
7. Transmission Cost Recovery Tariffs	44
7.1. Transmission Cost Recovery Tariff Methodology	44
7.2. Transmission Use of System Charges and Under/Over Recovery Previous Years	44
8. Customer Tariff Class Assignment and Reassignment	45
8.1. Network Use of System Tariffs	45
8.2. Tariff Assignment for New Connections	46



8.2.2. Customers Usage	46
8.2.3. Metering and regulatory implications	46
8.2.4. Tariff Re-assignment	46
8.3. Network options for newly connecting small customers <20MWh pa	47
8.4. Network options for newly connecting medium customers >20MWh pa and <400MWh per annum	48
8.5. 2015 Default Network Tariffs for New Connections	49
8.6. Jurisdictional Scheme: Feed in Tariff schemes	53
8.6.1. Jurisdictional Scheme Amounts	53
8.6.2. Calculation PFIT Rebate Costs applicable to Jurisdictional revenue forecast	54
8.6.3. Calculation TFIT Rebate Costs applicable to Jurisdictional revenue forecast	54
8.7. Tariff Reassignments for Existing Customers	53
8.8. UE's system of assessing and reviewing a customer's charges	56
9. Alternative Control Services	57
9.1. Regulatory Requirements	57
9.2. Pricing principles	57
9.3. Charging parameters for alternative control services metering tariffs	57
10. Public Lighting	60
Appendix A: Tariff Model	61
Appendix B: Tariff Summary	61
Appendix C: Public Lighting Model	61
Appendix D: Alternative Control Services Model	61
Appendix E: Audit Report	61

Executive summary

This Pricing Proposal addresses the obligations specified in the Electricity Distribution Price Review (EDPR) where United Energy (UE) is required to make an annual submission to the AER outlining;

- Electricity distribution (DUoS), transmission use of system (TUoS) and jurisdictional/pass through charges
- Rates for standard control and alternative control services
- Tariff eligibility criteria
- Customer impact of new tariffs versus prior year
- Pricing principles and tariff strategy
- Customer/stakeholder engagement process

In developing this Annual Tariff Report, UE conducted a targeted consultation program with key stakeholder groups identified through previous engagement initiatives, the existing Community Consultative Committee (CCC) and energy retailers. This is part of our growing commitment to stakeholder engagement and recognises the guidelines published by the Australian Energy Regulator (AER).

UE has also proposed a new residential tariff to take effect from 1st July 2015. This tariff is capacity based and provides better alignment between consumer usage profiles and network system cost drivers. Details of the tariff are described in section 4.3.

Under the price control formula the average DUoS movement is calculated to be an increase of 11.57% on the 2014 rates. United Energy acts as an agent for the recovery of grid fees levied by transmission operators. Recovery of grid fees is levied in the form of TUoS. Increases in grid fees for the 2014/15 financial year have driven an increase in TUoS revenue compared to 2014 of 12.13%.

A summary of the annual movement in DUoS and TUoS appears below. When combined with increases in jurisdictional and pass through charges (PFIT/TFIT recovery, AMI and fire factor), the average residential customer on a single rate tariff will see an annual network use of system (NUoS) increase of \$38.59 over the 2014 charges. Eligible residential customers have the opportunity to mitigate the impacts of this increase by transitioning to the new Demand/TOU tariff (LVKW TOU RES) or TODFLEX (time of use) tariff.

The tariffs proposed in this submission are intended to apply for the period 1st January 2015 to 31st December 2015 and are subject to endorsement by the AER. A response from the AER is anticipated by late November 2014.

UED Indicative 2015 Tariff Price Movements

Description	Tariff Code	DUOS % price movement	TUOS % price movement	NUOS % price movement
Class - Low Voltage Small				
Low voltage small 1 rate	LVS1R	11.5%	13.8%	12.0%
Dedicated circuit	LVDED	11.9%		11.9%
Time of Day Flexible	TODFLEX	11.5%	13.8%	12.0%
Class - Low Voltage Medium				
Low voltage medium 1 rate	LVM1R	11.6%	13.8%	12.0%
Low voltage medium 2 rate 5 day	LVM2R5D	11.6%	13.8%	11.9%
Low voltage KW time of use	LVKWTOU	11.6%	13.8%	11.9%
Time Of Use	TOU	11.5%	13.8%	11.8%
Class - Low Voltage Large				
Low voltage large 2 rate	LVL2R	11.6%	13.8%	11.9%
Low voltage large 1 rate	LVL1R	11.6%	13.8%	12.2%
Low voltage large KVA time of use	LVKVATOU	11.6%	13.8%	12.1%
Class - High Voltage Large				
High voltage KVA time of use	HVKVATOU	11.6%	13.8%	12.3%
Class - Subtransmission Large				
Subtransmission KVA time of use	SubTKVATOU	11.6%	13.8%	13.0%

1. Introduction and structure

United Energy (UE) is one of five electricity distribution businesses operating under licence within the State of Victoria. UE manages and operates an extensive urban and semi-rural electricity distribution network with a replacement value of over \$4 billion, comprising 46 zone substations, approximately 214,000 poles, 13,084 distribution substations, 10,200 km of overhead power lines and 2,715 km of underground cables. UE's electricity distribution network provides services to some 650,000 end-use customers, located in an area of 1,472 km² in south-east Melbourne and the Mornington Peninsula. UE's distribution area is shown below:

Figure 1-1: UE Distribution Territory



This document is UE's 2015 Pricing Proposal to the Australian Energy Regulator (AER). In accordance with the requirements of the National Electricity Rules (Rules), clause 6.18.2(b) requires that a Pricing Proposal must:

- (a) set out the *tariff classes* that are to apply for the relevant *regulatory year*, and
- (b) set out the proposed tariffs for each *tariff class*; and
- (c) set out, for each proposed tariff, the *charging parameters* and the elements of service to which each *charging parameter* relates; and
- (d) set out, for each *tariff class* related to *standard control services*, the expected weighted average revenue for the relevant *regulatory year* and also for the current *regulatory year*; and

- (e) set out the nature of any variation or adjustment to the tariff that could occur during the course of the *regulatory year* and the basis on which it could occur; and
- (f) set out how charges incurred by the Distribution Network Service Provider for transmission use of system services are to be passed on to customers and any adjustments to tariffs resulting from over or under recovery of those charges in the previous regulatory year; and
- (g) demonstrate compliance with the *Rules* and any applicable distribution determination; and
- (h) describe the nature and extent of change from the previous regulatory year and demonstrate that the changes comply with the *Rules* and any applicable distribution determination.

In addition to the above provisions:

- clause 6.18.3 sets out requirements in relation to the definition of tariff classes;
- clause 6.18.4 sets out principles for the reassignment of customers to tariff classes;
- clause 6.18.5 describes the pricing principles that must apply to tariff classes;
- clause 6.18.6 provides for a side constraint on tariffs for standard control services;
- clause 6.18.7 defines the arrangements for the recovery of charges for transmission use of system;
- clause 6.18.8 sets out the arrangements for approving the Pricing Proposal; and
- clause 6.18.9 sets out provisions regarding the website publication of pricing information prior to the commencement of the regulatory year.

This Pricing proposal highlights aspects of the AER's final determination and subsequent re-determination that UE has taken into account in developing this Pricing Proposal. The remainder of this Pricing Proposal is structured as follows;

- Section 2 identifies the pricing issues arising from the AER's final determination and subsequent redetermination¹;
- Section 3 sets out UE's proposed tariff classes and charging parameters;
- Section 4 describes UE's tariff strategy and the application of the pricing principles in the Rules;
- Section 5 sets out UE's proposed standard control tariffs for 2015 and the average charges to customers;
- Section 6 demonstrates that UE's proposed tariffs for 2015 complies with the Rules and the AER's final determination;
- Section 7 provides information in relation to the transmission component in the network tariffs;
- Section 8 provides details of UE's approach to tariff assignment and reassignment;
- Section 9 sets out information in relation to UE's alternative control services;
- Section 10 sets out information in relation to UE's public lighting charges; and
- The appendices provide details of UE's proposed tariffs for 2015.

¹ Issued by AER 2 October 2012.



In summary, this Pricing Proposal demonstrates compliance with the Rules and also provides helpful information to stakeholders regarding the issues, principles and rationale that have shaped UE's approach to setting its network tariffs for 2015. UE welcomes comments from interested parties as UE continually evolves its approach to tariff and price setting.

1.2. UE's average charge for small residential customers without dedicated hot water

For 2015 the average UE network tariff bill for residential customers will be comprised of five components. Namely, Distribution Use of System (DUOS), Transmission Use of System (TUOS), Advanced Interval Metering (AMI), Feed in Tariff (PFIT/TFIT) and Fire Factor (F Factor) charges.

The average residential customer without electric hot water consumes approximately 4.2MWh per annum. The composition of the network charge is approximately 52% DUOS, 14% TUOS, 29% AMI, 5% PFIT/TFIT and -0.02% F Factor.

Figure 1-2 below shows the 2015 average network charge for the common residential tariff (LVS1R) compared to alternative UE residential tariffs.

Figure 1-2: 2015 average network charge for a residential customer with no hot water



Further details relating to residential/small customers average charges can be found in section 5.3.1.

2. Pricing issues arising from the AER's final determination and subsequent re-determination

2.1. UE's expected revenues for standard control services and X factors

As per the AER's re-determination², UE's revenue requirements and X factors are set out below.

Table 2-1: AER re-determination—revenues and X factors

	2011	2012	2013	2015	2015
Expected Revenues (\$'m, nominal)	\$301.9	\$313.6	\$331.74	\$364.38	\$403.35
AER's CPI estimate	2.57%	2.57%	2.57%	2.57%	2.57%
X factor*	-0.37%	-1.0%	-4.27%	-8.10%	-8.10%

*Negative values for X indicate real price increases under the CPI-X formula

2.2. Weighted average price cap formula (WAPC)

As part of the Pricing Proposal, UE must submit to the AER proposed tariffs and charging parameters which correspond to the price terms contained in the WAPC and side constraint equations.

The WAPC formula to apply to the Victorian DNSPs for the forthcoming regulatory control period is:

$$\frac{\sum_{i=1}^n \sum_{j=1}^m P_t^{ij} \times q_{t-2}^{ij}}{\sum_{i=1}^n \sum_{j=1}^m P_{t-1}^{ij} \times q_{t-2}^{ij}} \leq (1 + CPI_t) \times (1 - X_t) \times (1 + S_t) \times (1 + L_t) \pm (passthrough_t)$$

Where a DNSP has “n” distribution tariffs, which each have up to “m” distribution tariff components, and where:

- regulatory year “t” is the regulatory year in respect of which the calculation is being made; regulatory year “t-1” is the regulatory year immediately preceding regulatory year “t”;
- regulatory year “t-2” is the regulatory year immediately preceding regulatory year “t-1”;
- p_t^{ij} is the proposed distribution tariff for component j of distribution tariff i in regulatory year t;
- p_{t-1}^{ij} is the distribution tariff being charged in regulatory year t-1 for component j of distribution tariff j;
- q_{t-2}^{ij} is the quantity of component j of distribution tariff i that was delivered in regulatory year t-2;
- CPI_t is calculated as follows:

² As published by the AER on 2 October 2012.

The Consumer Price Index, All Groups Index Number (weighted average of eight capital cities) published by the Australia Bureau of Statistics for the September Quarter immediately preceding the start of regulatory year t;

divided by

The Consumer Price Index, All Groups Index Number (weighted average of eight capital cities) published by the Australia Bureau of Statistics for the September Quarter immediately preceding the start of regulatory year t-1;

minus one.

- X_t is the value of X for year t of the regulatory control period as determined by the AER;
- S_t is the Service Target Performance Incentive Scheme factor to be applied in regulatory year t;
- L_t is the licence fee pass through adjustment to be applied in regulatory year t in accordance with appendix E of the AER's final determination; and
- Pass through \pm represents approved pass through amounts with respect to regulatory year t as determined by the AER under clause 6.6 of the Rules, chapter 16 and appendix E of the AER's final determination. For 2015 a fire (F) factor of -\$90,000 applies with rebates levied on a fixed rate per customer basis. The F factor pass through charge relates to bush fire prevention performance for United Energy during 2013.

2.3. Side constraint formula

The side constraints formula to apply to the Victorian DNSPs for the forthcoming regulatory control period is set out below.

Where for each tariff class a DNSP has n distribution tariffs, which each have up to m distribution tariff components:

$$\frac{\sum_{i=1}^n \sum_{j=1}^m p_t^{ij} \times q_{t-2}^{ij}}{\sum_{i=1}^n \sum_{j=1}^m p_{t-1}^{ij} \times q_{t-2}^{ij}} \leq (1 + CPI_t) \times (1 - X_t) \times (1 + S_t) \times (1 + L_t) \times (1 + 2\%) \pm (passthrough_t)$$

- regulatory year "t" is the regulatory year in respect of which the calculation is being made; regulatory year "t-1" is the regulatory year immediately preceding regulatory year "t";
- regulatory year "t-2" is the regulatory year immediately preceding regulatory year "t-1";
- p_t^{ij} is the proposed distribution tariff for component j of distribution tariff i in regulatory year t;
- p_{t-1}^{ij} is the distribution tariff being charged in regulatory year t-1 for component j of distribution tariff i;
- q_{t-2}^{ij} is the quantity of component j of distribution tariff i that was delivered in regulatory year t-2;
- CPI_t is calculated as described in section 2.1 above.
- X_t is the value of X for year t of the regulatory control period as determined by the AER;
- S_t is the Service Target Performance Incentive Scheme factor to be applied in regulatory year t;

- L_t is the licence fee pass through adjustment to be applied in regulatory year t in accordance with appendix E of the AER's final determination; and
- Pass through t represents approved pass through amounts with respect to regulatory year t as determined by the AER under clause 6.6 of the Rules, chapter 16 and appendix E of the AER's final determination.

2.4. Tariff class assignment and reassignment procedures

The AER's procedures for assigning and reassigning customers to tariff classes for the Victorian DNSPs are set out in appendix G of the AER's final determination. These procedures require that in determining the tariff class to which a customer or potential customer will be assigned, or reassigned, UE must take into account one or more of the following factors:

- the nature and extent of the customer's usage;
- the nature of the customer's connection to the network; and
- whether remotely-read interval metering or other similar metering technology has been installed at the customer's premises as a result of a regulatory obligation or requirement.

In addition to these requirements, when assigning or reassigning a customer to a tariff class, UE must ensure the following:

- that customers with similar connection and usage profiles are treated equally
- that customers who have micro-generation facilities are not treated less favourably than customers with similar load profiles without such facilities.

In addition to these guiding principles, the AER's procedures for tariff assignment and reassignment:

- describe the arrangements that DNSPs must adopt to notify their customers of a tariff assignment or reassignment, and to address a customer's objections;
- require the DNSP's Pricing Proposal to describe its system for assessing and reviewing the basis on which a customer is charged; and
- confirms that if a DNSP installs an interval meter for an existing distribution customer, the DNSP may reassign that distribution customer to a time of use distribution tariff subject to clause 9.1.14 of the Victorian Electricity Distribution Code.

UE has replaced 97% of meters with advanced interval metering (AMI). Once an AMI meter is installed UE has the capability to read the meter remotely and to offer a "time of use" tariff structure.

In this Pricing Proposal, UE confirms that it will comply fully with the AER's procedures for assigning and reassigning customers to tariff classes as set out in Appendix G of the AER's final determination. Further details of UE's approach to tariff assignment and reassignment are provided in section 8 of this Pricing Proposal.



2.5. Recovering the cost of Transmission/Grid Fees


As shown by table 2-2 and Figure 2-1 below, grid fees vary from year to year.

The expected TUOS revenue increase from 2014 to 2015 is 12.1%. A key determinant of the increase in TUoS rates for 2015 has been the closure of the Point Henry smelter in July 2014. The reduction in state energy consumption has resulted in more revenue having to be collected from less energy to fund TUoS.

Table 2-2: Estimated TUOS Revenue Increase (\$'M)

	2014	2015	Var(%)
Grid Fee Forecast	\$110	\$113	
Over(under) recovery from previous year	\$11	\$1	
Actual/Allowed Revenue current year (grid fees less over recovery)	\$99	\$112	
Estimated Revenue collected	\$100	\$112	12%

Figure 2-1: Grid Fees 2005-2015 (\$'000)



3. Tariff classes and charging parameters

3.1. Regulatory requirements

This section addresses the Rules requirements in relation to tariff classes. In particular, it provides the following information:

- the tariff classes that are to apply for 2015, in accordance with clause 6.18.2(b)(1);
- the proposed tariffs for each tariff class, in accordance with clause 6.18.2(b)(2); and
- for each proposed tariff, the charging parameters and the elements of service to which each charging parameter relates, in accordance with clause 6.18.2(b)(3); and
- the tariff classes into which customers for direct control services are divided, in accordance with clause 6.18.3, noting that:
 - Separate *tariff classes* must be constituted for customers to whom *standard control services* are supplied and customers to whom *alternative control services* are supplied (but a customer for both *standard control services* and *alternative control services* may be a member of 2 or more *tariff classes*).
 - A *tariff class* must be constituted with regard to:
 1. the need to group customers together on an economically efficient basis; and
 2. the need to avoid unnecessary transaction costs.

3.2. Service classification

Before addressing the provisions outlined in section 3.1 above, to assist stakeholders' understanding of the Rules requirements it is useful to summarise the AER's final determination for UE's classification of services into Standard Control Services, Alternative Control Services; Negotiated Services; and Unregulated Services.

3.2.1. Standard control services - Network services

The following services are provided within this classification.

- Constructing the distribution network
- Maintaining the distribution network and connection assets
- Operating the distribution network and connection assets (for DNSP purposes)
- Designing the distribution network
- Planning the distribution network
- Emergency response
- Administrative support (for example, call centre, network billing)
- Location of underground cables

3.2.2. Standard control services - Connection services

The following services are provided within this classification.

- New connections requiring augmentations

3.2.3. Alternative control services - Fee based services

- The following services are provided within this classification.

- Fault response (not DNSP fault)
- Energisation of new connections
- Temporary disconnect / reconnect services
- Wasted attendance (not DNSP fault)
- Service truck visits
- Fault level compliance service
- Reserve feeder
- Photovoltaic installation
- Routine connections (customers below 100 amps)
- Temporary supply services

3.2.4. Alternative control services - Quoted services

The following services are provided within this classification.

- Rearrangement of network assets at customer request, excluding alteration and relocation of existing public lighting assets
- Supply enhancement at customer request
- Emergency recoverable works (that is, emergency works where customer is at fault and immediate action needs to be taken by the DNSP)
- Auditing of design and construction
- Specification and design enquiry fees
- Elective underground service where an existing overhead service exists
- Covering of low voltage mains for safety reasons
- Damage to overhead service cables caused by high load vehicles
- High load escorts (lifting overhead lines)
- Routine connections (customers above 100 amps)
- Supply abolishment
- After hours truck by appointment.



3.2.5. Alternative control services - Public lighting services – fee based

The following services are provided within this classification.

- Operation, repair, replacement and maintenance of DNSP public lighting assets

3.2.6. Alternative control services - Metering services – fee based

The following services are provided within this classification.

- De-energisation of existing connections
- Re-energisation of existing connections
- Meter investigation
- Special meter reading
- Re-test of types 5 and 6 metering installations for first tier customers with annual consumption greater than 160 MWh

3.2.7. Negotiated services

The following services are provided within this classification.

- Alteration and relocation of DNSP public lighting assets
- New public lighting assets (that is, new lighting types not subject to a regulated charge and new public lighting at green field sites)

3.2.8. Unregulated services

The following services are provided within this classification.

- The installation, maintenance and provision and repair of watchman (security) lights
- Provision of possum guards.

It should be noted that Section 9 of this Pricing Proposal outlines the arrangements for UE's alternative control metering service tariffs, which in accordance with clause 6.18.3(c) of the Rules has been constituted as a separate tariff class with separate charging parameters. The remainder of this section 3 addresses the Rules tariff class requirements in relation to the standard control services.



3.3. Standard control service tariff classes

UE has established five tariff classes for standard control services as follows:

- **Low Voltage Small:**
The predominant tariff in this category is the Low Voltage Small One Rate (LVS1R). The "typical" customer within this category is residential with an average consumption of 4.2 MWh per annum. This existing customer may also have a dedicated circuit tariff (for hot water/slab heating) which has an average consumption of 2.8 MWh per annum.
- **Low Voltage Medium:**
The predominant tariff in this category is the Low Voltage Medium One Rate (LVM1R). A "typical" customer within this category is small commercial with an average consumption of 25MWh per annum.
Large residential customers may be included in this category.
- **Low Voltage Large:**
The predominant tariff in this category is the Low Voltage Large KVA Time of Use (LVkVATOU). The "typical" customer within this category is large commercial with an average consumption of 825 MWh per annum.
- **High Voltage Large:**
The predominant tariff in this category is the High Voltage KVA Time of Use (HVkVATOU). A "typical" customer within this category is large industrial with an average consumption of 12,200 MWh per annum.
- **Sub-transmission Large:**
The only tariff (now closed) in this category is the Sub transmission KVA Time of Use (SubTkVATOU) with an average consumption of 30,500 MWh per annum.

UE's proposed allocation of individual tariffs into tariff classes is shown below. This table includes closed tariffs to new connections.



Table 3-1: Proposed Tariff Class Allocation

Tariff Code	Tariff Open New Connection	Tariff Description	Tariff Class
Unmet	Yes	Unmetered supplies	Low voltage small
LVS1R	Yes	Low voltage small 1 rate	
LVS2R	No	Low voltage small 2 rate	
LVDed*	Yes	Dedicated circuit	
WET2Step	No	Winter economy tariff	
TOD	Yes	Time of Day	
TOD9	Yes	Time of Day 9pm off peak	
TODFLEX	Yes	Time of Day Flexible	
LVKW TOU RES**	Yes	Seasonal Demand Time of Use	
LVM1R	Yes	Low voltage medium 1 rate	Low voltage medium
LVM2R5D	No	Low voltage medium 2 rate 5 day	
LVM2R7D	No	Low voltage medium 2 rate 7 day	
LVkWTOU	No	Low voltage KW time of use	
LVkWTOUH	No	Low voltage KW time of use – HOT	
TOU	Yes	Time of use	
TODFLEX	Yes	Time of Day Flexible	
LVL2R	No	Low voltage large 2 rate	Low voltage large
LVL1R	No	Low voltage large 1 rate	
LVkVATOU	Yes	Low voltage large KVA time of use	
LVkVATOUH	No	Low voltage large KVA time of use-HOT	
HVkVATOU	Yes	High voltage KVA time of use	High voltage large
SubTkVATOU	No	Subtransmission KVA time of use	Subtransmission large

* LVDed not available to customers with solar PV installed.

** New UE Tariff (refer section 4.3) only available to residential customers with an AMI meter. Available from 1st July 2015

NB: Where the tariff also includes P/TFIT, a prefix of “F” or “T” for each applicable tariff will apply eg.FLVS1R or TLVS1R



UE's 2015 Network Use of System tariffs (NUoS) for standard control services reflect the underlying structure of both the TUoS and DUoS charges. That is, the structures of the Transmission Use of System (TUoS) and Distribution Use of System (DUoS) tariffs are identical and the NUoS rates are the simple addition of the two.

The following sections set out the charging parameters for each proposed tariff, in accordance with clause 6.18.2(b)(3) of the Rules.

3.4. Charging parameters

3.4.1. Charging Parameters for DUoS Tariffs

The following table provides the charging parameters for each open Distribution tariff:

Table 3-2: Charging parameters – DUOS

DUoS Tariffs										
Charging Parameters	Units	Unmet	LVS1R	LVKW TOU RES	LVDed	TOD/TOD9/ TODFLEX	LVM1R	TOU	LVkVA TOU	HVkVA TOU
Standing Charge	c/day		✓			✓	✓			
Summer peak energy	c/kWh	✓	✓	✓		✓	✓	✓	✓	✓
Non summer peak energy	c/kWh	✓	✓	✓		✓	✓	✓	✓	✓
Summer shoulder energy	c/kWh			✓		✓	✓			
Non summer shoulder energy	c/kWh			✓		✓	✓			
Off peak energy	c/kWh	✓		✓	✓	✓	✓	✓	✓	✓
Rolling Peak Demand	c/kVA/day								✓	✓
Summer demand incentive charge	c/kVA/day							✓	✓	✓
Summer demand charge	c/kW/day			✓						
Winter demand charge	c/kW/day			✓						



3.4.2. Charging Parameters for TUoS Tariffs

The following table provides the charging parameters for each open Transmission tariff:

Table 3-3: Charging parameters–TUOS

TUoS Tariffs										
Charging Parameters	Units	Unmet	LVS1R	LVKW TOU RES	LVDed	TOD/TOD9/ TODFLEX	LVM1R	TOU	LVkVA TOU	HVkVA TOU
Standing Charge	c/day									
Summer peak energy	c/kWh	✓	✓	✓		✓	✓	✓	✓	✓
Non summer peak energy	c/kWh	✓	✓	✓		✓	✓	✓	✓	✓
Summer shoulder energy	c/kWh			✓		✓				
Non summer shoulder energy	c/kWh			✓		✓				
Off peak energy	c/kWh									
Rolling Peak Demand	c/kVA/day								✓	✓
Summer demand incentive charge	c/kVA/day							✓	✓	✓
Summer demand charge	c/kW/day			✓						
Winter demand charge	c/kW/day			✓						

3.5. Tariff Availability per tariff class

The following section outlines which type of customer the UE network tariff is available to:

3.5.1. Low Voltage Small

- Unmet Available to unmetered supplies.
- LVS1R The Low Voltage Small Single Rate tariff is available to customers consuming less than 20 MWh per annum.
- LVDed The low voltage dedicated circuit tariff is available on request to new customers on the LVS1R tariff with hot water and or slab heating consuming less than 20MWh per annum. Not available to customers with solar PV systems.



- **TOD** The Time of Day tariff is available to customers consuming less than 20MWh per annum with an interval meter.
- **TOD9** The Time of Day 9pm off peak tariff is available to customers consuming less than 20MWh per annum with an interval meter.
- **TODFLEX** The Time of Day Flexible Tariff is available to residential customers with an AMI enabled interval meter.
- **LVKW TOU RES** Seasonal demand and energy time of use tariff available to residential customers with an AMI meter. (Available from 1st July, 2015).

3.5.2. Low Voltage Medium

- **LVM1R** The low voltage medium single rate tariff is available to customers consuming between 20MWh and 400 MWh per annum.
- **TOU** The Time of Use tariff is available to customers consuming between 20 MWh and 400 MWh per annum, and with a demand of less than 150kVA per annum with an interval meter.

3.5.3. Low Voltage Large

- **LVkVATOU** The Low Voltage Large kVA Time of Use tariff is available to large customers consuming 400 MWh or above, and/or a demand of 150 kVA or above. A minimum chargeable rolling demand of 150 KVA applies.

3.5.4. High Voltage Large

- **HVKVATOU** The High Voltage kVA Time of Use tariff is available to large customers consuming 400 MWh or above, and/or a demand of 150 kVA or above. A minimum chargeable rolling demand of 1,150 KVA applies.

3.5.5. Subtransmission Large

- **SubTkVATOU:** The Subtransmission KVA Time of Use tariff is closed to new connections. It has a similar makeup (different rates) to the High Voltage kVA Time of Use Tariff; however a minimum chargeable demand of 11,100 kVA applies.



3.6. Operating periods, time of day and season definitions

The tables below provide a reference showing the time of day for peak, off peak and shoulder periods together with providing details of UE seasonal charging parameters.

Table 3-4: Tariff - HVkVATOU, LVkVATOU, ST22KVATOU

Business Days		Rolling Demand																																														
Business Days	Off Peak						Peak												Off Peak																													
Week Days Summer Only													Summer Demand																																			
Week End & Public Hol	Off Peak																																															
1/2 hr interval	1	2					13	14	15	16						27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42					47	48											
Local Time	12:00 AM		to		6:00 AM		7:00 AM		to		1:00 PM		2:00 PM		3:00 PM		4:00 PM		5:00 PM		6:00 PM		7:00 PM		8:00 PM		to		11:00 PM																			



Table 3-5: Tariff – TOU

Business Days	Off Peak				Peak																				Off Peak					
Week Days Summer Only	Off Peak										Summer Demand										Off Peak									
Week End & Public Hol	Off Peak																													
1/2 hr interval	1	2			13	14	15	16			27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42			47	48
Local Time*	12:00 AM to		6:00 AM to		7:00 AM to		1:00 PM to		2:00 PM to		3:00 PM to		4:00 PM to		5:00 PM to		6:00 PM to		7:00 PM to		8:00 PM to		11:00 PM							

Table 3-6: Tariff – TOD

Business Days	Off Peak				Shoulder								Peak										Off Peak							
Week End & Public Hol	Off Peak																													
1/2 hr interval	1	2			13	14	15	16			27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42			47	48
Local Time*	12:00 AM to		6:00 AM to		7:00 AM to		1:00 PM to		2:00 PM to		3:00 PM to		4:00 PM to		5:00 PM to		6:00 PM to		7:00 PM to		8:00 PM to		11:00 PM							



Table 3-7: Tariff – TOD9

Business Days	Off Peak				Shoulder				Peak								Off Peak													
Week End & Public Hol	Off Peak																													
1/2 hr interval	1	2			13	14	15	16			27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	47	48
Local Time*	12:00 AM		to		6:00 AM		7:00 AM		to		1:00 PM		2:00 PM		3:00 PM		4:00 PM		5:00 PM		6:00 PM		7:00 PM		8:00 PM		9:00 PM		11:00 PM	

Table 3-8: Tariff – TODFLEX

Week Days	Off Peak				Shoulder				Peak								Shoulder		Off Peak											
Week End	Off Peak				Shoulder												Off Peak													
1/2 hr interval	1	2			13	14	15	16			27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	48
Local Time*	12:00 AM		to		6:00 AM		7:00 AM		to		1:00 PM		2:00 PM		3:00 PM		4:00 PM		5:00 PM		6:00 PM		7:00 PM		8:00 PM		9-10 PM		10-12 PM	



Table 3-9: Tariff - LVKWTOU RES (Seasonal Demand TOU Residential)

Demand															Peak																																	
Energy	Anytime rate																																															
1/2 hr interval	1	2				13	14	15	16				27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	48																
Local Time*	12:00 AM		to		6:00 AM		7:00 AM		to		1:00 PM		2:00 PM		3:00 PM		4:00 PM		5:00 PM		6:00 PM		7:00 PM		8:00 PM		9-10 PM		10-12 PM																			

Table 3-10: Tariff - LVDED (Dedicated Load)

Any Day	Off Peak																																										Off Peak	
1/2 hr interval	1	2	3	4	13	14	15	16				27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42			47	48													
EST	12:00 AM		1:00am		6:00 AM		7:00 AM		to		1:00 PM		2:00 PM		3:00 PM		4:00 PM		5:00 PM		6:00 PM		7:00 PM		8:00 PM		to		11:00 PM															

NOTE: Off peak for LVDED is for up to 7 hours between 11pm and 7am local time controlled at United Energy's discretion.



Table 3-11: Tariff - LVS1R, LVM1R

All times	Peak																																																											
1/2 hr interval	1	2	3	4	13	14	15	16		27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42					47	48																													
EST	12:00 AM				1:00am				6:00 AM				7:00 AM				to				1:00 PM				2:00 PM				3:00 PM				4:00 PM				5:00 PM				6:00 PM				7:00 PM				8:00 PM				to				11:00 PM			

NOTE: In order to maintain the same time limits during Eastern Standard Time (EST) and Daylight Saving Time (DST), billing data is adjusted by shifting the data forward an hour to accommodate for the time shift during DST.



Table 3-9: Seasonal Periods (all tariffs except TODFLEX & LVKW TOU RES)

Months	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun
Period	Non Summer				Summer				Non Summer			

Table 3-10: Seasonal Periods (TODFLEX)

(Summer commences 1st day Daylight savings and finishes last day of Daylight savings)

Months	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun
Period	Non Summer			Summer					Non Summer			

Table 3-13: Seasonal Periods (LVKW TOU RES)

Months	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun
Period	Non Summer				Summer				Non Summer			

4. Pricing principles and UE's tariff strategy

4.1. Regulatory requirements

Clause 6.18.5 of the Rules requires UE to comply with the following pricing principles.

- (a) For each tariff class, the revenue expected to be recovered should lie on or between:
 1. an upper bound representing the stand alone cost of serving the customers who belong to that class; and
 2. a lower bound representing the avoidable cost of not serving those customers.
- (b) A tariff, and if it consists of two or more charging parameters, each charging parameter for a tariff class:
 1. must take into account the long run marginal cost for the service or, in the case of a charging parameter, for the element of the service to which the charging parameter relates; and
 2. must be determined having regard to:
 - (i) transaction costs associated with the tariff or each charging parameter; and
 - (ii) whether customers of the relevant tariff class are able or likely to respond to price signals.
- (c) If, however, as a result of the operation of paragraph (b), the Distribution Network Service Provider may not recover the expected revenue, the provider must adjust its tariffs so as to ensure recovery of expected revenue with minimum distortion to efficient patterns of consumption.

This section provides an overview of UE's approach to tariff-setting, including its application of the pricing principles described above. Section 6 of this Pricing Proposal demonstrates that UE's tariff proposals for 2015 comply with the Rules requirements and the AER's final determination.

4.2. UE's Network Tariff Objectives

UE adopts the following objectives in developing its network tariffs:

- **Regulatory compliance.** UE must comply with the pricing principles set out above and any other requirements in the AER's final determination. As noted above, the Rules require that the revenue for each tariff class must lie between the avoidable cost (lower bound) and the stand-alone costs (upper bound). This regulatory requirement ensures that charges for tariff classes are economically efficient.
- **Customer choice.** UE provides customers with meaningful choices of tariff options, taking account of customers' likely behavioural response.
- **Future Focused:** UE believes that tariffs in the future should better signal to customers the costs that their consumption and investment decisions impose on the network. The best way to achieve this is through tariffs based on capacity rather than the consumption. Future tariffs also need to facilitate the orderly transition of the grid from single directional flow to multi directional flow.
- **Market equity.** UE considers existing price levels and seeks to ensure that proposed changes do not introduce price shocks. UE also ensures that all retailers are treated equitably and to minimise any potential impediments to effective full retail contestability.



- **Cost reflectivity.** UE ensures that its pricing is cost-reflective so that efficient price signals are provided to customers. Individual charging parameters within each tariff take account of the long run marginal costs. UE also considers inter-customer group equity.
- **Responsiveness to price signals.** UE recognises that some (but not all) consumers will change their behaviour in response to pricing signals, both in terms of usage and tariff switching. The time of use tariffs are intended to provide pricing signals to customers (especially in relation to air conditioning load) to assist in managing growth in peak demand and to avoid increases in UE's capital expenditure requirements. UE also provides customers with an opportunity to shift their loads away from peak to off-peak periods.
- **Cost recovery and rebalancing.** UE intends to set tariffs to recover the revenue allowance defined by the AER's price controls. Full cost recovery enables UE to recover the efficient costs of operating the network business, including a commercial return on invested capital for "business as usual" service levels. UE also intends to use inter-tariff class rebalancing where necessary to provide improved pricing signals.
- **Practicality.** Where possible, UE seeks to simplify its charging mechanisms in order to assist customers and reduce administration costs.
- **Environmental.** Within the limitations of the scope and context of electricity distribution pricing, UE has regard to opportunities to improve asset utilisation and accommodate emerging energy technologies, particularly in respect of reducing greenhouse gas emissions.

UE's tariff proposals may reflect a compromise between these competing pricing objectives. UE's overall approach is to satisfy the above principles to the greatest extent possible, subject to ensuring that UE's regulatory obligations are fully satisfied.

4.3. Stakeholder consultation & tariff Initiatives

United Energy (UE) is committed to customer and key stakeholders to better inform public policy positions and on major elements of our business that impact customers, including tariffs.

While distributors do not traditionally deal directly with end use customers, we understand that customers ultimately bear the cost of our services. In this regard, UE plays a significant role in distributing electricity to many Victorian business and domestic customers. Together with our core objectives of delivering energy in a safe and reliable manner, UE strives to provide an efficient and cost effective service for our customers.

In the development of this annual Pricing Proposal, UE conducted a targeted consultation program with key stakeholder groups identified through previous engagement initiatives, these being the existing Customer Consultative Committee (CCC), energy retailers and one-on-one discussions where requested.

UE appreciates the strong interest and time committed by a range of stakeholders, recognising in particular that many of the consumer advocacy groups work under considerable resource constraints. The feedback from a number of our stakeholders has played a significant role in the development of tariff design in particular.

As part of its enhanced engagement strategy, UE is working with a range of groups to ensure that they have the opportunity to represent their constituents in a timely and efficient manner.

The series of forums and presentations stimulated discussion in the following areas;

- Regulatory framework (EDPR) and the annual distribution pricing process and determinations.

- Key issues/feedback from customers and industry on approach to improve efficiency and service levels in the short, medium and long term.
- Indicative approach for 2015 distribution pricing from UE.

4.3.1. Seasonal Demand / Time of use Residential (LVKW TOU RES) Tariff

After extensive consultation with industry stakeholders UE has developed a new tariff for residential customers with both capacity and energy charge parameters. The seasonal demand time of use tariff (LVKW TOU RES) seeks to achieve better alignment between individual customer use profiles and their resultant cost on the UE network. By providing a more cost reflective pricing structure it is envisaged that this tariff will result in;

- Reduced cross subsidies between different types of residential users. For example, air conditioning, solar PV and seasonal consumption.
- Reduced cost of network investment as customers respond to price signals by shifting discretionary load to off peak periods and reducing load in peak demand periods.
- Benefit realisation of the AMI (smart meter) program where greater insight about customer consumption profiles will lead to overall reduction in cost to network users.

Whilst UE firmly supports a shift towards capacity based network pricing the LVKW TOU RES will be offered on an opt in basis. UE understands that this tariff represents a fundamental shift in the way residential network charges are levied in Victoria and in this regard we are keen to work with customer and stakeholder groups to facilitate a smooth introduction. To allow sufficient preparation of systems and customer communication strategies UE has indicated a start date for the tariff from July 1st 2015. Whilst limited uptake is expected during this initial 6 month period UE anticipates that the majority of eligible residential customers will have transitioned to a tariff with a capacity charge component by the end of the next regulatory period.

The table below provides a summary of charge parameters and an indication of how the DUoS is allocated between capacity/energy components and summer/non summer periods.

Table 4-1: Seasonal Demand Time of Use Residential Tariff Specification (Indicative DUoS)

Tariff Name	Component	Description	Charging Parameter	Rate Summer (Dec-Mar)	Rate Non Summer (Apr-Nov)	Criteria	Average DUoS Bill (4200KWh pa)	DUoS Charge Split	Billing
Seasonal Demand Time of use Residential / Time of Use (LVKW-TOU-RES)	Energy	Anytime energy on any day type. Seasonal elements. Initially same price for Summer and Non Summer.	c/kWh	2.50	2.50	Monthly energy kWh. Summer = Dec-Mar	\$105	40%	Monthly
	Capacity	Actual Max Demand on any day type between 3 - 9PM local time. Seasonal capacity elements. Price premium for Summer reflects network constraint. Monthly Minimum of 1.5KW.	\$/kW/month	7.10	2.80	Max Actual demand between 3-9 PM local time for the month. Summer = Dec -Mar Monthly Minimum of 1.5KW	\$160	60%	
	Seasonal Split		\$/Month	\$27.88	\$17.98	Total	\$265	100%	

4.4. Future tariff developments

Clause 6.18.2 (b)(5) requires UE set out the nature of any variation or adjustment to the tariff that could occur during the course of the regulatory year and the basis on which it could occur. For the forthcoming regulatory year, UE does not anticipate any variation to the tariffs set out in this Pricing Proposal.

In general, future prices will be affected by UE's network performance (through the service target performance incentive scheme) and any additional unexpected costs that are allowed to be passed through to customers. UE will provide updated information on future price changes in accordance with the requirements of Clause 6.18.9 of the Rules.

UE will continue to review the effectiveness of its existing tariffs and will monitor the need for future tariff changes taking into account the recent AEMC rule changes and the following:

- Better alignment of individual customer consumption patterns and network cost resulting in a transition of DUoS revenue basis from energy throughput to a peak capacity based tariff structure;
- Encouraging an increased uptake of interval-metering based tariffs such as TODFLEX and LVKW TOU RES;
- The Summer Demand Incentive Charge (SDIC) concept will remain, but the time window may be updated from time to time in order that it remain aligned with the key network peak demands;
- Cost-of-supply modelling updated to reflect changes in relative contributions from segments;
- Daily and Monthly peak and shoulder time periods. These periods may change over time to align with the system peak demand.
- Further accentuating the emphasis on peak season (summer), day of week and time of day in order to stimulate Demand Side Management (DSM) response;
- Properly integrate the contribution that distribution-connected generator customers should be making to the costs of providing network services that all users share and derive value from;
- Further closure of tariffs based on obsolete metering;
- Premium service tariffs whereby customers get a choice of above code-level supply reliability and services, for a premium above the standard tariff. This must be seen in the overall context of customer service as well as relationship strategies;
- Demand management (DM) programs aimed at different customer classes may be investigated, for example:
 - Interruptible tariffs for business customers whereby customers agree to reduce their power consumption for agreed periods at the request of the distributor (likely to be at a time like a hot summer afternoon when the system is heavily stressed), and in return get some compensation payments from the distributor; and
 - DM aggregation program, which involves working with a range of customers and bidding their combined interruptible load in either the wholesale energy or ancillary services market.
- Investigate positive pricing incentives such as rewards and rebates as motivational mechanisms for DM.



4.5. Publication of information regarding tariffs and tariff classes

Clause 6.18.9 of the Rules requires that a DNSP must maintain on its website:

1. a statement of the provider's tariff classes and the tariffs applicable to each class; and
2. for each tariff – the charging parameters and the elements of the service to which each charging parameter relates; and
3. a statement of expected price trends (to be updated for each regulatory year) giving an indication of how the DNSP expects prices to change over the regulatory control period and the reasons for the expected changes.

The Rules also require that the information for a particular regulatory year must, if practicable, be posted on the website 20 business days before the commencement of the relevant regulatory year and, if that is not practicable, as soon as practicable thereafter. In accordance with the Rules requirements and subject to AER approval, UE will make this information available on its website within the specified timeframe. UE expects annual prices for all tariffs to change broadly in line with the AER's X factors in its final determination as set out in Table 2.1 of this Pricing Proposal.

4.6. Expected DUoS price trends

The following table summarises UE's indicative movement in tariff charging parameters. The actual price movements in each year will remain subject to review at the time, following consideration of the objectives set out in section 4.4.

Table 4-2: Indicative charging component movement in the 2016-2020 Regulatory Control Period

Indicative relative charging component movement in the 2016-20 Regulatory Control Period										
Distribution Tariff Class and Tariff	Standing Charge	Summer Peak Energy	Non Summer Peak Energy	Summer Shoulder Energy	Non Summer Shoulder Energy	Off Peak Energy	Summer Capacity Max KW	Non-summer Capacity Max KW	Rolling Peak Demand	Summer Demand Incentive Charge
Low Voltage Small										
Unmetered supplies		-	-			-				
Low voltage small 1 rate	↓	↑	↑							
Dedicated circuit						-				
Time of Day (TOD, TOD9 & TODFLEX)	-	↑	↑	-	↓	↓				
Seasonal Demand TOU Residential		↓	↓	↓	↓	↓	↑	↑		
Low Voltage Medium										
Low voltage medium 1 rate	↓	↑	↑							
Time of Use		↑	↑	-	↓	↓				↑
Low Voltage Large										
Low voltage large KVA time of use		↑	↑	-	↓	↓			↑	↑
High Voltage Large										
High voltage KVA time of use		↑	↑	-	↓	↓			↑	↑
Subtransmission Large										
Subtransmission KVA time of use		↑	↑	-	↓	↓			↑	↑

↑ Increase relative to the average price movement per tariff.

↓ Decrease relative to the average price movement per tariff.

- In line with average price movement per tariff.

A grey cell indicates that the corresponding charging parameter is not applicable for a particular tariff.

5. Standard control services - Tariffs and average charges

5.1. Regulatory Requirements

This section of the Pricing Proposal addresses clause 6.18.2(b)(4) of the Rules, which requires UE to provide details of the expected weighted average revenue for each tariff class for standard control services for the relevant regulatory year, 2015, and also for the current regulatory year, 2014. This section also provides useful information regarding the proposed average price change for each standard control tariff.

5.2. Proposed average increases and weighted average revenue

The following table indicates movement of DUoS, TUoS and NUoS revenue for each tariff between 2014 and 2015:

Table 5-1: UE 2015 Tariff Price Movements

UED 2015 Tariff Price Movements

Description	Tariff Code	DUoS % price movement	TUoS % price movement	NUoS % price movement
Class - Low Voltage Small				
Unmetered supplies	UnMet	11.6%	13.8%	12.0%
Low voltage small 1 rate	LVS1R	11.5%	13.8%	12.0%
Low voltage small 2 rate	LVS2R*	11.5%	13.8%	12.0%
Dedicated circuit	LVDed	11.9%		11.9%
Winter economy tariff	WET2Step*	11.5%	13.8%	12.3%
Time Of Day	TOD	11.5%	13.8%	11.8%
Time of Day 9pm Off Peak	TOD9	0.0%	0.0%	0.0%
Time of Day Flexible	TODFLEX	11.5%	13.8%	12.0%
Low Voltage KW time of use Residential	LVKW TOU RES			
Class - Low Voltage Medium				
Low voltage medium 1 rate	LVM1R	11.6%	13.8%	12.0%
Low voltage medium 2 rate 5 day	LVM2R5D*	11.6%	13.8%	11.9%
Low voltage medium 2 rate 7 day	LVM2R7D*	11.6%	13.8%	12.0%
Low voltage KW time of use	LVKWTOU*	11.6%	13.8%	11.9%
Low voltage KW time of use - HOT	LVKWTOUH*	11.6%	13.8%	11.8%
Reverse cycle airconditioning time of use	RCACKWTOU*	11.5%	13.8%	12.1%
Time Of Use	TOU	11.5%	13.8%	11.8%
Class - Low Voltage Large				
Low voltage large 2 rate	LVL2R*	11.6%	13.8%	11.9%
Low voltage large 1 rate	LVL1R*	11.6%	13.8%	12.2%
Low voltage large KVA time of use	LVKVATOU	11.6%	13.8%	12.1%
Low voltage large KVA time of use - HOT	LVKVATOUH*	11.6%	13.8%	12.0%
Class - High Voltage Large				
High voltage KVA time of use	HVKVATOU	11.6%	13.8%	12.3%
High voltage KVA time of use - HOT	HVKVATOUH*	11.6%	13.8%	12.0%
Class - Subtransmission Large				
Subtransmission KVA time of use	SubTkVATOU*	11.6%	13.8%	13.0%

*Tariff closed to premises not already taking supply under this tariff and new connections.



The average price movement allowed for the 2015 DUOS tariffs is 11.57%. This is determined by the price path $(1+CPI)*(1-X)*(1+L)*(1+S)$, with a CPI of 2.31%, L of 0.01%, S of 0.87% and an X of -8.1% (a negative x factor represents a price increase). The previous table shows this price movement has been applied to the majority of DUOS tariffs.

The average price movement for the 2015 TUOS tariffs is an increase of 13.8%. This is determined by the maximum transmission revenue allowed for 2015 versus the estimated transmission revenue recovered in 2014. The previous table shows this price movement has been applied to the all TUOS tariffs, except Dedicated.

The table below indicates the expected weighted average DUoS revenue for each tariff class for standard control services for the relevant regulatory year, 2015, and also for the current regulatory year, 2014. For completeness, it also displays that UE's Pricing Proposal complies with the weighted average price cap and tariff class side constraints as set out in the AER's final determination.

Table 5-2: UE DUOS Revenue by Tariff Class

Class	2014 Revenue \$M	2015 Revenue \$M	% Movement	Weighted Average Price Control	Max. Allowed Side Constraint
Low Voltage Small	168.4	187.8	11.6%		13.8%
Low Voltage Medium	89.6	99.9	11.6%		13.8%
Low Voltage Large	88.2	98.4	11.6%		13.8%
High Voltage Large	16.5	18.4	11.6%		13.8%
Subtransmission Large	0.2	0.2	11.6%		13.8%
Total	362.8	404.7	11.6%	11.6%	13.8%

The underlying drivers of DUOS prices are cost recovery to meet expanding network at peak times and replacement of infrastructure. The AER determines allowed revenue for distributors over a 5 year period with rates of increase subject to annual variation (see table 2.1).

Figure 5-1: 2015 Expected Revenue % by Customer Class





Figure 5-2: 2015 Expected Energy Consumption % by Customer Class



As shown by figure 1 and 2, UE's larger customers represent greater energy volumes, but contribute less revenue, and conversely the smaller customers represent lesser energy in comparison to revenue. This reflects the aggregate of assets required to service the customers. Smaller customers utilise more of the electricity network, therefore are priced comparatively higher than larger customers who use comparatively less of the electricity network.




5.3. Average tariff charges per customer for 2014 and 2015

This section presents the average yearly charges for UE's customers in 2014 and 2015. The following graphs are presented for each tariff class for standard control services.

5.3.1. Low Voltage Small Class

Figure 5-3: Average Distribution and Transmission charge per customer – LV Small



Each customer's bill is comprised of two components in addition to DUOS and TUOS. These components are Advanced Interval Meter (AMI) and PFIT/TFIT charges which respectively recover revenue for AMI meters and solar rebates.

Table 5.3 indicates the average network charge and percentage increases for a residential customer with no hot water split by the 4 components for the residential tariffs. The average residential customer with no hot water uses approximately 4.2MWh per annum.



Table 5-3: Residential Customer Impact (No Hot Water) 4.2MWh per annum

Indicative Tariff	Component	2013	2014	2015
LVS1R	DUOS	\$ 255.85	\$ 264.19	\$ 294.53
	TUOS	\$ 77.28	\$ 70.72	\$ 80.49
	Metering	\$ 124.45	\$ 141.33	\$ 160.44
	Pass through	\$ 27.84	\$ 46.77	\$ 26.15
	Total	\$ 485.42	\$ 523.01	\$ 561.60
TODFLEX	DUOS	\$ 240.71	\$ 248.57	\$ 277.10
	TUOS	\$ 71.51	\$ 65.45	\$ 74.47
	Metering	\$ 124.45	\$ 141.33	\$ 160.44
	Pass through	\$ 27.84	\$ 46.77	\$ 26.15
	Total	\$ 464.50	\$ 502.11	\$ 538.16
CAPACITY RES	DUOS			\$ 265.36
	TUOS			\$ 80.02
	Metering			\$ 160.44
	Pass through			\$ 26.15
	Total			\$ 531.97

* DUoS charges for 2015 include \$0.12 fixed rebate representing the F Factor (UE fire mitigation performance)

Figure 5-4: Residential Customer Impact (LVS1R No Hot Water) 4.2MWh per annum





Figure 5-4 indicates that the annual increase in NUOS & pass throughs from 2014 to 2015, for the most common residential tariff, is broadly similar to the prior year.


5.3.2. Low Voltage Medium Class

Figure 5-5: Average network charge per customer – LV Medium



5.3.3 Low Voltage Large Class


Figure 5-6: Average network charge per customer – LV Large






5.3.4. High Voltage Large Class

Figure 5-7: Average network charge per customer – HV Large



5.3.5. Sub-transmission Large Class

Figure 5-8: Average network charge per customer – Subtransmission Large



6. Demonstrating compliance with the Rules

6.1. Regulatory Requirements

Clause 6.18.2(b)(7) requires UE to demonstrate compliance with the Rules and any applicable distribution determination. Section 2 of this Pricing Proposal provided information in relation to the compliance issues arising from the AER's final determination, and the steps that UE has taken to ensure compliance. Furthermore, Section 3 described UE's approach to tariff-setting, including its compliance with the pricing principles in the Rules.

Notwithstanding the information already provided, this section provides further detailed information regarding UE's compliance with the Rules.

6.2. Compliance with the weighted average price cap

Section 2.2 of this Pricing Proposal sets out the AER's weighted average price control for UE for the 2011-2015 period. The table below shows the contribution from each element in the formula to UE's average price increase in 2015 for standard control service.

Table 6.1 – 2015 Regulated Price Control Formulae

Component	% Increase/Decrease
CPI	2.31%
Lt	0.01%
X*	8.10%
St	0.87%
Pass-through t^{**}	-0.0002%
DUOS	11.57%

*X factor is in fact negative, however formulae is (1-X), therefore X factor produces an 8.1% increase.

As noted in section 2.2, the L-factor relates to licence fees paid by UE in the past financial year. The X-factor is the underlying price path for distribution tariffs over the regulatory period. The S factor relates to network reliability and reflects the network reliability statistics achieved by UE's management of its network assets. The Pass through t represents approved pass through amounts with respect to regulatory year t as determined by the AER under clause 6.6 of the Rules, chapter 16 and appendix E of the AER's final determination.

**For 2015 the AER has approved a 't' (pass through) factor of -\$90,000 relating United Energy's fire prevention performance in 2013 as assessed by the AER. This will be passed through to customers as a fixed rebate of \$0.12 for 2015.

6.3. Compliance with the side constraints

Section 2.3 provides details of the side constraint that applies to average price changes for tariff classes, and section 5.2 shows the DUOS movement by tariff. UE's Pricing Proposal is compliant with the overall movement allowed per tariff class of 13.80%.

6.4. Standalone and Avoidable Costs

6.4.1. Definition

Standalone Costs:

The Standalone cost for a tariff class is the cost of supplying only the tariff class concerned, with all other tariff classes not being supplied. If customers were to pay above the standalone cost then it would be economically beneficial for customers to switch to an alternate provider, and economically feasible for an alternate provider to operate. This creates the possibility of inefficient bypass of the existing infrastructure.

Avoidable Costs:

The Avoidable cost for a tariff class is the reduction in network cost that would take place if the tariff class were not supplied (whilst all other tariffs remained supplied). If customers were to be charged below the avoidable cost, it would be economically beneficial for the business to stop supplying the customers as the associated costs would exceed the revenue obtained from the customer.

6.4.2. Compliance

As noted in Section 4 of this Pricing Proposal, the Rules require that distribution tariffs should lie between the following upper and lower bounds:

- tariffs for each customer should generate revenue in excess of the avoidable cost to service the customer; and
- tariffs for each customer should generate revenue less than the cost of providing the service on a stand-alone basis to the customer.

To demonstrate that distribution tariffs fall between the avoidable cost "floor" and standalone cost "ceiling", UE must first apply a "cost of supply" methodology to assist in setting tariff rates. Broadly speaking, tariff rates are set to recover the allocated distribution revenue from that customer group. It is noted, however, that UE's approach to setting tariff rates is to consider all the pricing principles outlined in Section 4 of this Pricing Proposal.

The critical issue from a cost of supply modelling perspective is the method by which distribution revenue is allocated across the tariff groups. As network businesses are characterised by relatively high fixed costs and significant asset-sharing between customer groups, there is no unambiguously "correct" method for allocating costs. UE's method of allocation is based on each tariff's relative usage of UE's network assets.

In the model, customers are assigned into tariff groups based on voltage and demand characteristics. The consumption and demand characteristics for each tariff group are calculated as follows:

- For asset based costs, the quantity of assets and supporting infrastructure are assigned to the tariff groups according to the combined consumption and demand characteristics of all customers using the asset, e.g. HV assets are assigned to LV and HV customers, but not to sub-transmission customers. The cost of providing the assigned assets is then calculated for each customer class.
- For operational and maintenance costs, costs are directly attributed to particular asset classes, where possible, and the remaining costs are assigned to overheads



- Attributable costs use a weighted averaging to apply to the customers in each class
- Overheads are averaged over all customers
- Combining the overhead, maintenance and infrastructure costs, the overall cost of supply for each customer is calculated.
- UE has extended its “cost of supply” methodology to assess the avoidable and standalone costs. The avoidable cost model recognises that only a proportion of total costs are avoidable. In particular, the majority of asset-related costs cannot be avoided even if a particular customer group is no longer served. Inevitably, the assessment of which costs are avoidable is a matter of judgement. It should be noted, however, that as the avoidable costs are less than the total costs, UE’s cost of supply methodology will always set tariffs at a level that exceeds avoidable costs.

UE’s modelling of standalone costs is similarly based on the cost of supply model. The principal differences between the “basic” cost of supply estimates and standalone costs are:

- Standalone networks to serve a particular tariff class will not enjoy the benefit of diversity in peak demand between tariff classes;
- Economies of scale may be lost in supplying a subset of existing customers or tariffs;
- Greater urban congestion may result in the optimised replacement cost exceeding UE’s regulated asset value; and
- It is likely that a notional “standalone” competitor to UE may seek a rate of return that exceeds the regulated cost of capital.

These factors indicate that the standalone costs will exceed the cost of supply estimates on which UE bases its tariff design. It is important to recognise that it is difficult to determine the standalone costs with precision – inevitably a judgement must be made. The results of UE’s modelling is summarised in Table 6.2:

Table 6-2: Comparison of 2015 Tariff Rates with Existing Estimated "Cost Window"

Tariff Code	Tariff Class	Lower Bound "Avoidable Cost" (c/kWh)	2015 Avg DUOS (Exc GST) (c/kWh)	Upper Bound "Standalone Cost" (c/kWh)
Unmet LVS1R LVS2R* LVDed WET2Step* TOD TOD9 TODFLEX LVKW TOU RES	Low Voltage Small	0.35	5.21 7.02 6.03 1.59 3.68 0.00 N/A 5.36	13.51
LVM1R LVM2R5D* LVM2R7D* LVkWTOU* LVkWTOUH* TOU	Low Voltage Medium	0.42	9.19 5.56 3.14 6.42 3.77 6.02	17.60
LVL2R* LVL1R* LVKVATOU LVKVATOUH	Low Voltage Large	0.14	6.21 5.59 3.23 1.74	5.74
HVKVATOU	High Voltage Large	0.07	11.46	2.81
SubTkVATOU*	Subtransmission Large	0.07	6.24	2.81

* Tariff closed to new connections and customers not already taking supply under this tariff

6.5. Long Run Marginal Costs

The Rules require a tariff, and if it consists of two or more charging parameters, each charging parameter for a tariff class:

1. must take into account the long run marginal cost for the service or, in the case of a charging parameter, for the element of the service to which the charging parameter relates; and
2. must be determined having regard to:
 - (i) transaction costs associated with the tariff or each charging parameter; and
 - (ii) whether customers of the relevant tariff class are able or likely to respond to price signals.

As explained in section three of this Pricing Paper, UE's tariff-setting approach balances the objectives of cost reflectivity against the practical constraints imposed by existing prices; the limitations places on tariff rebalancing; and customers' propensity to change behavior in response to price signals.

UE's approach to estimating the marginal costs to is to estimate the present value of the incremental investment associated with increasing demand divided by the present value of the increment in demand. This approach provides an estimate of marginal costs which is not materially different to the avoidable costs estimates presented in section 6.4 above.

Table 6-3: Long-run Marginal Cost Comparison

Class	Lower Bound "Avoidable Cost" (c/kWh)	2015 Avg DUOS (Exc GST) (c/kWh)	Upper Bound "Standalone Cost" (c/kWh)	Long-run Marginal Cost* (c/kWh)
Low voltage small	0.35	6.52	13.51	5.50
Low voltage medium	0.42	7.01	17.60	5.81
Low voltage large	0.14	3.88	5.74	3.12
High voltage large	0.07	1.79	2.81	1.40
Subtransmission	0.07	0.50	2.81	0.42

*United Energy is presently undertaking a review of LRMC modelling and methodology with a view to providing more information in the EDPR submission.

6.6. Description of price changes

Consistent with the AER 2011-2015 Price Determination, rebalancing has been undertaken of tariffs at the tariff class level.

This rebalancing takes into consideration and is consistent with the Price Determination and tariff policies, balancing the need to:

- recover maximum allowable revenue to recover the efficient costs of operating the network business;
- reduce risk in recovering revenue;
- give pricing signals to customers to provide an incentive for efficient utilisation of the network;
- be consistent with Pricing Principles and Cost of Supply Model where each tariff is;
 - above the avoidable cost of serving distribution customers;
 - below the cost of providing the service on a standalone basis;
- signal the impact of additional usage on future investment costs;
- recover NUoS from customers in proportion to the services provided - classified by voltage, demand, and consumption patterns;
- be consistent with UE's tariff strategies;
- be consistent with the UE tariff policy framework.

Given the above considerations, it has been decided not to implement the average price movement across all tariffs as this would be inconsistent with the pricing principles which require signalling of the impact of additional usage on future investment costs. Accordingly some rebalancing has been undertaken at the tariff class level. A revised cost of supply model and other optimisation tools have been used to derive the final prices.



7. Transmission Cost Recovery Tariffs

7.1. Transmission Cost Recovery Tariff Methodology

TUoS tariffs are designed to recover the transmission costs (grid fees) incurred by the distribution business. The TUoS tariff structure is compatible with the DUoS tariff structure. This structure has been maintained in order to allow the NUoS tariff to be determined by simply adding the DUoS and TUoS rates. However, UE has restricted the application of TUoS rates to those components of the NUoS which best reflect the underlying Grid Fees (i.e. Peak Energy, Summer Demand Incentive Charge and Rolling Demand). Therefore, off peak energy and fixed charges do not attract TUoS.

7.2. Transmission Use of System Charges and Under/Over Recovery Previous Years

As shown by table 7-1 below, the expected TUOS revenue increase from 2014 to 2015 is 12%.

Table 7-1: Estimated TUOS Revenue Increase (\$'M)

	2014	2015	Var(%)
Grid Fee Forecast	\$110	\$113	
Over/under recovery from previous year	\$11	\$1	
Actual/Allowed Revenue current year (grid fees less over recovery)	\$99	\$112	
Estimated Revenue collected	\$100	\$112	12%

8. Customer Tariff Class Assignment and Reassignment

8.1. Network Use of System Tariffs

The table below sets out UE closed network tariffs and the open network tariffs that are available to newly connecting customers.

Table 8-1: Closed and Open Network Tariffs to new connections

Tariff Code	Tariff Open Connection	New	Tariff Description	Tariff Class
Unmet	Yes		Unmetered supplies	Low voltage small
LVS1R	Yes		Low voltage small 1 rate	
LVS2R	No		Low voltage small 2 rate	
LVDed*	Yes		Dedicated circuit	
WET2Step	No		Winter economy tariff	
TOD	Yes		Time of Day	
TOD9	Yes		Time of Day 9pm off peak	
LVKW TOU RES**	Yes		Seasonal Demand / Time of use	
TODFLEX	Yes		Time of Day Flexible	
LVM1R	Yes		Low voltage medium 1 rate	
LVM2R5D	No		Low voltage medium 2 rate 5 day	
LVM2R7D	No		Low voltage medium 2 rate 7 day	
LVkWTOU	No		Low voltage KW time of use	
LVkWTOUH	No		Low voltage KW time of use – HOT	
TOU	Yes		Time of use	
TODFLEX	Yes		Time of Day Flexible	
LVL2R	No		Low voltage large 2 rate	Low voltage large
LVL1R	No		Low voltage large 1 rate	
LVkVATOU	Yes		Low voltage large KVA time of use	
LVkVATOUH	No		Low voltage large KVA time of use-HOT	
HVkVATOU	Yes		High voltage KVA time of use	High voltage large
SubTkVATOU	No		Subtransmission KVA time of use	Subtransmission large

*LVDed not available to any customer with solar installed.

** Available to residential customers from 1st July 2015.

NB: Where the tariff also includes a feed in tariff component a prefix of “F” (PFIT) and “T” (TFIT) for each applicable tariff will apply eg. FLVS1R, TLVS1R.

8.2. Tariff Assignment for New Connections

The AER’s procedures for assigning and reassigning customers to tariff classes for the Victorian DNSPs are set out in appendix G of the AER’s final determination. These procedures require that in determining the tariff class to which a customer or potential customer will be assigned, or reassigned, UE must take into account one or more of the following factors:

- (a) the nature and extent of the customer’s usage;
- (b) the nature of the customer’s connection to the network; and
- (c) whether remotely-read interval metering or other similar metering technology has been installed at the customer’s premises as a result of a regulatory obligation or requirement.

8.2.1. Customers Usage

The table below outlines the customer categories based on energy consumption and maximum demand. The customer category determines the network tariff options.

Table 8-2: Customer Usage

Category	Maximum Demand (kVA)	Annual Energy Consumption (MWh)
Small	NA	<20
Medium	NA	20 to 400
Large	>150 and/or	>400

8.2.2. Metering and regulatory implications

UE has replaced 97% of meters with advanced interval metering (AMI) for customers consuming less than 160MWh per annum.

Where single phase customers have an off peak heating load and a LVS1R plus Dedicated tariff combination, a single phase two element AMI enabled meter with contactor will be installed to separately measure the off peak hot water load, which is the same as the current two meters plus time switch meter combination.

Where a customer wishes to receive a feed in tariff, a net interval metering configuration is required to provide a net export energy stream. In this circumstance, a single measurement element will not be able to provide a dedicated measurement for off peak heating load and a Time of Day or a Time of Use network tariff with an off peak component will be assigned as the default.

8.2.3. Tariff Re-assignment

UE’s network tariffs contain summer and non-summer components. To avoid tariff arbitrage, a new connection must remain on the initial network tariff for a minimum of 12 consecutive months unless there is a load or connection characteristic change. It is important that customers speak to retailers to ensure they are well informed about retail and network tariff offerings.

The Victorian Government flexible pricing policy requires, additional reassignment rules for residential customers with an AMI meter that include:

- During the transitional period until the end of 2015, a retailer is able to offer a residential customer a choice of network tariffs within the respective tariff class.
- During the safe try period, from the commencement date of the flexible pricing policy until 31 March 2015, a residential customer may request their retailer;
 - if there has been no change of retailer from the commencement date to revert from TODFLEX back to the customers previous legacy network tariff (this can include reversion to a closed tariff)
 - where there has been a change of retailer (or change of customer at the premises) revert from TODFLEX (or any residential tariff) back to an open network tariff
- Change of network tariff will be prospective. Limited retrospectivity may be sought to align to a retail transfer.
- Whilst the 12 month reversion rule has been relaxed for residential customers from the commencement of the Government's flexible pricing policy, UE reserves its right to reject a tariff change request where there appears to be retailers performing "mass" changes with a view to tariff arbitrage.

8.3. Network options for newly connecting small customers <20MWh pa

Subject to the commencement of the Government flexible pricing policy, for residential customers:

- During the transitional period until the end of 2015, a retailer is able to offer a residential customer a choice of network tariffs within the respective tariff class.
- Where a default tariff is applied and the retailer wishes to move to a different network tariff within the tariff class this may occur at any time
- Change of network tariff will be prospective. Limited retrospectivity may be sought to align to a retail transfer.

For customers who use less than 20MWh per annum, the default and optional tariff combinations for new connections are detailed below.

All new connections and replacement meters will use an AMI interval meter.



Table 8-3: Default and Tariff Options (Small Residential Customers)

	Default UE Network Tariff from 1 January 2015	Optional UE Network Tariff from 1 January 2015 if requested*
New connections (no solar)		
- Standard	LVS1R	TOD TOD9 TODFLEX LVKW TOU RES
- Plus hot water and or slab	LVS1R + Ded	TOD TOD9 TODFLEX LVKW TOU RES LVS1R
New Connections (Solar)		
- Standard	TOD9	TOD TODFLEX LVKW TOU RES LVS1R
- Plus hot water and or slab	TOD9	TOD TODFLEX LVKW TOU RES LVS1R

*LVKW TOU RES available from 1st July 2015

NB: Where a customer is not residential, a new connection must remain on the initial network tariff for a minimum of 12 consecutive months unless there is a load or connection characteristic change.

Until the end of 2015, a retailer may select the network tariff for residential customers. Where a default tariff is applied and the retailer wishes to move to a different network tariff within the tariff class for a residential customer, a prospective network tariff change will be allowed.

8.4. Network options for newly connecting medium customers >20MWh pa and <400MWh per annum

For customers who use between 20-400 MWh per annum, the default and optional tariff combinations for new connections are detailed below:

Table 8-4: Default Tariff Options (Medium Customers)

	Default UE Network Tariff from 1 January 2015	Optional UE Network Tariff from 1 January 2015 if requested
New connections (no Solar)		
- Standard	LVM1R	TOU
New Connections (Solar)		



	Default UE Network Tariff from 1 January 2015	Optional UE Network Tariff from 1 January 2015 if requested
- Standard	TOU	LVM1R*

Further information on the above tariffs and tariff eligibility is provided in the following section.

TODFLEX and LVKW TOU RES tariffs are applicable to residential customers only with an AMI meter. On occasion, a residential customer may consume greater than 20MWh. In these cases, these customers are deemed “medium” but can remain eligible for either tariff.

8.5. 2015 Default Network Tariffs for New Connections

The following section provides information on the default tariffs for new connections and the applicable tariff eligibility:

LVS1R:

- This tariff is available to new connections
- Customers must consume <20 MWh/pa.
- Includes a summer and non summer peak energy charge.
- Customers can make savings by reducing their energy consumption during summer months. Usage during non summer is cheaper.
- Summer is defined as 1 November to 31 March.
- Where the customer is residential with an AMI meter installed, tariff re-assignment rules apply as per section 8.2.3 and section 8.3.

LVM1R:

- This tariff is available to new connections.
- Customers must consume between 20 and 400 MWh/pa.
- Includes a summer and non summer peak energy charge.
- Customers can make savings by reducing their energy consumption during summer months. Usage during non summer is cheaper.
- Summer is defined as 1 November to 31 March.
- Once on this tariff, non-residential customers cannot move onto another tariff for a minimum period of 12 months.

LVDED:

- This tariff is only available in conjunction with the LVS1R tariff for new connections.
- Customer must have a dedicated circuit connected to a controlled electric hot water service and/or storage space heating.
- Requires a separately metered dedicated circuit controlled by UE by means of time switch or other means.



- Is a dedicated off peak charge that applies for a maximum of 7 hours during the off peak period.
- The Off Peak period is 11pm to 7am local time.
- All controlled load is controlled by the meter. Note, if there are any controlled load boosts during peak periods, these will be charged the peak tariff rate.
- This tariff is not available to New Customers with embedded generation or Existing Customers that install embedded generation.

TIME OF DAY (TOD):

- Customers to consume <20MWh/annum
- Requires an interval meter.
- Includes a seasonal peak energy charge. Customers can make savings by reducing their energy consumption during the peak periods (3pm-11pm Local Time workdays).
- Non-Summer Peak energy charge is lower than Summer Peak energy charge to encourage heating usage.
- Includes a seasonal shoulder energy charge. Customers can make savings by reducing their energy consumption during the shoulder periods (7am-3pm Local Time workdays).
- Non-Summer shoulder energy charge is lower than Summer Shoulder energy charge to encourage heating usage.
- Off-peak energy is all day weekends and public holidays and 11pm to 7am Local Time workdays. Usage during off peak times is cheaper than peak times.
- Includes a daily Standing Charge
- Where the customer is residential with an AMI meter installed, tariff re-assignment rules apply as per section 8.2.3 and section 8.3.
- Summer is defined as 1 November to 31 March.

TIME OF DAY 9PM OFF PEAK (TOD9):

- Customers to consume <20MWh/annum
- Requires an interval meter.
- Includes a seasonal peak energy charge. Customers can make savings by reducing their energy consumption during the peak periods (3pm-9pm Local Time workdays).
- Non-Summer Peak energy charge is lower than Summer Peak energy charge to encourage heating usage.
- Includes a seasonal shoulder energy charge. Customers can make savings by reducing their energy consumption during the shoulder periods (7am-3pm Local Time workdays).
- Non-Summer shoulder energy charge is lower than Summer Shoulder energy charge to encourage heating usage.
- Off-peak energy is all day weekends and public holidays and 9pm to 7am Local Time workdays. Usage during off peak times is cheaper than peak times.



- Includes a daily Standing Charge
- Where the customer is residential with an AMI meter installed, tariff re-assignment rules apply as per section 8.2.3 and section 8.3.
- Summer is defined as 1 November to 31 March.

TIME OF DAY FLEXIBLE (TODFLEX):

- Customers must be Residential.
- Requires an AMI meter.
- Includes a seasonal peak energy charge. Customers can make savings by reducing their energy consumption during the peak periods. The peak energy period is between 3pm and 9pm Local Time workdays inclusive of public holidays on weekdays.
- Non-Summer Peak energy charge is lower than Summer Peak energy charge to encourage heating usage.
- Includes a seasonal shoulder energy charge. Customers can make savings by reducing their energy consumption during the shoulder periods. Shoulder energy is 7am-3pm and 9pm-10pm Local Time workdays including public holidays, and 7am-10pm weekends.
- Non-Summer shoulder energy charge is lower than Summer Shoulder energy charge to encourage heating usage.
- Off-peak energy is 10pm to 7am Local Time workdays including public holidays and weekends . Usage during off peak times is cheaper than peak times.
- Includes a daily Standing Charge
- Tariff re-assignment rules apply as per section 8.2.3 and section 8.3.
- Summer is defined as the commencement of daylight savings (early October) to the finish of daylight savings (early April).
-

TIME OF USE (TOU):

- Customers must consume >20 and <400MWh/annum.
- Requires an interval meter.
- Includes a seasonal peak energy charge. Customers can make savings by reducing their energy consumption during the peak periods (7am-11pm Local Time workdays).
- Off-peak energy is all day weekends and public holidays and 11pm to 7am Local Time workdays. Usage during off peak times is cheaper than peak times.
- Includes a Summer Demand Incentive Charge measured at maximum kW per billing period between 2pm and 7pm local time workdays in summer. This empowers customers to make savings by altering the time of use of their consumption away from 2pm to 7pm Local Time workdays in summer.

- Once on this tariff, non-residential customers cannot move onto another tariff for a minimum period of 12 months.
- Summer is defined as 1 November to 31 March.

Seasonal Demand Time of Use Residential (LVKW TOU RES):

- Customers must be Residential.
- Requires an AMI meter.
- Available from July 2015.
- No standing charge.
- Summer capacity charge (1st December to 31st March) based on monthly maximum demand between 3pm and 9pm. No distinction between workday and non workday. Minimum chargeable demand of 1.5KW.
- Non summer capacity charge (1st April to 30th November) based on monthly maximum demand occurring between 3pm and 9pm. No distinction between workday and non workday. Minimum chargeable demand of 1.5KW.
- Tariff specification makes provision for differential energy rates for peak, shoulder and off peak periods (as per TODFLEX). However, initial rate will be a single rate common to all periods.
- Tariff re-assignment rules apply as per section 8.2.3 and section 8.3.

LVKVATOU:

- Customers must be in "large" category (>400MWh and/or >150KVA).
- Must have an Interval meter measuring kW and kVar.
- Includes a seasonal peak energy charge. Customers can make savings by reducing their energy consumption during the peak periods (7am-7pm Local Time workdays).
- Includes a Summer Demand Incentive Charge (measured as kVA at maximum kW per billing period). This empowers customers to make savings by altering the time of use of their consumption away from 3pm to 6pm Local Time workdays in summer.
- Off-peak energy is all day weekends and public holidays and 7pm to 7am Local Time workdays. Usage during off peak times is cheaper than peak times.
- The peak rolling demand is 7am - 7pm Local Time workdays and is measured as kVA at maximum kW. The minimum rolling demand applicable is 150 kVA.
- Once on this tariff, customers cannot move onto another tariff for a minimum period of 12 months.
- Summer is defined as 1 November to 31 March.

HVKVATOU:

- Customers must be in "large" category (>400MWh and/or >150KVA).
- Must have an Interval meter measuring kW and kVar Includes a seasonal peak energy charge. Customers can make savings by reducing their energy consumption during the peak periods (7am-7pm Local Time workdays).
- Includes a Summer Demand Incentive Charge (measured as kVA at maximum kW per billing period). This empowers customers to make savings by altering the time of use of their consumption away from 3pm to 6pm Local Time workdays in summer.
- Off-peak energy is all day weekends and public holidays and 7pm to 7am Local Time workdays. Usage during off peak times is cheaper than peak times.
- The peak rolling demand is 7am - 7pm Local Time workdays and is measured as kVA at maximum kW. The minimum rolling demand applicable is 1150 kVA.
- Once on this tariff, customers cannot move onto another tariff for a minimum period of 12 months. .
- Summer is defined as 1 November to 31 March.

8.6. Jurisdictional Scheme: Feed in Tariff schemes

The Victorian Government introduced a premium feed in tariff policy in November 2009. A premium feed in tariff (PFIT) was available to residential and commercial customers consuming less than 100 MWh/annum who installed up to 5 kW of solar panels and had net interval metering. However, upon reaching 100MW of installed solar capacity across Victoria in November 2011, the Minister declared the end of the scheme. As a replacement, the Government introduced the Transitional Feed in Tariff (TFIT). The TFIT scheme closed as at 31 December 2012, and there is no new Distributor administered scheme to replace PFIT/TFIT.

UE administers the rebates under the jurisdictional scheme and seeks to recover the cost of the PFIT/TFIT credits by recovering on a fixed rate per customer basis. For 2015 the annual recovery is \$26.29 per customer which represents a reduction of \$18.93 from the prior year.

8.6.1. Jurisdictional Scheme Amounts

Table 8.5 outlines the jurisdictional charges and correction factors applicable to UE in 2015. The correction factor represents the accumulated under recovery of revenue versus rebates paid since the commencement of the scheme.



Table 8-5: Jurisdictional PFIT Scheme Amounts (Real \$'000)

Jurisdictional PFIT/TFIT Scheme Amounts (\$'000)					
	2011 actual	2012 actual	2013 actual	2014 estimated	2015 forecast
Revenue from PFIT/TFIT charges	\$ 614	\$ 9,209,887	\$ 17,901,791	\$ 29,164,639	\$ 17,030,033
PFIT/TFIT rebates paid	\$ 5,477	\$ 14,226,909	\$ 19,136,566	\$ 16,505,037	\$ 16,336,246
Correction factor					-\$ 694,458

8.6.2. Calculation PFIT Rebate Costs applicable to Jurisdictional revenue forecast

The following table outlines the actual and estimated PFIT rebate costs from 2011 to 2015:

Table 8-6: PFIT Rebates

PFIT Rebate Cost	2011 actual	2012 actual	2013 actual	2014 estimated	2015 forecast
PFIT Rebate \$/kWh exported	\$ 0.60	\$ 0.60	\$ 0.60	\$ 0.60	\$ 0.60
Customers on PFIT (31 Dec)	17,973	18,231	18,231	18,231	18,231
Customers on PFIT (average for year)	11,904	18,049	18,231	18,231	18,231
kWh exported	9,127,967	15,735,149	23,024,531	20,228,090	20,566,252
KWh per customer	767	872	1,263	1,110	1,128
PFIT rebate cost (\$'000)	\$ 5,477	\$ 9,441	\$ 13,815	\$ 12,137	\$ 12,340

8.6.3. Calculation TFIT Rebate Costs applicable to Jurisdictional revenue forecast

The following table outlines the actual TFIT rebate costs from 2012 to 2015:

Table 8-7: TFIT Rebates

TFIT Rebate Cost	2011 actual	2012 actual	2013 actual	2014 estimated	2015 forecast
TFIT Rebate \$/kWh exported		\$ 0.25	\$ 0.25	\$ 0.25	\$ 0.25
Customers on TFIT (31 Dec)		11,844	13,667	13,667	13,667
Customers on TFIT (average for year)		5,922	13,667	13,667	13,667
kWh exported		5,162,810	21,261,865	17,472,733	15,985,977
KWh per customer		872	1,556	1,278	1,170
TFIT rebate cost (\$'000)		\$1,291	\$ 5,315	\$ 4,368	\$ 3,996



8.7. Tariff Reassignments for Existing Customers

Table 8-8: Tariff Reassignment for Existing Customers

Meter Type	<20MWh	>20MWh
Basic	LVS1R	LVM1R
Interval	LVS1R TOD TOD9	LVM1R TOU
AMI	LVS1R TOD TOD9 TODFLEX (residential only) LVKW TOU RES	LVM1R TOU TODFLEX (residential only) LVKW TOU RES (residential only)
Solar	LVS1R TOD TOD9 TODFLEX (residential only with AMI enabled meter) LVKW TOU RES	LVM1R TOU TODFLEX (residential only with AMI enabled meter) LVKW TOU RES (residential only)

NB: Where solar metering exists, customers may be on Feed in Schemes (TFIT or PFIT). In these cases, a prefix of ‘T’ or ‘F’ will precede the tariff eg. TOU becomes TTOU or FTOU.

UE’s network tariffs contain summer and non-summer components. To avoid tariff arbitrage, an existing non-residential customer must remain on a re-assigned/assigned network tariff for a minimum of 12 consecutive months unless there is a load or connection characteristic change. It is important that customers speak to retailers to ensure they are well informed about retail and network tariff offerings.

Additional reassignment rules relating to Government flexible pricing policy for residential customers with an AMI meter:

- During the transitional period until the end of 2015, a retailer is able to offer a residential customer a choice of network tariffs within the respective tariff class. There will be no limit on the number of reversions.
- During the safe try period, from the commencement date of the flexible pricing policy until 31 March 2015, a residential customer may request their retailer;
 - if there has been no change of retailer from the commencement date to revert from TODFLEX back to the customers previous legacy network tariff (this can include reversion to a closed tariff)
 - where there has been a change of retailer (or change of customer at the premises) revert from TODFLEX (or any residential tariff) back to an open network tariff
- Change of network tariff will be prospective. Limited retrospectivity may be sought to align to a retail transfer.



- Whilst the 12 month reversion rule has been relaxed for residential customers from the commencement of the Government's flexible pricing policy, UE reserves its right to reject a tariff change request where there appears to be tariff arbitrage.

8.8. UE's system of assessing and reviewing a customer's charges

As noted in Section 2.4 of this Pricing Proposal, the AER's final determination requires UE to provide for an appropriate system of assessment and review of the basis on which a customer is charged. In accordance with the AER's requirements, UE's system of assessment and review involves the following three-step process:

- Step 1: UE critically examines its draft annual tariff changes to identify customers that are likely to experience price changes that are materially different to the tariff average. It is noted that such variations may occur if a customer's load profile contrasts sharply with typical tariff customer and where tariff changes differ across tariff components. UE will amend its draft tariff proposals where appropriate, having regard to the principles that guide tariff prices.
- Step 2: Following UE's annual tariff review, UE contacts customers where the current tariff is inappropriate for the customer's load profile or would likely to result in a substantial increase in network charges. UE would identify alternative network options for the customer's consideration or measures to assist the customer in reducing its network charges.
- Step 3: Where a customer or customer's retailer contacts UE regarding the basis on which a customer is charged, UE will identify alternative network options or measures to assist the customer in reducing network charges. However, UE notes that steps 1 and 2 properly executed should minimise, if not eliminate, the number of contacts from customers and retailers regarding inappropriately high network charges.

In addition to the above steps, UE will monitor its system of assessment and review in light of experience.

9. Alternative Control Services

9.1. Regulatory Requirements

A number of the Rule requirements in clause 6.18 relating to direct control services are applicable to both standard control services and alternative control services. In contrast to standard control services, however, the pricing arrangements for alternative control services are not generally tariff-based. For this reason, this section provides a brief explanation of UE's approach to alternative control services.

9.2. Pricing principles

Clause 6.18.5 of the Rules sets out the pricing principles that must be complied with in respect of each tariff class, including a tariff class within the classification of alternative control services.

9.3. Charging parameters for alternative control services metering tariffs

There are only two charging parameters within the alternative control services metering services tariff class: customer numbers and exit fee transactions.

Meter provision services are charged to each alternative control services network customer on a \$/day basis, so the relevant charging parameter is the number of customer days. Meter services exit fee transactions will be charged on an as incurred basis, so the relevant charging parameter is the number of exit fee transactions. The charging parameters for each tariff within the alternative control services metering services tariff class are set out in the table below.

The price path for the regulatory period is $CPI - X$, where X equals zero. The table below contains 2015 prices for each alternative control service.

Table 9-1: Fee based alternative control services prices for 2015

Fee based services	2015 Price (ex GST)
Field Officer Visits – Existing Premises	
Special read (basic meter)	\$11.31
Special read (interval meter)	\$12.56
Re-energise (fuse insert) - BH (unit rate)	\$40.74
De-energise (fuse insert) - BH (unit rate)	\$40.74
Express move in re-energise (fuse insert) – BH (unit rate)	\$122.77
Re-energise (fuse insert) – AH (unit rate)	\$130.20
De-energise (fuse removal) – AH (unit rate)	\$130.20
Express move in re-energise (fuse insert) – AH (unit rate)	\$130.20
<i>Temporary Supplies (exe inspection) – Coincident Disconnection</i>	
Standard single phase – BH (unit rate)	\$95.26
Multi phase to 100A – BH (unit rate)	\$95.26



Fee based services	2015 Price (ex GST)
Standard single phase – AH (unit rate)	\$200.74
Multi phase to 100A – AH (unit rate)	\$360.63
<i>Temporary Supplies (exe inspection) – Independent Disconnection</i>	
Independent disconnection standard single phase – BH (unit rate)	\$190.51
Independent disconnection multi phase to 100A – BH (unit rate)	\$378.51
Independent disconnection standard single phase – AH (unit rate)	\$401.49
Independent disconnection multi phase to 100A – AH (unit rate)	\$959.06
<i>Conversion from Coincidental to Independent Disconnection</i>	
Standard single phase – changed from coincidental to independent (unit rate)	\$95.25
Multi Phase – changed from coincidental to independent (unit rate)	\$200.74
New Connection where UE is the responsible person	
Single phase single element – BH (unit rate)	\$228.44
Single phase two element (off peak) – BH (unit arte)	\$228.44
Three phase direct connected – BH (unit rate)	\$228.44
Single phase single element – AH (unit rate)	\$296.49
Single phase two element (off peak) – AH (unit rate)	\$359.83
Three phase direct connected – AH (unit rate)	\$406.37
Routine new connections – three phase current transformer connected – BH	Quoted
Routine new connections – three phase current transformer connected – AH	Quoted
<i>New Connections – where UE is Not the Responsible Person</i>	
Single phase single element – BH (unit rate)	\$99.28
Single phase two element (off peak) – BH (unit rate)	\$99.28
Three phase direct connected – BH (unit rate)	\$99.28
Single phase single element – AH (unit rate)	\$283.11
Single phase two element (off peak) – AH (unit rate)	\$368.91
Three phase direct connected – AH (unit rate)	\$416.58
Routine new connections – three phase current transformer connected - BH	Quoted
Routine new connections – three phase current transformer connected - AH	Quoted
Service Vehicle Visits (without inspection)	



Fee based services	2015 Price (ex GST)
Service truck – first 30 minutes – BH (unit rate)	\$115.90
Each additional 15 minutes – BH (unit rate)	\$47.62
Wasted service truck visit - BH (unit rate)	\$47.62
Service truck – 2 hrs min – AH (unit rate)	\$236.45
Each additional 15 minutes – AH (unit rate)	\$50.99
Wasted service truck visit – AH (unit rate)	\$117.93

Fee Base Service	2015 Rate (ex GST)
Meter Equipment Test	
Single phase	\$56.53
Single phase (each additional meter)	\$50.23
Multi phase	\$87.92
Multi phase (each additional meter)	\$81.64

Table 9-2: Charge out rates for quoted alternative control services

Description	2015 Rate (ex GST)
Hourly labour rate—one person, business hours	\$99.37
Hourly labour rate—one person plus vehicle, business hours	\$135.61
Hourly labour rate—one person, after hours	\$124.22
Hourly labour rate—one person plus vehicle, after hours	\$151.38

10. Public Lighting

The table below contains the approved public lighting charges as per the AER Public Lighting updated with the September 2014 CPI.

Table 10-1: Alternative Control Services - Public Lighting Charges

Light Type	2015 Price (ex GST)
Mercury Vapour 80 watt	\$64.80
Sodium High Pressure 150 watt	\$97.72
Sodium High Pressure 250 watt	\$99.64
Fluorescent 2x20 watt	\$83.59
Fluorescent 3x20 watt	\$82.19
Mercury Vapour 50 watt	\$95.90
Mercury Vapour 125 watt	\$95.90
Mercury Vapour 250 watt	\$90.67
Mercury Vapour 400 watt	\$125.55
Mercury Vapour 700 watt	\$125.55
Sodium High Pressure 70 watt	\$141.91
Sodium High Pressure 100 watt	\$107.49
Sodium High Pressure 400 watt	\$125.55
Metal Halide 70 watt	\$131.92
Metal Halide 100 watt	\$131.92
Metal Halide 150 watt	\$131.92
Metal Halide 250 watt	\$134.51
Metal Halide 400 watt	\$134.51
T5 2X14W	\$29.22



Appendix A: Tariff Model

Appendix B: Tariff Summary

Appendix C: Public Lighting Model

Appendix D: Alternative Control Services Model

Appendix E: Audit Report

Schedule of Distribution Use of System (DUOS) Tariffs: 1 January 2015 (GST Exclusive)

Description	Tariff Code	Network Tariff Component PFIT (F) TFIT (T)	Network Tariff Component											Eligibility (consumption category)		Minimum Chargeable Rolling Demand	
			Standing Charge (c/day)	Summer Peak Energy (c/kWh)	Non Summer Peak Energy Block 1 (c/kWh)	Non Summer Peak Energy Block 2 (c/kWh)	Summer Shoulder Energy (c/kWh)	Non Summer Shoulder Energy (c/kWh)	Off Peak Energy (c/kWh)	Rolling Peak Demand c/kVA/day	Summer Demand Incentive Charge c/kW/day or c/kVA/day	Summer Demand Max KW c/KW/day	Non-summer Demand Max KW c/KW/day	kVA	MWh pa	kVA	
Low voltage small 1 rate	LVS1R	F,T	6.682	8.241	5.304										NA	<20	
Low voltage small 2 rate*	LVS2R*		13.832	9.927	7.530					1.721							
Dedicated circuit	LVDed									1.586					NA	<20 (on LVS1R)	
Unmetered supplies	UnMet			8.345	6.105					1.505							
Winter Energy Tariff*	WET2Step*		8.722	6.504	4.820	1.806											
Reverse cycle airconditioning time of use*	RCACKWTOU*			5.652	1.421					1.396		71.027					
Low voltage medium 1 rate	LVM1R	F,T	12.946	11.380	7.100										NA	>20 & <400	
Low voltage medium 2 rate 5 day*	LVM2R5D*		18.588	9.027	6.764					1.685							
Low voltage medium 2 rate 7 day*	LVM2R7D*		19.965	8.668	6.712					1.581							
Low voltage KW time of use*	LVkWTOU*			8.318	4.874					1.937		39.832					
Low voltage KW time of use - HOT	LVkWTOUH*			7.448	5.727					1.684		65.550					
Low voltage large 1 rate*	LVL1R*		12.885	5.901	4.656												
Low voltage large 2 rate*	LVL2R*		18.586	9.237	7.343					1.758							
Low voltage large KVA time of use	LVkVATOU			1.329	1.126					1.115	13.409	20.003			>150	>400	150
Low voltage large KVA time of use - HOT*	LVkVATOUH*			1.159	0.959					0.952	13.342	31.473					150
High voltage KVA time of use	HVkVATOU			0.800	0.707					0.695	8.157	11.201			>150	>400	1,150
High voltage KVA time of use - HOT*	HVkVATOUH*			0.828	0.685					0.677	9.407	22.778					1,150
Subtransmission KVA time of use*	SubTkVATOU*			0.456	0.355					0.308	0.798	1.170					11,100
Time of Day	TOD	F,T	6.443	15.487	9.126			4.365	3.215	2.987					NA	<20	
Time of Use	TOU	F,T		8.539	5.187					2.505		37.080			NA	>20 & <400	
Time of Day 9pm off-peak	TOD9	F, T	6.682	17.461	10.852			5.413	4.348	4.136					NA	<20	
Time of Day Flexible	TODFLEX	F,T	6.682	15.949	9.155			4.331	4.331	3.672							idential Customer
Sesonal Demand TOU RES	LVkWTOURES	F,T		2.500	2.500			2.500	2.500	2.500			23.340	9.210	idential Customer		1.50

* Tariff closed to premises not already taking supply under this tariff and new connections.

Summer peak energy rates apply for period 1st November to 31st March (except TODFLEX which follows daylight savings periods) & LVkWTOURES which apply 1st December to 31st March.

Non-summer peak energy rates apply for period 1st April to 31st October (except TODFLEX which follows non daylight savings periods) & LVkWTOURES which apply from 1st April to 30th November

PFIT (Premium Feed-In Tariff) is defined by an "F" added to the front of an existing distribution tariff ie. FTOD. The PFIT tariffs are closed to new connections.

TFIT (Transitional Feed-In Tariff) is defined by an "T" added to the front of an existing distribution tariff ie. TTOD. The TFIT tariffs are open to new connections that meet the solar criteria

Schedule of Distribution Use of System (TUOS) Tariffs: 1 January 2015 (GST Exclusive)

Description	Tariff Code	PFIT (F) TFIT (T)	Network Tariff Component											Eligibility (consumption/category)		Minimum Chargeable Rolling Demand	
			Standing Charge (c/day)	Summer Peak Energy (c/kWh)	Non Summer Peak Energy Block 1 (c/kWh)	Non Summer Peak Energy Block 2 (c/kWh)	Summer Shoulder Energy (c/kWh)	Non Summer Shoulder Energy (c/kWh)	Off Peak Energy (c/kWh)	Rolling Peak Demand c/kVA/day	Summer Demand Incentive Charge c/kW/day or c/kVA/day	Summer Demand Max KW c/KW/day	Non-summer Demand Max KW c/KW/day	kVA	MWh pa	kVA	
Low voltage small 1 rate	LVS1R	F,T		2.132	1.782										NA	<20	
Low voltage small 2 rate*	LVS2R*			3.580	2.865												
Dedicated circuit	LVDed														NA	<20 (on LVS1R)	
Unmetered supplies	UnMet			3.355	2.681												
Winter Energy Tariff* Reverse cycle	WET2Step*			2.385	1.908	1.908											
airconditioning time of use*	RCACKWTOU*			16.163	3.599						10.249						
Low voltage medium 1 rate	LVM1R	F,T		2.530	2.021										NA	>20 & <400	
Low voltage medium 2 rate 5 day*	LVM2R5D*			1.886	1.508												
Low voltage medium 2 rate 7 day*	LVM2R7D*			2.506	2.007												
Low voltage KW time of use*	LVkWTOU*			1.747	1.397						8.149						
Low voltage KW time of use-HOT	LVkWTOUH*			1.099	0.878						9.849						
Low voltage large 1 rate*	LVL1R*			2.498	1.996												
Low voltage large 2 rate*	LVL2R*			1.920	1.538												
Low voltage large KVA time of use	LVkVATOU			1.094	0.878						4.469	6.108			>150	>400	150
Low voltage large KVA time of use - HOT*	LVkVATOUH*			0.691	0.554						2.820	7.415					150
High voltage KVA time of use	HVkVATOU			0.769	0.616						5.117	5.372			>150	>400	1,150
High voltage KVA time of use - HOT*	HVkVATOUH*			0.442	0.352						2.934	5.923					1,150
Subtransmission KVA time of use*	SubTkVATOU*			0.519	0.418						3.679	4.463					11,100
Time of Day	TOD	F,T		2.193	1.862		1.862	1.644							NA	<20	
Time of Use	TOU	F,T		2.231	1.025							5.845			NA	>20 & <400	
Time of Day 9pm off-peak	TOD9	F, T		4.634	4.308		4.308	4.094							NA	<20	
Time of Day Flexible	TODFLEX	F,T		3.918	3.655		1.958	1.728									idential Customer
Sesonal Demand TOU RES	LVKWTOURES	F,T		1.500	1.500								7.082	7.038			idential Customer

* Tariff closed to premises not already taking supply under this tariff and new connections.

Summer peak energy rates apply for period 1st November to 31st March (except TODFLEX which follows daylight savings periods) & LVKWTOURES which apply 1st December to 31st March.

Non-summer peak energy rates apply for period 1st April to 31st October (except TODFLEX which follows non daylight savings periods) & LVKWTOURES which apply from 1st April to 30th November

PFIT (Premium Feed-In Tariff) is defined by an "F" added to the front of an existing distribution tariff ie. FTOD. The PFIT tariffs are closed to new connections.

TFIT (Transitional Feed-In Tariff) is defined by an "T" added to the front of an existing distribution tariff ie. TTOD. The TFIT tariffs are open to new connections that meet the solar criteria.

Schedule of Distribution Use of System (NUOS) Tariffs: 1 January 2015 (GST Exclusive)

Description	Tariff Code	PFIT (F) TFIT (T)	Network Tariff Component											Eligibility (consumption/category)		Minimum Chargeable Rolling Demand	Minimum Chargeable Demand	
			Standing Charge (c/day)	Summer Peak Energy (c/kWh)	Non Summer Peak Energy Block 1 (c/kWh)	Non Summer Peak Energy Block 2 (c/kWh)	Summer Shoulder Energy (c/kWh)	Non Summer Shoulder Energy (c/kWh)	Off Peak Energy (c/kWh)	Rolling Peak Demand c/kVA/day	Summer Demand Incentive Charge c/kW/day or c/kVA/day	Summer Demand Max KW c/KW/day	Non-summer Demand Max KW c/KW/day	kVA	MWh pa	kVA	KW	
Low voltage small 1 rate	LVS1R	F,T	6.682	10.373	7.086										NA	<20		
Low voltage small 2 rate*	LVS2R*		13.832	13.507	10.395					1.721								
Dedicated circuit	LVDed									1.586					NA	<20 (on LVS1R)		
Unmetered supplies	UnMet			11.700	8.786					1.505								
Winter Energy Tariff* Reverse cycle airconditioning time of use*	WET2Step* RCACKWTOU*		8.722	8.889	6.728	3.714							81.276					
Low voltage medium 1 rate	LVM1R	F,T	12.946	13.910	9.121										NA	>20 & <400		
Low voltage medium 2 rate 5 day*	LVM2R5D*		18.588	10.913	8.272					1.685								
Low voltage medium 2 rate 7 day*	LVM2R7D*		19.965	11.174	8.719					1.581								
Low voltage KW time of use*	LVkWTOU*			10.065	6.271					1.937		47.981						
Low voltage KW time of use -HOT	LVkWTOUH*			8.547	6.605					1.684		75.399						
Low voltage large 1 rate*	LVL1R*		12.885	8.399	6.652													
Low voltage large 2 rate*	LVL2R*		18.586	11.157	8.881					1.758								
Low voltage large KVA time of use	LVkVATOU			2.423	2.004					1.115	17.878	26.111			>150	>400	150	
Low voltage large KVA time of use - HOT*	LVkVATOUH*			1.850	1.513					0.952	16.162	38.888					150	
High voltage KVA time of use	HVkvATOU			1.569	1.323					0.695	13.274	16.573			>150	>400	1,150	
High voltage KVA time of use - HOT*	HVkvATOUH*			1.270	1.037					0.677	12.341	28.701					1,150	
Subtransmission KVA time of use*	SubTkVATOU*			0.975	0.773					0.308	4.477	5.633					11,100	
Time of Day	TOD	F,T	6.443	17.680	10.988		6.227	4.859	2.987						NA	<20		
Time of Use	TOU	F,T		10.770	6.212					2.505		42.925			NA	>20 & <400		
Time of Day 9pm off-peak	TOD9	F, T	6.682	22.095	15.160		9.721	8.442	4.136						NA	<20		
Time of Day Flexible	TODFLEX	F,T	6.682	19.867	12.810		6.289	6.059	3.672						Residential Customer			
Sesonal Demand TOU RES	LVkWTOURES	F,T		4.000	4.000		2.500	2.500	2.500						Residential Customer		1.50	1.50

* Tariff closed to premises not already taking supply under this tariff and new connections.

Summer peak energy rates apply for period 1st November to 31st March (except TODFLEX which follows daylight savings periods) & LVkWTOURES which apply 1st December to 31st March.

Non-summer peak energy rates apply for period 1st April to 31st October (except TODFLEX which follows non daylight savings periods) & LVkWTOURES which apply from 1st April to 30th November

PFIT (Premium Feed-In Tariff) is defined by an "F" added to the front of an existing distribution tariff ie. FTOD. The PFIT tariffs are closed to new connections.

TFIT (Transitional Feed-In Tariff) is defined by an "T" added to the front of an existing distribution tariff ie. TTOD. The TFIT tariffs are open to new connections that meet the solar criteria.

UED PFIT/TFIT pass through charge: 1 January 2015 (GST Exclusive)

UED Network Tariff Description	UED Tariff Code	PFIT/TFIT Pass Through Charge (c/cust/day)
Low voltage small 1 rate	LVS1R	7.202
Low voltage small 2 rate*	LVS2R*	7.202
Dedicated circuit**	LVDed**	
Unmetered supplies	UnMet	
Winter Energy Tariff*	WET2Step*	7.202
Reverse cycle airconditioning time of use*	RCACKWTOU*	7.202
Low voltage medium 1 rate	LVM1R	7.202
Low voltage medium 2 rate 5 day*	LVM2R5D*	7.202
Low voltage medium 2 rate 7 day*	LVM2R7D*	7.202
Low voltage KW time of use*	LVkWTOU*	7.202
Low voltage KW time of use - HOT	LVkWTOUH*	7.202
Low voltage large 1 rate*	LVL1R*	7.202
Low voltage large 2 rate*	LVL2R*	7.202
Low voltage large KVA time of use	LVkVATOU	7.202
Low voltage large KVA time of use - HOT*	LVkVATOUH*	7.202
High voltage KVA time of use	HVkVATOU	7.202
High voltage KVA time of use - HOT*	HVkVATOUH*	7.202
Subtransmission KVA time of use*	SubTkVATOU*	7.202
Time of Day	TOD	7.202
Time of Use	TOU	7.202
Time of Day 9pm off-peak	TOD9	7.202
Time of Day Flexible	TODFLEX	7.202
Sesonal Demand TOU RES	LVkWTOURES	7.202

* Tariff closed to premises not already taking supply under this tariff and new connections.

2015 Prescribed Metering Service Charges (GST Exclusive)

Metering Data Services (Unmetered Supplies)	\$/light/annum
Per light	\$1.258

Schedule of Distribution Use of System (DUOS) Tariffs: 1 January 2015 (GST Inclusive)

Description	Tariff Code	PFIT (F) TFIT (T)	Network Tariff Component											Eligibility (consumption/ category)		Minimum Chargeable Rolling Demand	Minimum Chargeable Demand
			Standing Charge (c/day)	Summer Peak Energy (c/kWh)	Non Summer Peak Energy Block 1 (c/kWh)	Non Summer Peak Energy Block 2 (c/kWh)			Off Peak Energy (c/kWh)	Rolling Peak Demand c/kVA/day	Summer Demand Incentive Charge c/kW/day or c/kVA/day	Summer Demand Max KW c/KW/day	Non- summer Demand Max KW c/KW/day	kVA	MWh pa	kVA	KW
Low voltage small 1 rate	LVS1R	F,T	7.350	9.065	5.834									NA	<20		
Low voltage small 2 rate*	LVS2R*		15.215	10.920	8.283			1.893									
Dedicated circuit**	LVDed**							1.745						NA	<20 (on LVS1R)		
Unmetered supplies	UnMet			9.180	6.716			1.656									
Winter Energy Tariff*	WET2Step*		9.594	7.154	5.302	1.987											
Reverse cycle airconditioning time of use*	RCACKWTOU*			6.217	1.563			1.536		78.130							
Low voltage medium 1 rate	LVM1R	F,T	14.241	12.518	7.810									NA	>20 & <400		
Low voltage medium 2 rate 5 day*	LVM2R5D*		20.447	9.930	7.440			1.854									
Low voltage medium 2 rate 7 day*	LVM2R7D*		21.962	9.535	7.383			1.739									
Low voltage KW time of use*	LVkWTOU*			9.150	5.361			2.131		43.815							
Low voltage KW time of use - HOT	LVkWTOUH*			8.193	6.300			1.852		72.105							
Low voltage large 1 rate*	LVL1R*		14.174	6.491	5.122												
Low voltage large 2 rate*	LVL2R*		20.445	10.161	8.077			1.934									
Low voltage large KVA time of use	LVkVATOU			1.462	1.239			1.227	14.750	22.003				>150	>400	150	
Low voltage large KVA time of use - HOT*	LVkVATOUH*			1.275	1.055			1.047	14.676	34.620						150	
High voltage KVA time of use	HVkVATOU			0.880	0.778			0.765	8.973	12.321				>150	>400	1,150	
High voltage KVA time of use - HOT*	HVkVATOUH*			0.911	0.754			0.745	10.348	25.056						1,150	
Subtransmission KVA time of use*	SubTkVATOU*			0.502	0.391			0.339	0.878	1.287						11,100	
Time of Day	TOD	F,T	7.087	17.036	10.039		4.802	3.537	3.286					NA	<20		
Time of Use	TOU	F,T		9.393	5.706				2.756		40.788			NA	>20 & <400		
Time of Day 9pm off-peak	TOD9	F, T	7.350	19.207	11.937		5.954	4.783	4.550					NA	<20		
Time of Day Flexible	TODFLEX	F,T	7.350	17.544	10.071		4.764	4.764	4.039					Residential Customer			
Sesonal Demand TOU RES	LVkWTOURES	F,T		2.750	2.750		2.750	2.750	2.750					Residential Customer		1.50	1.50

* Tariff closed to premises not already taking supply under this tariff and new connections.
 Summer peak energy rates apply for period 1st November to 31st March (except TODFLEX which follows daylight savings periods) & LVkWTOURES which apply 1st December to 31st March.
 Non-summer peak energy rates apply for period 1st April to 31st October (except TODFLEX which follows non daylight savings periods) & LVkWTOURES which apply from 1st April to 30th November
 PFIT (Premium Feed-In Tariff) is defined by an "F" added to the front of an existing distribution tariff ie. FTOD. The PFIT tariffs are closed to new connections.
 TFIT (Transitional Feed-In Tariff) is defined by an "T" added to the front of an existing distribution tariff ie. TTOD. The TFIT tariffs are open to new connections that meet the solar criteria.

Schedule of Transmission Use of System (TUOS) Tariffs: 1 January 2015 (GST Inclusive)

Description	Tariff Code	PFIT (F) TFIT (T)	Network Tariff Component											Eligibility (consumption/ category)		Minimum Chargeable Rolling Demand	Minimum Chargeable Demand
			Standing Charge (c/day)	Summer Peak Energy (c/kWh)	Non Summer Peak Energy Block 1 (c/kWh)	Non Summer Peak Energy Block 2 (c/kWh)			Off Peak Energy (c/kWh)	Rolling Peak Demand c/kVA/day	Summer Demand Incentive Charge c/kW/day or c/kVA/day	Summer Demand Max KW c/KW/day	Non- summer Demand Max KW c/KW/day	kVA	MWh pa	kVA	KW
Low voltage small 1 rate	LVS1R	F,T		2.345	1.960									NA	<20		
Low voltage small 2 rate*	LVS2R*			3.938	3.152												
Dedicated circuit**	LVDed**													NA	<20 (on LVS1R)		
Unmetered supplies	UnMet			3.691	2.949												
Winter Energy Tariff*	WET2Step*			2.624	2.099	2.099											
Reverse cycle airconditioning time of use*	RCACKWTOU*			17.779	3.959					11.274							
Low voltage medium 1 rate	LVM1R	F,T		2.783	2.223									NA	>20 & <400		
Low voltage medium 2 rate 5 day*	LVM2R5D*			2.075	1.659												
Low voltage medium 2 rate 7 day*	LVM2R7D*			2.757	2.208												
Low voltage KW time of use*	LVKWTOU*			1.922	1.537					8.964							
Low voltage KW time of use - HOT	LVKWTOUH*			1.209	0.966					10.834							
Low voltage large 1 rate*	LVL1R*			2.748	2.196												
Low voltage large 2 rate*	LVL2R*			2.112	1.692												
Low voltage large KVA time of use	LVkVATOU			1.203	0.966				4.916	6.719				>150	>400	150	
Low voltage large KVA time of use - HOT*	LVkVATOUH*			0.760	0.609				3.102	8.157						150	
High voltage KVA time of use	HVKVATOU			0.846	0.678				5.629	5.909				>150	>400	1,150	
High voltage KVA time of use - HOT*	HVKVATOUH*			0.486	0.387				3.227	6.515						1,150	
Subtransmission KVA time of use*	SubTKVATOU*			0.571	0.460				4.047	4.909						11,100	
Time of Day	TOD	F,T		2.412	2.048		2.048	1.808						NA	<20		
Time of Use	TOU	F,T		2.454	1.128					6.430				NA	>20 & <400		
Time of Day 9pm off-peak	TOD9	F, T		5.097	4.739		4.739	4.503						NA	<20		
Time of Day Flexible	TODFLEX	F,T		4.310	4.021		2.154	1.901						Residential Customer			
Sesonal Demand TOU RES	LVKWTOURES	F,T		1.650	1.650									Residential Customer		1.50	1.50

* Tariff closed to premises not already taking supply under this tariff and new connections.

Summer peak energy rates apply for period 1st November to 31st March (except TODFLEX which follows daylight savings periods) & LVKWTOURES which apply 1st December to 31st March.

Non-summer peak energy rates apply for period 1st April to 31st October (except TODFLEX which follows non daylight savings periods) & LVKWTOURES which apply from 1st April to 30th November

PFIT (Premium Feed-In Tariff) is defined by an "F" added to the front of an existing distribution tariff ie. FTOD. The PFIT tariffs are closed to new connections.

TFIT (Transitional Feed-In Tariff) is defined by an "T" added to the front of an existing distribution tariff ie. TTOD. The TFIT tariffs are open to new connections that meet the solar criteria.

Schedule of Network Use of System (NUOS) Tariffs: 1 January 2015 (GST Inclusive)

Description	Tariff Code	PFIT (F) TFIT (T)	Network Tariff Component											Eligibility (consumption/ category)		Minimum Chargeable Rolling Demand	Minimum Chargeable Demand
			Standing Charge (c/day)	Summer Peak Energy (c/kWh)	Non Summer Peak Energy Block 1 (c/kWh)	Non Summer Peak Energy Block 2 (c/kWh)			Off Peak Energy (c/kWh)	Rolling Peak Demand c/kVA/day	Summer Demand Incentive Charge c/kW/day or c/kVA/day	Summer Demand Max KW c/KW/day	Non- summer Demand Max KW c/KW/day	kVA	MWh pa	kVA	KW
Low voltage small 1 rate	LVS1R	F,T	7.350	11.410	7.794									NA	<20		
Low voltage small 2 rate*	LVS2R*		15.215	14.858	11.435			1.893									
Dedicated circuit**	LVDed**							1.745						NA	<20 (on LVS1R)		
Unmetered supplies	UnMet			12.871	9.665			1.656									
Winter Energy Tariff* Reverse cycle airconditioning time of use*	WET2Step* RCACKWTOU*		9.594	9.778	7.401	4.086											
Low voltage medium 1 rate	LVM1R	F,T	14.241	15.301	10.033									NA	>20 & <400		
Low voltage medium 2 rate 5 day*	LVM2R5D*		20.447	12.005	9.099			1.854									
Low voltage medium 2 rate 7 day*	LVM2R7D*		21.962	12.292	9.591			1.739									
Low voltage KW time of use*	LVkWTOU*			11.072	6.898			2.131			52.779						
Low voltage KW time of use - HOT	LVkWTOUH*			9.402	7.266			1.852			82.939						
Low voltage large 1 rate*	LVL1R*		14.174	9.239	7.318												
Low voltage large 2 rate*	LVL2R*		20.445	12.273	9.769			1.934									
Low voltage large KVA time of use	LVkVATOU			2.665	2.205			1.227	19.666	28.722				>150	>400	150	
Low voltage large KVA time of use - HOT*	LVkVATOUH*			2.035	1.664			1.047	17.778	42.777						150	
High voltage KVA time of use	HVkVATOU			1.726	1.456			0.765	14.602	18.230				>150	>400	1,150	
High voltage KVA time of use - HOT*	HVkVATOUH*			1.397	1.141			0.745	13.575	31.571						1,150	
Subtransmission KVA time of use*	SubTkVATOU*			1.073	0.851			0.339	4.925	6.196						11,100	
Time of Day	TOD	F,T	7.087	19.448	12.087		6.850	5.345	3.286					NA	<20		
Time of Use	TOU	F,T		11.847	6.834				2.756		47.218			NA	>20 & <400		
Time of Day 9pm off-peak	TOD9	F, T	7.350	24.304	16.676		10.693	9.286	4.550					NA	<20		
Time of Day Flexible	TODFLEX	F,T	7.350	21.854	14.092		6.918	6.665	4.039					Residential Customer			
Sesonal Demand TOU RES	LVKWTouRES	F,T		4.400	4.400		2.750	2.750	2.750					Residential Customer			

* Tariff closed to premises not already taking supply under this tariff and new connections.
 Summer peak energy rates apply for period 1st November to 31st March (except TODFLEX which follows daylight savings periods) & LVKWTouRES which apply 1st December to 31st March.
 Non-summer peak energy rates apply for period 1st April to 31st October (except TODFLEX which follows non daylight savings periods) & LVKWTouRES which apply from 1st April to 30th November
 PFIT (Premium Feed-In Tariff) is defined by an "F" added to the front of an existing distribution tariff ie. FTOD. The PFIT tariffs are closed to new connections.
 TFIT (Transitional Feed-In Tariff) is defined by an "T" added to the front of an existing distribution tariff ie. TTOD. The TFIT tariffs are open to new connections that meet the solar criteria.

UED PFIT/TFIT pass through charge: 1 January 2015 (GST Inclusive)

UED Network Tariff Description	UED Tariff Code	PFIT/TFIT Pass Through Charge (c/cust/day)
Low voltage small 1 rate	LVS1R	7.922
Low voltage small 2 rate*	LVS2R*	7.922
Dedicated circuit**	LVDed**	
Unmetered supplies	UnMet	
Winter Energy Tariff*	WET2Step*	7.922
Reverse cycle airconditioning time of use*	RCACKWTOU*	7.922
Low voltage medium 1 rate	LVM1R	7.922
Low voltage medium 2 rate 5 day*	LVM2R5D*	7.922
Low voltage medium 2 rate 7 day*	LVM2R7D*	7.922
Low voltage KW time of use*	LVkWTOU*	7.922
Low voltage KW time of use - HOT	LVkWTOUH*	7.922
Low voltage large 1 rate*	LVL1R*	7.922
Low voltage large 2 rate*	LVL2R*	7.922
Low voltage large KVA time of use	LVkVATOU	7.922
Low voltage large KVA time of use - HOT*	LVkVATOUH*	7.922
High voltage KVA time of use	HVkVATOU	7.922
High voltage KVA time of use - HOT*	HVkVATOUH*	7.922
Subtransmission KVA time of use*	SubTkVATOU*	7.922
Time of Day	TOD	7.922
Time of Use	TOU	7.922
Time of Day 9pm off-peak	TOD9	7.922
Time of Day Flexible	TODFLEX	7.922
Sesonal Demand TOU RES	LVkWTOURES	7.922
* Tariff closed to premises not already taking supply under this tariff and new connections.		

2015 Prescribed Metering Service Charges (GST Inclusive)

Metering Data Services (Unmetered Supplies)	\$/light/annum
Per light	\$1.384

UED 'F' (fire) factor pass through charge: 1 January 2015 (GST Exclusive)

UED Network Tariff Description	UED Tariff Code	Pass Through Charge (c/cust/day)
Low voltage small 1 rate	LVS1R	-0.038
Low voltage small 2 rate*	LVS2R*	-0.038
Dedicated circuit**	LVDed**	
Unmetered supplies	UnMet	
Winter Energy Tariff*	WET2Step*	-0.038
Reverse cycle airconditioning time of use*	RCACKWTOU*	-0.038
Low voltage medium 1 rate	LVM1R	-0.038
Low voltage medium 2 rate 5 day*	LVM2R5D*	-0.038
Low voltage medium 2 rate 7 day*	LVM2R7D*	-0.038
Low voltage KW time of use*	LVkWTOU*	-0.038
Low voltage KW time of use - HOT	LVkWTOUH*	-0.038
Low voltage large 1 rate*	LVL1R*	-0.038
Low voltage large 2 rate*	LVL2R*	-0.038
Low voltage large KVA time of use	LVkVATOU	-0.038
Low voltage large KVA time of use - HOT*	LVkVATOUH*	-0.038
High voltage KVA time of use	HVkVATOU	-0.038
High voltage KVA time of use - HOT*	HVkVATOUH*	-0.038
Subtransmission KVA time of use*	SubTkVATOU*	-0.038
Time of Day	TOD	-0.038
Time of Use	TOU	-0.038
Time of Day 9pm off-peak	TOD9	-0.038
Time of Day Flexible	TODFLEX	-0.038
Sesonal Demand TOU RES	LVKWTOURES	-0.038

* Tariff closed to premises not already taking supply under this tariff and new connections.

UED 'F' (fire) factor pass through charge: 1 January 2015 (GST Inclusive)

UED Network Tariff Description	UED Tariff Code	Pass Through Charge (c/cust/day)
Low voltage small 1 rate	LVS1R	-0.042
Low voltage small 2 rate*	LVS2R*	-0.042
Dedicated circuit**	LVDed**	
Unmetered supplies	UnMet	
Winter Energy Tariff*	WET2Step*	-0.042
Reverse cycle airconditioning time of use*	RCACKWTOU*	-0.042
Low voltage medium 1 rate	LVM1R	-0.042
Low voltage medium 2 rate 5 day*	LVM2R5D*	-0.042
Low voltage medium 2 rate 7 day*	LVM2R7D*	-0.042
Low voltage KW time of use*	LVkWTOU*	-0.042
Low voltage KW time of use - HOT	LVkWTOUH*	-0.042
Low voltage large 1 rate*	LVL1R*	-0.042
Low voltage large 2 rate*	LVL2R*	-0.042
Low voltage large KVA time of use	LVkVATOU	-0.042
Low voltage large KVA time of use - HOT*	LVkVATOUH*	-0.042
High voltage KVA time of use	HVkVATOU	-0.042
High voltage KVA time of use - HOT*	HVkVATOUH*	-0.042
Subtransmission KVA time of use*	SubTkVATOU*	-0.042
Time of Day	TOD	-0.042
Time of Use	TOU	-0.042
Time of Day 9pm off-peak	TOD9	-0.042
Time of Day Flexible	TODFLEX	-0.042
Sesonal Demand TOU RES	LVKWTOURES	-0.042

* Tariff closed to premises not already taking supply under this tariff and new connections.

Agreed Upon Procedures Report in Relation to the United Energy Distribution Pty Ltd TUOS Tariff Submission for 2015

To: The Directors of United Energy Distribution Pty Ltd

Report of Factual Findings

We have performed the procedures agreed with you and the Australian Energy Regulator (“AER”) to report factual findings for the purpose of assisting you and the AER with your submission of data contained within Tariff Data Templates (“TDT’s”) to the AER. The procedures performed are detailed in the terms of the engagement of 16 October 2014 and described below with respect to the TUOS Tariff Submission of United Energy Distribution Pty Ltd (“UED”) for inclusion in the 2015 Pricing Proposal submitted to the AER.

The Director’s Responsibility for the Procedures Agreed

The Directors of UED and the AER are responsible for the adequacy or otherwise of the procedures agreed to be performed by us. You and the AER are responsible for determining whether the factual findings provided by us, in combination with any other information obtained, provide a reasonable basis for any conclusions which you or other intended users wish to draw on the subject matter.

Assurance Practitioner’s Responsibility

Our responsibility is to report factual findings obtained from conducting the procedures agreed. We conducted the engagement in accordance with Standard on Related Services ASRS 4400 *Agreed-Upon Procedures Engagements to Report Factual Findings*.

Because the agreed-upon procedures do not constitute either a reasonable or limited assurance engagement in accordance with Standards issued by the Auditing and Assurance Standards Board, we do not express any conclusion and provide no assurance on the TUOS Tariff Submission of UED for the 2015 Pricing Proposal. Had we performed additional procedures or had we performed an audit or a review of the TUOS Tariff Submission in accordance with Standards issued by the Auditing and Assurance Standards Board, other matters might have come to our attention that would have been reported to you.

Independence

We have complied with ethical requirements equivalent to those applicable to Other Assurance Engagements, including independence.

Factual Findings

The procedures were performed solely to assist you in preparing your submission to the AER for the 2015 annual proposal for tariffs. The procedures performed and the factual findings obtained are as follows:

Procedures Performed	Factual Findings
<p>1. We will check that the network tariff quantities listed in Attachment A of the 2015 Tariff Submission align with those included in Regulatory Information Notice Financial Information Template 20 (Demand and Revenue) of the 31 December 2013 UED Regulatory Information Notice Reporting Templates (and include an explanation of any reconciling items between current and previously reported network tariff quantities).</p>	<p>The total network tariff quantities listed in Appendix A of the 2015 Tariff Submission were 0.7% (54.3GWh) lower than those quantities included in the Regulatory Information Notice Financial Information Template 20 (Demand and Revenue) of the 31 December 2013 UED Regulatory Information Notice Reporting Templates.</p> <p>This difference is due to the timing of preparation of data, with the quantities in the Regulatory Information Notice Reporting Templates based on actual billings plus an accrual as at 31 December 2013, and the quantities in Attachment A of the 2015 Tariff submission based on actual billings for 2013 as at August 2014 (i.e. actual billings have replaced accruals including a true-up of reported revenue during the year ending 31 December 2013 and an elimination of any accruals remaining for the period at the time of TUOS submission).</p> <p>We also noted that a reclassification of 0.8GWh from LVS1R to LVS1RWET. This reclassification is required because the UED reporting model does not separate the information into the required AER tariff bands. We have agreed the LVS1RWET volume to the bill linear report for the year.</p> <p>We also noted that 1% of quantities in tariff band LVS1R have been reallocated to the tariff band TODFLEX introduced in 2014 and the new tariff band LVKW-TOU-RES. These represent a migration rate that United Energy has negotiated with the AER as appropriate proxies for the 2015 tariff determination.</p>
<p>2. We will check that the TUOS charges, Transmission connection fees and Cross boundary network charges listed in Attachment B of the 2015 Tariff Submission align with those included in Regulatory Information Notice Financial Information Template 12b (Activities (B) Inclusive of Margin) of the 31 December 2013 UED Regulatory Information Notice Reporting Templates (and include an explanation of any reconciling items between current and previously reported charges).</p>	<p>There exists a difference of \$33k between the TUOS Charges and Transmission Connection Fees listed in Appendix B of the 2013 Tariff Submission.</p> <p>This variance is due to the treatment of AEMO consultancy work and connection application costs as being AEMO TUOS Charges in the Reported RIN, whilst in Appendix B these costs are treated as Transmission Connection Fees.</p> <p>These TUOS Charges and Connection Fees are based on GL transactions which we have agreed to audited trial balances. In addition, we agreed TUOS Charges and Transmission Connection Fees to underlying invoices and agreed large invoices to bank statements.</p> <p>We identified that Cross Boundary Network Charges (t-2 2013) listed in Attachment B of the 2015 Tariff Submission were not included in Regulatory Information Notice Financial Information Template 12b (Activities (B) Inclusive of Margin) of the 31 December 2013 UED Regulatory Information Notice Reporting Templates.</p>

Procedures Performed	Factual Findings
	<p>We note that Cross Boundary Network Charges are only recognised when the amount has been finalised and billed to/from UED. As this information was not available at the time the Regulatory Accounting Statements (RIN) were prepared, it has not been previously recognised in the Regulatory Accounting Statements (RIN). We agreed the Cross Boundary Network Charges (t-2 2013) in Attachment B of the 2015 Tariff Submission to invoices and noted no differences.</p>
<p>3. We will check that the Payments to embedded generators listed in Attachment B of the 2015 Tariff Submission align with those included in Regulatory Information Notice Financial Information Template 18 (Avoided Cost Payments) of the 31 December 2013 UED Regulatory Information Notice Reporting Templates (and include an explanation of any reconciling items between current and previously reported charges).</p>	<p>The Payments to embedded generators listed in Appendix B of the 2015 Tariff Submission agreed to those included in Regulatory Information Notice Financial Information Template 18 (Avoided Cost Payments) of the 31 December 2013 UED Regulatory Information Notice Reporting Templates.</p>
<p>4. We will check that the total submitted count of public lights included in the Public Lighting Spreadsheet aligns with the number of public lights contained within UED's Geographical Information System (GIS) as at 31 December 2013.</p>	<p>The number of public lights listed in the Tariff Submission reporting template agreed to the number recorded in UED's Geographical Information System (GIS) as at 26 December 2013.</p> <p>We noted that 26 December 2013 is the latest date of system report available before 31 December 2013. Per discussion with management the number reported is expected to be accurate as at 31 December 2013 as the five days after the report cut-off date had minimal network installation activity given the period is during the Christmas to New Year holiday period and is across a weekend.</p>

Procedures Performed	Factual Findings
<p>5. We will check that the Premium Feed-in Tariff (PFIT) and Transitional Feed in Tariff (TFIT) rebate costs listed in Attachment C of the 2013 Tariff Submission align with those included in Regulatory Information Notice Financial Information Template 22 (Jurisdictional Scheme) of the 31 December 2013 UED Regulatory Information Notice Reporting Templates (and include an explanation of any reconciling items between current and previously reported rebates).</p>	<p>Our testing identified that the Jurisdictional Scheme cost reported in Appendix C agrees to those included in the Regulatory Information Notice Financial Information Template 22 (Jurisdictional Scheme) of the 31 December 2013 UED Regulatory Information Notice Reporting Templates.</p>

Restriction on Distribution and Use of Report

This report is intended solely for the use of UED and the AER for the purpose set out above. As the intended user of our report, it is for you and other intended users to assess both the procedures and our factual findings to determine whether they provide, in combination with any other information you have obtained, a reasonable basis for any conclusions which you wish to draw on the subject matter. As required by ASRS 4400 *Agreed-Upon Procedures Engagements to Report Factual Findings* distribution of this report is restricted to those parties that have agreed the procedures to be performed with us and other intended users identified in the terms of the engagement (since others, unaware of the reasons for the procedures, may misinterpret the results).

Our report may be relied upon by United Energy Distribution for the purpose set out above only pursuant to the terms of our engagement letter 16 October 2014.

We disclaim all responsibility to any other party for any loss or liability that the other party may suffer or incur arising from or relating to or in any way connected with the contents of our report, the provision of our report to the other party or the reliance upon our report by the other party.



Ernst & Young

Melbourne
30 October 2014